ROK

2015-16 CATALOG

A
AIR COMPRESSORS 26-27
AIR COUPLERS / PLUGS 30-31
AIR FITTINGS 36-37
AIR HOSE 28-29
AIR NAILERS / STAPLERS 23-25
AIR REGULATORS / FILTERS 38-39
AIR TOOLS 114-118
AIR TOOLS ACCESSORIES 120
AUGER BITS 60,64
AUTOMOTIVE SHOP EQUIPMENT 121-124

B
BACKING PADS 95
BANDSAWS 144
BAR CLAMPS 4
BENCH GRINDERS 145
BENCHTOP MACHINERY 145
BISCUITS 98
BLOW GUNS 32-33
BLOWERS 142
BOTTLE JACKS 122
BRAD POINT BITS 59
BUFFING AND POLISHING 93-94

C
CALIPERS / DIVIDERS 44
CASTORS 126
C-CLAMPS 9
CHISELS 19
CLAMPS 2-9
COUNTERSINKS 56,61
CREEPERS AND SEATS 121

D
DADO SETS 77
DIAMOND BLADES - CONTRACTOR 82-83
DIAMOND BLADES - POWERSONIC 84-85
DIAMOND BLADES - PROFESSIONAL 79-81
DIAMOND CUP WHEELS 81-82
DIAMOND HOLE SAWS 86-87
DIAMOND POLISHING PADS 80
DIAMOND SHARPENING 21
DIGITAL CALIPERS 43
DIVIDERS 44
DOWELING JIGS 98
DRILL ATTACHMENTS 53-54
DRILL BIT SETS - HEX SHANK 57
DRILL CHUCKS 146
DRILL PRESSES 147
DRIVER BIT HOLDERS / EXTENSIONS 55
DRIVER BIT SETS 52-55, 57
DRIVER BITS 54
DUST COLLECTION 138-141
DUST COLLECTORS 141
DUST MASKS 47

E
EAR PROTECTION 47
EDGE GUIDES 11
ELECTRICAL TOOLS 50-51

F
FEATHER BOARDS 90
FLOOR JACKS 123
FLOORING TOOLS 101
FORSTNER BITS 58-59

G
GAUGES 34-35
GLASS AND TILE BITS 87
GLASSES 46
GLUE BOTTLES 99
GRINDER 148

H
HAMMER BITS - SDS BITS 89
HAMMER BITS - SDS MAX 88
HAND PLANES 18
HAND SAWS 20
HAND TOOLS MISC 48
HOBBY TOOLS 104
HOLE SAWS 61-63

I
INSPECTION MIRRORS / TOOL SETS 110

J
JIG SAW BLADES 68
JOINTER / PLANER JIGS 150

K
KNOBS & TRACKS 100

L
LAMINATE FLOOR CUTTERS 101
LUBRICANTS 149

M
MAGNETIC PICK UP TOOLS 109-112
MAGNETIC SWEEPERS 109
MAGNETIC TRAYS 113
MAGNETS 108-113
MATERIAL HANDLING 125
MEASURING 40-44
MEASURING - DIGITAL 43
MEAT SAW / GRINDER 148
MITER SAW STANDS 12-14
MULTI METERS AND TESTERS 51
MULTI PURPOSE SNIPS 17
MULTI SCRAPER BLADES 69
MULTI TOOL ACCESSORIES 66-67
MULTI TOOLS 66

N
NAIL SETS 17
NAILS / STAPLES 22

P
PANEL LIFTER 10
PARTS WASHERS 121
PEX / PLUMBING TOOLS 49
PIPE CLAMPS 7
PLUG CUTTERS 56
PLUGS 30-31
PLUMBING TOOLS 49
POUCHES 132-135
POWER TOOLS 143
PRECISION MEASURING 43-44
PRECISION SCREWDRIVERS 52
PRESSURE ROLLERS 99
PRESSURE WASHER ACCESSORIES 128-131
PRY BAR 17
PUSH STICKS 149

R
RATCHETING CLAMPS 2-3
RECIPROCATING SAW BLADES 68-69
ROLLER STANDS 14-15
ROTARY TOOL ACCESSORIES 105-107
ROUTER ACCESSORIES 150-151
ROUTER BIT SETS 151-152, 171
ROUTER BITS - POWERSONIC 152-157
ROUTER BITS - SAMONA 159-171
RULERS 42

S
SAFETY 46-47
SANDING BELTS 97
SANDING BLOCKS 95
SANDING DISCS 97
SANDING DRUMS 96
SAW BLADES - CONTRACTOR 70-72
SAW BLADES - FERROUS / NON FERROUS 76
SAW BLADES - PRO FULL KERF 75-76
SAW BLADES - THIN KERF SERIES 73-74
SCAFFOLDING 10
SELF CENTERING BITS 54
SELF FEED BITS 65
SHAPER CUTTERS 172-173
SPADE BITS 60,65
SPRAY GUNS 119
SPRING CLAMPS 5
SQUARES 40-41
STAPLERS 23-25
STAPLES 22
STEP DRILL BITS 63
STORAGE BOXES 127
SUCTION CUPS 45

T
TABLE SAW ACCESSORIES 149
TILE SAWS 103
TILING TOOLS 102-103
TIRE CHUCKS / GAUGES 34-35
TOGGLE CLAMPS 8
TOOL BAGS / POUCHES 132-135
TOOL STANDS 15-16

V/W
VACUUM / BLOWERS 142
VISES AND ANVILS 136-137
WIRE BRUSHES 90-92
WOOD LATHES 142

50421
6" MINI RATCHETING CLAMP/ SPREADER

- Spring loaded quick ratchet with push-button release
- Reversing jaw with non-marring pad converts to spreader

PowerSonic

RATCHET CLAMP AND SPREADER

- 2-1/2" jaw depth
- Spring loaded quick ratchet with push-button release
- Reversing jaw with non-marring pad converts to spreader

Item No.	Size
50302	6"
50304	12"
50306	18"
50308	24"
50310	36"

PowerSonic

QUICK RELEASE RATCHETING CLAMP/ SPREADER

- 2-3/4" Jaw depth
- Easy one handed operation
- Non marring pads protect your material
- Converts to spreader



- ***Non marring pads protect your material***
- ***2-3/4" Jaw depth***
- ***Quick tool free conversion to spreader***
- ***Easy one handed operation***

Item No.	Size
50440	6"
50441	12"
50442	18"
50443	24"
50444	36"
50445	48"

50131
2 PC 6-1/4" RATCHET CLAMP

- Metal ratchet to secure clamp
- Adjustable pads to secure clamp
- Quick release lever for opening

50132
9" RATCHETING CLAMP

- Metal ratchet to secure clamp
- Adjustable pads to secure clamp
- Quick release lever for opening

- 2-3/4" opening
- 4" depth

QUICK RELEASE RATCHETING CLAMP/SPREADER

- 2-7/8 jaw depth
- Easy one handed operation
- Non marring pads protect your material
- Quick change knob allows for easy conversion to spreader

Item No.	Size
50473	6"
50474	12"
50475	18"
50476	24"
50477	36"

- ***Non marring pads protect your material***
- ***Jaw is 30% fiberglass for added strength***
- ***2-7/8" Jaw depth***
- ***Quick tool free conversion to spreader***
- ***Easy one handed operation***

50472
4" MINI RATCHETING CLAMP DISPLAY BOX

- Sold in a 16 pc display box
- One-handed control
- Reversing jaw with non-maring pad
- Converts to spreader

50471
2 PC 4" MINI RATCHETING CLAMP

- One-handed control
- Reversing jaw with non-maring pad
- Converts to spreader

50479
4 PC RATCHETING BAR CLAMP SET

- Easy one handed operation
- Non marring pads protect your material
- Quick change screw allows for easy conversion to spreader

- Includes:
  2 x 4" Mini Bar Clamp
  2 x 6" Bar Clamp

QUICK RELEASE WOOD CLAMP

- Cast jaws
- Non-marring cap and swivel pad
- Spring-loaded quick release
- Positive locking serrations
- New handle design

Item No.	Opening Size
50230	2-1/2" x 6"
50232	2-1/2" x 12"
50234	2-1/2" x 24"
50236	2-1/2" x 36"
50238	2-1/2" x 48"



ALUMINUM BAR CLAMP

- Torsion box design combines rigidity with light weight.
- Spring loaded quick action clamp head fits in positive detentes.

Item No.	Length	Opening Size
50240	24"	19-3/4"
50242	36"	31-3/4"
50244	48"	43-3/4"
50246	60"	55-3/4"
50248	72"	67-3/4"



F-BAR CLAMP

- Reinforced cast jaws
- Non-marring cap and swivel pad
- Wooden handle
- Serrated edges to prevent slipping
- I-Beam to prevent buckling

Item No.	Opening Size
50200	2" x 4"
50202	2" x 6"
50208	3" x 8"
50210	3" x 12"
50212	3" x 16"
50214	3" x 20"

Item No.	Opening Size
50216	4-1/2" x 24"
50218	4-1/2" x 32"
50220	4-1/2" x 40"
50222	4-1/2" x 48"
50224	4-1/2" x 60"



HEAVY DUTY QUICK ACTION CLAMP

- Non-slip, ergonomic soft grip handle
- Malleable cast iron jaws
- Swivel shoe with protective caps
- Meets German DIN standards
- Serrated edges prevent clipping
- I-beam to prevent bucking

Item No.	Opening Size
50329	2" x 6"
50330	2" x 8"
50332	3" x 8"
50334	3" x 12"
50336	3" x 16"
50338	3" x 24"
50339	4-1/2" x 24"
50341	4-1/2" x 36"
50342	4-1/2" x 48"

50109
22 PC MINI SPRING CLAMP

- Pivoting V-grooved jaws for clamping flat or oddly shaped work pieces
- Assorted colors

50108
6 PC MINI SPRING CLAMP

- Pivoting V-grooved jaws for flat or oddly-shaped work pieces

NYLON SPRING CLAMP

- High-strength nylon
- Powerful steel spring for stronger clamping pressure
- Swivel pads

Item No.	Size	Opening x Depth
50112	2"	1-1/16" x 7/8"
50116	3"	1-3/16" x 1-1/8"
50118	4"	1-1/2" x 1-1/2"
50120	6"	2-3/8" x 2-1/2"
50122	9"	3-1/4" x 3-1/2"

METAL SPRING CLAMP

- Steel construction for durability
- Powerful steel spring for stronger clamping pressure
- Soft grip pads

Item No.	Size	Opening x Depth
50100	4"	1-1/8" x 1-1/4"
50102	6"	2-1/8" x 2-1/8"
50103	9"	3" x 3"

COMFORT GRIP SPRING CLAMP

- Ergonomic rubber grips for greater comfort
- Powerful steel spring for stronger clamping pressure
- Pivoting V-grooved jaws for flat or oddly-shaped work pieces
- High-strength nylon

Item No.	Size
50123	3"
50124	4"
50126	6"
50128	9"

50129
6 PC COMFORT GRIP SPRING CLAMP

- Sold in 15 pc display box
- Includes 2 each - 4", 6" and 9" comfort grip spring clamps
- Ergonomic rubber grips for greater comfort
- Pivoting V-grooved jaws for flat or oddly-shaped work pieces
- High-strength nylon

50106
4 PC SPRING CLAMP SET

- Sold in 8 pc display box
- Set includes 2 x 4" and 2 x 6" spring clamps
- Pivoting V-grooved jaws for flat or oddly-shaped work pieces
- High-strength nylon

COMFORT GRIP SPRING CLAMP DISPLAY BOX

- Sold in 48 pc display box, assorted colors
- Ergonomic rubber grips for greater comfort
- Pivoting V-grooved jaws for flat or oddly-shaped work pieces
- High-strength nylon

Item No.	Size
50125	4"
50127	6"



50029
90° CORNER CLAMP

- 3" Opening
- Aluminum alloy body
- To clamp mitered corners for gluing

50061
FRAME CLAMP

- 9.8 ft nylon band
- Exerts even pressure on work pieces of various shapes and sizes
- Clamp odd-shapes with or without braces
- Use braces to clamp 45 miters
- Braces are recessed to protect mitered corners
- Position clamps securely, ensuring adequate pad surface contact.
- Clamps serve only as temporary devices for holding work in place

50024
CORNER / VISE CLAMP

- Clamp different thickness
- Pass through joints
- 2-1/2" X 2-1/2" or 2" x 3"
- Miter joints
- 1 Depth x 3-1/2" opening horizontal
- V groove for round stock
- Vertical v groove for round stock
- Swivel handle
- Reversible 2 sides

WOODEN HAND SCREW CLAMP

Item No.	Length	Opening x Depth
50040	4"	2-1/4" x 2"
50042	6"	3" x 2-3/4"
50044	8"	4-1/8" x 4"
50046	10"	5-7/8" x 5"
50048	12"	8" x 6"

- Heavy duty steel ferrules
- Hardwood jaws distribute pressure evenly
- Clamps irregular shapes
- Non-marring



50030
8" ADJUSTABLE SQUARE CLAMPING TOOL

- Easily adjust to set from 45 to 315 in 5 movements
- Ideal for projects of typical 4-,6-,8- and 12- sided frames
- Also designed for jobs with odd angles
- Twist knob tightens and loosens for rotation and angle setting
- Interlocking teeth securely set angle
- Made from fiberglass reinforced nylon for strength and accuracy
- Two 5" mini clamps for any wood thickness up to 2-1/2"
- Clamps with a fixed head and a moveable tailpiece of 3/4" throat depth

50490
CLAMP RACK

- On 4 locking 3" swivel castors
- 19" x 26" x 52"

50148
1/2" PIPE CLAMP

- Multiple hardened disc clutch for easy adjustments and strong holding power
- Unique foot design for greater stability

50150
3/4" PIPE CLAMP

- Multiple hardened disc clutch for easy adjustments and strong holding power
- Unique foot design for greater stability
- Soft jaw pads for non-marring



50151
3/4" H SERIES PIPE CLAMP

- Stability & comfort while clamping
- Unique foot design for greater stability
- Elevated from work surface
- Soft jaw pads for non-marring

PIPE FOR PIPE CLAMPS

- Ideal for clamping with 3/4" pipe clamp
- Both ends threaded
- "SM" mild steel
- 6 per box

Item No.	Size
50172	3/4" x 3 ft
50174	3/4" x 4 ft
50176	3/4" x 5 ft
50178	3/4" x 6 ft

50820
T-HANDLE VERTICAL TOGGLE CLAMP 200 LB CAPACITY

- Bolt: small
- Overall height: 3.1"
- Overall length: 2.6"
- Bar height: 1.38"
- Bar length: 2.28"

VERTICAL TOGGLE CLAMP

- All steel construction with an oil and stain resistant rubberized handle
- Rubberized hold-down foot secures your work piece without marring the surface
- Ideal for use in shop jigs

Item No.	Capacity	Overall Height	Overall Length	Bar Height	Bar Length
50825	200 lb	3.75"	2.6"	1.38"	2.28"
50827	500 lb	5.5"	4.6"	1.8"	4.5"
50828	500 lb	5.5"	5.5"	1.92"	5.33"
50829	750 lb	8"	5.5"	2.3"	5.4"

HORIZONTAL TOGGLE CLAMP

- All steel construction with an oil and stain resistant rubberized handle
- Rubberized hold-down foot secures your work piece without marring the surface
- Ideal for use in shop jigs

Item No.	Capacity	Overall Height	Overall Length	Bar Height	Bar Length
50835	200 lb	1.5"	5.5"	1.5"	2.6"
50837	500 lb	1.85"	7"	1.85"	3.3"
50839	750 lb	2.56"	10.25"	2.56"	4.73"

50844
PUSH-PULL CLAMP 300 LB CAPACITY

- Overall height: 3.3"
- Overall length: 5.46"
- Bar height: 1.14"
- Bar length: 3.3"

50845
PUSH-PULL CLAMP 500 LB CAPACITY

- Overall height: 4"
- Overall length: 4.9"
- Bar height: 1.25"
- Bar length: 2.8"
- Use to build your own roller table
- 2-1/4" x 15-3/4" ball bearing
- Steel construction
- Complete with 2 mounting brackets



50847
LATCH CLAMP700 LB CAPACITY

- Overall height: 1.6"
- Overall length: adjustable
- Bar length: adjustable

HOLD-DOWN BOLTS

- Flat cushion tip
- Complete with flanged washers and nuts

Item No.	Size	Fits
50850	Small	50820 , 50825, 50835
50853	Medium	50827, 50828, 50837
50855	Large	50829, 50839

C-CLAMP

- Ideal for metal working and wood working
- Cast iron construction for added durability
- Large swivel pad reduces marring on work surfaces and increases stability.

Item No.	Size x Depth
50001	1" x 1"
50002	2" x 1-1/4"
50003	3" x 2"
50004	4" x 2-1/2"
50005	5" x 2-5/8"
50006	6" x 2-3/4"
50008	8" x 3-1/2"
50009	10" x 3-1/2"

50022
2-1/2" DEEP THROAT C-CLAMP

- 2-1/2" extra depth 4-1/2"
- Swivel pad

49995
3 PC HEAVY DUTY C-CLAMP SET

- Includes 2", 3", & 4"
- Removable jaw pads for non-marring grip

49990
3 PC C-CLAMP SET

- Ideal tool for wood and metal clamping applications
- Swivel pad design
- 1", 2" & 3"

PowerSonic

50020
2-1/2" 3-WAY C-CLAMP

- 2-1/2" opening capacity
- 2-1/2" depth of throat use for right angle clamping
- Plate steel swivels
- Excellent for applying edging

METAL WORKING CLAMPS

- Drop forged steel body
- I-beam construction
- Swivel pad



Item No.	Size
50380	4" x 8"
50382	4" x 12"



- Heavier bar and larger throat depth

Item No.	Size
50386	4¾" x 8"
50388	4¾" x 12"

70070
PANEL LIFTER

- For drywall panels up to 4' x 16' (150 lb capacity)
- Maximum height: 11' ceiling level or sloped walls
- Sheet quantity capacity - single
- Loading height - 34"
- Fast action single stage winch with cam lock brake
- Mounted on three swivel casters
- Dismantles and folds for easy transportation / storage

48233
DRYWALL CUT OUT BITS

- 1/8" shank

22360
MINI SCAFFOLDING

- Rated use 500 lb (250 lb per platform)
- 4' Length
- 4' Height

PowerSonic

22355
HEAVY DUTY WORK PLATFORM

- Ideal for painting & wallpapering
- Clean windows, vehicles, boats and more
- Sturdy platform is 11in (W) X 30in (L) with a 19 1/2" standing height
- Positive locking safety legs with non slip feet, rated at 300 lbs.
- Legs fold for compact storage

PowerSonic

43960
50" INDUSTRIAL CLAMP AND CUTTING GUIDE

- 57" length
- 50" opening size

43962
97" INDUSTRIAL CLAMP AND CUTTING GUIDE

- 104" length
- 97" opening size



43952
50" PROFESSIONAL CLAMP AND CUTTING GUIDE

- 57" length
- 50" opening size
- 3 positions cam lock action for stronger hold
- Powerful nylon jaws with rubb insert for stronger grip
- Rigid non twist anodized aluminum channel with steel tension-carrying rod

- ***Use with***
- ***Circular saw***
- ***Router***
- ***Jig saw***

44000
50" CLAMP-ON STRAIGHTEDGE

- Enables accurate crosscutting and routing up to 50" when used as a guide with power tools
- Low profile, extruded aluminum body stays out of the way during work
- Anodized aluminum channel with steel tension-carrying rod
- Secured with powerful nylon jaws and cam lock action



34200
MITER SAW STAND

- 330 lbs capacity
- 80"overall material length support when fully extended
- Lightweight folding tubular frame
- Legs click and lock into operating position
- Universal mounting adapters fit most saws and have lever-actuated quick-release carrying handles
- Mounting system allows quick removal and replacement of saw
- Height-adjustable support extensions
- 9" wide extension rollers with material stop

34210
MITER SAW STAND DELUXE

- 330 lbs capacity
- 80" overall material length support when fully extended
- 8" rubber wheels allow you to move stand easily with saw attached
- Integrated 3 outlet power bar
- Adjustable foot allows use on uneven surfaces
- Lightweight folding tubular frame
- Quick release lever leg locks for easy folding and unfolding
- Legs click and lock into operating position
- Universal mounting adapters fit most saws and have lever-actuated quick-release carrying handles
- Mounting system allows quick removal and replacement of saw
- Height-adjustable support extensions
- 9" wide extension rollers with material stop
- Flip down material holder on legs

34215
MITER SAW STAND HEAVY DUTY

- 440 lbs capacity
- 124" overall material length support when fully extended
- Quick release lever leg locks for easy folding and unfolding
- Legs click and lock into operating position
- Adjustable foot allows use on uneven surfaces
- Universal mounting adapters fit most saws and have lever-actuated quick-release carrying handles
- Mounting system allows quick removal and replacement of saw
- Height-adjustable support extensions
- 9" wide extension rollers with material stop

34220
MITER SAW STAND HEAVY DUTY DELUXE

- 440 lbs capacity
- 124" overall material length support when fully extended
- 8" rubber wheels allow you to move stand easily with saw attached
- Integrated 3 outlet power bar
- Adjustable foot allows use on uneven surfaces
- Lightweight folding tubular frame
- Quick release lever leg locks for easy folding and unfolding
- Legs click and lock into operating position
- Universal mounting adapters fit most saws and have lever-actuated quick-release carrying handles
- Mounting system allows quick removal and replacement of saw
- Comes with universal mounting cross brackets
- Height-adjustable support extensions
- 9" wide extension rollers with material stop
- Flip down material holder on legs

34047
9 ROLLER CONVEYOR STAND

- Length is fully adjustable from 19-1/2" to 54"
- Height is adjustable from 24-1/2" to 38"
- Multiple stands can be connected for unlimited rolling length
- For use with table saws, planers and material handling

34072
HEAVY DUTY MOBILE BASE

- Adjustable
- Minimum: 14" x 17"
- Maximums: 27-3/4" x 32-1/2" or 25" x 35-1/4"
- 2 levelling feet
- Hardware included

-900 lb / 408 kg capacity
- 2 swivel casters on cam lifts
- 2 straight heavy duty casters
- Includes 8 "U" channel bars
- 4" x 17-1/2", 2" x 19", 2" x 28"

SAMONA

34092
MITER SAW STAND

- Quick release saw mounting brackets
- 400 lbs. holding capacity
- Positive stops for repetitive cutting
- 52" to 114" adjustable extensions
- Quick adjustable roller support with positive stop
- Positive lock legs
- Folds quickly, easy to carry

34093
MITER SAW MOUNTING BRACKETS

- Boxed and sold as a pair
- Use for 34200, 34210, 34215, 34220, 34092

34060
6 PC 1" ROLLER BALLS

- 1" ball 6 per pack
- Rotate in any direction
- Bind-free movement of your stock
- Create your own in feed / out feed tables or assembly lines

34010
ADJUSTABLE FOLDING ROLLER STAND

- Adjusts from 27" to 42-1/2" in height
- 11" roller
- Folds flat
- 130 lb capacity

34024
3-WAY FOLDING ROLLER STAND

- Adjusts from 26" to 44" in height
- Folds flat
- Stable double "T" stand
- 200 LB capacity
- Sold in 5pc display box

• FLAT SUPPORT

• EIGHT 5/8" ROLLER BALLS

• 11-3/4" SINGLE ROLLER

34020
FOLDING ROLLER STAND

- Adjusts from 26" to 44" in height
- 11-3/4" roller
- Folds flat
- Stable double "T" stand
- 200 LB capacity
- Sold in 5pc display box

34078
UNIVERSAL FOLDING TOOL STAND

- Use with miter saws, portable table saws and other benchtop machinery
- Large table top 23.5" x 27.5"
- Multiple mounting holes for universal fit.
- Height is adjustable to achieve optimal working height for various machines
- Height range: 23.5", 28" to 32"
- Quick release lever leg locks
- Legs fold for easy storage
- Adjustable foot

• PORTABLE TABLE SAWS

• MITER SAWS

• BENCHTOP TOOLS

• PORTABLE PLANERS

34105
HEIGHT ADJUSTABLE SAW HORSE WITH TELESCOPIC LEGS

- 1200 lb (544 kg) Capacity
- Rust resistant all steel construction
- Stable 38" wide top rail
- Height adjustable from 25"(63.5cm) to 40"(101.5cm)
- Folds flat for storage and easy transport

34082
UNIVERSAL TOOL STAND - ADJUSTABLE HEIGHT

- Can be used with a variety of benchtop tools
- Steel frame construction
- Adjustable height
- Non slip rubber feet

- Stand Height: 27-1/2" to 32"
- Size at top: 20 ½" x 18 ½"
- Weight Capacity: 500lbs

34080
TOOL STAND WITH MDF TOP

- Can be used with a variety of benchtop tools
- Adjustable split top surface 25" x 14" to 25" x 20" to accommodate larger tools
- Steel frame construction
- Includes middle MDF board
- Rubber feet allow for minor height adjustment

Stand height: 31"
Table size: 25" x 14" to 25" x 20"
Weight capacity: 500lbs

34096
MULTI-PURPOSE STAND

- Removable boards
- Adjustable feet
- 3 height position plus low position
- Professional Quality
- Use as a multi-station work bench
- Holds doors / material vertical for face of edge installation
- Holds doors / material at convenient work heights
- Use table top boards to clamp frames
- Clamp a piece of plywood in heavy duty position for an instant work bench
- Use to hold logs
- Table top board in heavy duty position allow clamping at a low level
- Open design allows unobstructed cutting
- Quick release clamp allow clamping many items 3" deep x 4-3/4" wide

SAMONA

70099
CARBIDE TIP SCRIBER

- Solid carbide tip for scribing lines on hardened steel, sheet metal, glass, ceramics, and plastics
- Design includes a comfortable grip and pocket clip

70090
3 PC NAIL SET

- Sizes: 1/32, 2/32, 3/32
- For setting unhardened nails
- Made with Chrome Vanadium resisting abrasion and corrosion
- Square head prevents rolling when set down

70100
AUTOMATIC CENTER PUNCH

- Knurled brass body
- Hardened steel point
- Force is adjustable by turning the top cap.

70095
3 PC SOFT GRIP NAIL SET

- Sizes: 1/32, 2/32, 3/32
- For setting unhardened nails
- Made with Chrome Vanadium resisting abrasion and corrosion
- Ergonomic design provides grip and reduces vibration

MULTI PURPOSE SNIP

- Professional Quality
- Stainless Steel Blade
- Ergonomic Soft Grip Handle
- Sold in 12pc display box

Item No.	Type
31047	Straight 8"
31049	45° Angle 7"

Cuts:
Sheet Metal
Plastics
Leather
Copper Wire
Nylon Wire
Cardboard
Paper
Rubber

70020
2 PC MULTI - PURPOSE BAR/ SCRAPER SET

Includes:
- 8 in 1 Pry Bar / Scraper 6-1/2"
- 3 in 1 Pry Bar / Scraper 9-1/2"
- Scraper
- Nail Puller
- Bottle Opener

70310
SPOKE SHAVE

- For shaping and smoothing curves on irregular wood surfaces- Adjustable cutter
- Turn two adjustment nuts to extend or retract blade
- Push or pull in grain direction



70300
TRIMMING PLANE

- 3" x 1" trimming plane
- Alloy steel cutting blade
- Perfect for model making
- Fully adjustable cutter is easily sharpened

70302
BLOCK PLANE

- Machine ground base
- Adjustable blade is precision ground
- For cutting along grain or across ends

70304
SMOOTHING PLANE NO. 3

- Machine ground base
- Adjustable blade is precision ground
- Great general purpose plane

70380
6 PC SCRAPER SET

- Removes tool marks
- Prepares wood surfaces for finishing
- Smoother than sanding; wood fibers are shaved creating a silk-smooth finish
- Includes: Fine cutting, Medium cutting, Heavy cutting, Concave / Convex, Goose-neck, Beveled edge

70435
HARDWOOD MALLET

- Use with plastic or wood handled chisels
- Made from beechwood

70430
CARVERS MALLET

- Balanced head for detailed work
- Use on wood handled chisels

REPLACEMENT BLADES FOR PLANES

Item No.	Pieces	Size
70320	No. 3 Plane	1-3/4" x 7-3/8"
70324	Block Plane	1-5/8" x 4-1/4"
70323	Spoke Shave (2 pc)	2" x 1-3/4"

70460
4 PC WOOD CHISEL SET

- 1/4", 1/2", 3/4", 1"

WOOD CHISELS

- Hardened and tempered chrome vanadium blade for long life
- Finely ground, sharpened and honed
- Comfortable ergonomically designed bi-material handle
- Go-through handle design with steel cap for extra durability
- Steel end can be struck with mallet or hammer

Item No.	Size
70440	1/4"
70442	3/8"
70444	1/2"
70446	5/8"
70448	3/4"
70450	1"
70452	1 1/4"
70454	1 1/2"

49020
OIL STONE

- 8"x 2"
- Coarse and fine combination

49030
HONING GUIDE

- Foolproof honing system for chisels, plane irons, and scraping tools
- Self-centering clamp jaw for positive gripping action

70425
3 PC CHISEL SET

- 1/2", 3/4", 1"
- Chrome vanadium steel

PowerSonic

44013
CORNER CHISEL SET

- Cut 90° angles with a simple tap of a hammer
- Constructed from hardened steel with ground surfaces
- Chisels make great corners for hinge plates
- Includes 3/32", 1/16" diameter and 3/8" square chisels

3/8" 3/32" 1/16"

44014
CORNER CHISEL

- Cutting edge: 3/8" square
- Maximum working depth: 5/8"
- Makes routed corners square
- Heat-treated carbon steel shaft and aluminum base

70006
FLUSH CUT PULL SAW

- Made of high carbon spring steel
- Flexible blade and 0 offset kerf allows flush cutting without damage to workpiece
- Pull stroke
- Japanese style cutting, allows greater control
- Fine tooth blade produces a smooth cut that requires little or no sanding
- Double-edged blade cuts left and right
- 4-1/2" blade

70004
PLUG & DOWEL CUTTING SAW

- Made of high carbon spring steel
- Flexible blade and 0 offset kerf allows flush cutting without damage to workpiece
- Pull stroke
- Japanese style cutting, allows greater control
- Fine tooth blade produces a smooth cut that requires little or no sanding
- 7" blade

70007
3 BLADE SAW SET WITH HANDLE

Includes:
- Reciprocating saw blade
- Wallboard saw blade
- Flush cut saw blade

70015
12" UNDERCUT SAW

- Two-sided saw blade cuts left and right
- 10 TPI
- Offset hardwood handle provides unsurpassed cutting control

48326
6 PC LARGE DIAMOND POINTS

- 1/4" Shank
- 3-3/8" overall length

48320
20 PC DIAMOND POINTS 1/8" SHANK

- 1/8" Shank

48304
5 PC MINI DIAMOND FILE SET

48340
8 PC DIAMOND CUT-OFF WHEELS

• Includes:
- 2 arbors
- 6 wheels

48302
10 PC DIAMOND RIFFLER FILE SET



Riffler File

48307
HANDY DIAMOND SHARPENER WITH COVER

- Cover becomes handle
- 2 grits
- Coarse (yellow), fine (red)

48316
DIAMOND HOOK SHARPENER

- Round with groove side
- Flat side



• Flat side

• Round with groove side

48310
3 PC 1" X 3" DIAMOND HONE BLOCK SET

- Includes: Fine (360 grit, Medium (260 grit), Coarse (180 grit)

48312
3 PC 2" X 6" DIAMOND HONE BLOCK SET

- Includes: Fine (360 grit, Medium (260 grit), Coarse (180 grit)

23 GAUGE PIN NAILS

Made in Taiwan

- 4,000 per box

Item No.	Size
12060	1/2"
12061	5/8"
12062	11/16"
12063	7/8"
12064	1"

Item No.	Size
12066	1-3/16"
12067	1-3/8"
12068	1-9/16"
12070	1-3/4"
12072	2"

18 GAUGE BRAD NAILS

- 5,000 per box

Item No.	Size
12400	3/8"
12401	5/8"
12402	3/4"
12403	1"
12404	1-3/16"

Item No.	Size
12405	1-3/8"
12406	1-1/2"
12407	1-9/16"
12408	1-3/4"
12409	2"

16 GAUGE BRAD NAILS

- 2,500 per box

Item No.	Size
12420	3/4"
12421	1"
12422	1-1/4"
12423	1-1/2"

Item No.	Size
12424	1-3/4"
12425	2"
12426	2-1/4"
12427	2-1/2"

18 GAUGE 1/4" CROWN STAPLES

- 5,000 per box

Item No.	Size
12600	1/2"
12601	5/8"
12602	3/4"
12603	7/8"

Item No.	Size
12604	1"
12605	1-1/8"
12606	1-1/4"
12607	1-1/2"

15 GAUGE DA FINISHING NAILS

- 4,000 per box

Item No.	Size
12430	1"
12431	1-1/4"
12432	1-1/2"
12433	1-3/4"
12434	2"
12435	2-1/4"
12436	2-1/2"

FLOORING CLEATS L SHAPE

- 1,000 per box

Item No.	Size
12453	1-1/2"
12454	2"

15.5 GAUGE 1/2" CROWN FLOORING STAPLES

- 5,000 per box



Item No.	Size
12450	1-1/2"
12451	2"

12016
1" 23 GAUGE PIN NAILER

- Uses 1/2" to 1" 23 gauge headless pins
- Front exhaust can be changed to sides
- Cushion grip
- Ideal for pinning moldings while glue sets
- Headless pin is almost invisible
- Light weight aluminum die cast body
- Safety Lock

12017
1-3/8" 23 GAUGE PIN NAILER

- Uses 1/2" to 1-3/8" 23 gauge headless pins
- Adjustable exhaust
- Light weight aluminum die-cast body
- Pin indicator window
- Non-marring tip
- Safety trigger
- Cushion grip

12019
2" 23 GA PIN NAILER

- Uses 1/2" to 2" 23 gauge headless pins
- Adjustable exhaust
- Light weight aluminum die cast body
- Safety trigger
- Pin indicator window
- Non-marring tip
- Cushion grip

12010
2" 18 GAUGE BRAD NAILER

- Use standard 5/8" to 2" 18 gauge brad nails

Applications:
- Moldings
- Furniture
- Paneling
- Picture Frames
- Rattan
- Cabinets

- Contact safety
- Side view window
- Light weight aluminum die-cast body
- Quick release nose piece
- 360° adjustable exhaust
- Cushion grip
- Rugged aluminum alloy magazine
- includes extra driver and ROK glasses

12040
2 IN 1 COMBINATION
18 GAUGE BRAD NAILER / STAPLER

- Uses 5/8" to 2" 18 gauge brad nails or 5/8" to 1-5/8" 18 gauge narrow crown staples
- Contact safety
- Light weight aluminum die-cast body
- 360° adjustable exhaust
- Cushion grip
- Rugged aluminum alloy magazine
- Includes extra driver and ROK glasses

12025
STAPLER T50 STYLE

- Uses 5/32" to 5/8" standard staples available for hand staplers (Arrow T50 Style)
- Compact and lightweight
- Light weight aluminum die cast body
- Cushion grip

12023
UPHOLSTERY STAPLER

- Uses standard Senco® "C" Type, 22GA. 3/8" crown staples from 5/32" to 5/8"
- Steel top cap for durability
- Rear exhaust to protect work surfaces
- Light weight aluminum die cast body
- Cushion grip

12020
1-1/2" 18 GAUGE 1/4" NARROW CROWN STAPLER

- Uses 18 gauge 1/4" narrow crown staples 5/8" to 1-1/2"
- Contact safety
- Light weight aluminum die-cast body
- Quick release nosepiece
- 360° adjustable exhaust
- Cushion grip
- Rugged aluminum alloy magazine
- Includes extra driver and ROK glasses

• Applications:
- Moldings
- Furniture
- Paneling
- Picture Frames
- Rattan
- Cabinets

12050
2" BRAD NAILER & 1-1/2" STAPLER COMBINATION KIT

- Nailer (12010): Uses standard 5/8" to 2" 18 GA brad nails
- Stapler (12020): Uses 18 gauge narrow crown staples 5/8" to 1-1/2"

- Light weight aluminum die-cast body
- Quick release nose piece
- Contact safety
- 360° adjustable exhaust
- Cushion grip
- Rugged aluminum alloy magazine
- Includes extra drivers and ROK glasses

• Applications:
- Moldings
- Furniture
- Paneling
- Picture frames
- Rattan
- Cabinets

12044
2½" 16 GAUGE FINISHING NAILER

- Uses 3/4" to 2-1/2" 16 Ga brad nails
- Quick release nosepiece
- Adjustable depth of drive
- Includes extra driver and ROK glasses

12046
2½" 15 GAUGE FINISH NAILER

- Uses 1" to 2½" 15 GA DA angle finish nails
- Lightweight aluminum die cast body
- Adjustable exhaust
- Includes extra driver and ROK glasses

12057
3½" FRAMING NAILER

- Uses 30º- 34º clipped head framing nails 2" to 3-1/2"
- Selectable firing mode: bump or sequential
- Adjustable depth of drive
- Muffled, adjustable exhaust
- Includes extra driver and ROK glasses

- Magazine capacity: 80 nails
- Weight: 8.8 lb (4Kg)

12054
COIL ROOFING NAILER

- Compact body for better balance
- Uses 11 gauge 3/4" to 1- 3/4" full head coil roofing nails
- Selectable firing mode: bump or sequential
- Adjustable depth of drive
- Muffled adjust-able exhaust
- Includes extra driver and ROK glasses

- Magazine capacity: 120 nails
- Weight: 6.05 lb (2.75kg)

12021
MINI PALM NAILER

- Compact and lightweight
- Drives up to 3-1/2" Nail
- Magnetic insert to hold nail
- Ideal for overhead work & tight areas
- Includes extra driver

Weighs only 12.5oz (0.35kg)



12033
FLOORING GUN

- 2 in 1 flooring gun
- Uses 1-1/2" to 2" staples 15.5 gauge 1/2" crown or 1-1/2" to 2" 16 gauge flooring cleats
- Mallet actuated air operation
- Composite base to eliminate scratches and damage to the surface of the wood
- Additional bases included for variety of flooring thicknesses
- Ergonomic design with longer handle for better balance, control and ease of operation
- Hardened driver blade for longer life
- Non - marring rubber bumpers
- Lightweight die cast aluminum body reduces fatigue
- Mallet included

12028
4 IN 1 FLOORING GUN BRAD/STAPLER

- Interchangeable nosepiece converts tool from brad nailer/ stapler to flooring gun
- Composite base for flooring is adjustable for variety of flooring thicknesses

- Fine depth adjust-ment knob
- Cushion grip
- 360° Adjustable exhaust
- Quick release nosepiece

- Flooring nailer 18 Ga
- Flooring staper 1/4" Crown 18 Ga
- 5/8" - 1 5/8" 18Ga Brad nailer
- 1/2" - 1 5/8" 18Ga 1/4" crown stapler

10930
AIR COMPRESSOR

- Direct drive oil lubricated pump
- Regulated pressure gauge
- Industrial M style coupler
- Metal air filter

Motor	1 HP, 110 V / 60 Hz
Tank capacity	2 Gal
CFM at 90 PSI	2.5 CFM
RPM:	3400
Weight	19 Kg / 42 Lbs

10934
AIR COMPRESSOR

- Direct drive oil lubricated pump
- Regulated pressure gauge
- Industrial M style coupler
- Metal air filter

Motor	2 HP, 110 V / 60 Hz
Tank capacity	4 Gal
CFM at 90 PSI	3.5 CFM
RPM:	3400
Weight	28 Kg / 62 Lbs

10940
AIR COMPRESSOR

- Direct drive oil lubricated pump
- Regulated pressure gauge
- 2 Industrial M style couplers
- Metal air filter
- Large 8" wheels for easy movement

Motor	2.5 HP, 110 V / 60 Hz
Tank capacity	20 Gal
CFM at 90 PSI	4.0 CFM
RPM:	3400
Weight	46 Kg / 101.5 Lbs

10011
PORTABLE AIR TANK

- Easy to fill and use
- Light weight, portable tank with handle for easy transport
- Pressure gauge with safety valve
- 125 PSI maximum
- Includes 3 ft air hose with air chuck
- Connects to standard compressed air source

10925
AIR COMPRESSOR ULTRA QUIET

- Low noise, only 48 dB
- 25% quieter than comparable sized units.
- Over 2000 hour pump life.
  4X longer life than oil lubricated compressors.
- Oil free, no maintenance needed
- Regulated pressure gauge
- Industrial M-style coupler
- Metal air filter

Motor	0.65 HP, 110 V / 60 Hz
Tank capacity	1.5 Gal
CFM at 90 PSI	1.3 CFM
RPM:	1400
Weight	15 Kg / 33 Lbs

Low Noise
4x Longer Life

10955
AIR COMPRESSOR COMBO KIT

1 HP 2 GAL COMPRESSOR (10930)

- Direct drive oil lubricated pump
- Regulated pressure gauge
- Industrial M-style coupler
- Metal air filter

Motor	1 HP, 110 V / 60 Hz
Tank capacity	2 Gal
CFM at 90 PSI	2.5 CFM
RPM:	3400
Weight	19 Kg / 42 Lbs

2" 18 GA BRAD NAILER (12010)

- Use standard 5/8" to 2"
  18 gauge brad nails
- Contact safety
- Light weight aluminum die-cast body
- Quick release nose piece
- 360° adjustable exhaust
- Cushion grip
- Rugged aluminum alloy magazine
- Includes extra driver and ROK glasses

Applications:
- Moldings
- Furniture
- Paneling
- Picture Frames
- Rattan
- Cabinets

3/8" X 25 FT PVC AIR HOSE WITH FITTINGS

COIL HOSE WITH SPRING END

- 1/4" NPT swivel ends
- Single-layer polyurethane tube for a persistent coil memory and resistance to kinking
- Oil resistant

Item No.	Size
14130	1/4" x 15 ft
14132	1/4" x 25 ft
14133	1/4" x 50 ft
14134	3/8" x 25 ft



14128
1/4" X 2-1/2 FT SWIVEL WHIP HOSE

- 1/4" X 2-1/2 FT
- Swivel fit prevents kinking and keeps air lines straight and functional
- Provides flexibility in cramped hard to reach spaces
- 1/4" NPT Fittings

14116
HOSE REEL

- 1/4" x 100 Ft Swivel Hose Reel
- Swivel base
- Crank wind up
- Maximum working pressure 200 PSI
- 3-1/2" foot whip on a swivel connector
- Ends of hoses have 4" bend protectors

RETRACTABLE AIR HOSE REEL

- Industrial grade rubber hose with hose stop
- Spring powered auto rewind
- Heavy gauge all-steel assembly
- Four direction rollers
- Ratcheting gear locks reel at desired hose length

• Specifications:

- Inlet / outlet: 1/4"
- Maximum pressure: 300 psi

Item No.	Size
14114	3/8" x 25 ft
14115	3/8" x 50 ft

HYBRID AIR HOSE

- Lightweight and easy to handle
- Extremely flexible, easy to coil
- Lays flat
- Kink resistant
- Reinforced bend restrictors to prolong life of the hose
- Ideal for cold weather down to - 40°C
- Maximum pressure: 300 psi
- 1/4" npt fittings

Item No.	Size
14170	1/4" x 50 ft
14172	3/8" x 50 ft

SubZero -40°C

PREMIUM HYBRID AIR HOSE

- All weather flexibility
- Light weight, easy to handle
- Zero memory, lays flat and is easy to coil
- Kink resistant
- Chemical and Oil resistant
- Abrasion resistant outer cover
- Reinforced bend restrictors to prolong life of the hose
- Maximum pressure: 300PSI

Item No.	Size
14181	1/4" x 50 ft
14182	1/4" x 100 ft
14184	3/8" x 50 ft

14091
SPRING END

- For 3/8" Hose

14090
RE-USE END

- For 3/8" Hose

14191
RUBBER AIR HOSE

- Ideal for shop and industrial usage
- All weather flexibility (-30° C to 70°C)
- Resists kinking and coiling
- Chemical and Oil resistant
- Abrasion resistant outer cover
- Reinforced bend restrictors to prolong life of the hose
- Maximum pressure: 300PSI

SubZero -30°C

3/8" RUBBER AIR HOSE

- 300 PSI (4 to 1 burst ratio)
- 1/4 M NPT brass fittings
- Stays flexible in extreme temperatures: –20°C to 88°C
- Reinforced with high tensile synthetic yarn.

Item No.	Size
14106	3/8" x 25 ft
14107	3/8" x 50 ft

BRASS INDUSTRIAL M-STYLE COUPLER

Item No.	Description
14907	Coupler - 1/4" NPT Male - Brass
14908	Coupler - 1/4" NPT Female - Brass

BRASS INDUSTRIAL M-STYLE PLUGS

Item No.	Description
14905	Plug - 1/4" NPT Male - Brass - 2 Pc
14906	Plug - 1/4" NPT Female - Brass - 2 Pc

14970
COUPLER UNIVERSAL ¼ F NPT

- 3 in 1 Universal Coupler
- Works with: Industrial M-Style, 1/4" Aro and 1/4" Truflate plugs

INDUSTRIAL M - STYLE COUPLERS

Item No.	Description
14915	Coupler - 1/4" NPT Male
14916	Coupler -1/4" NPT Female
14917	Coupler - 3/8" NPT Male

INDUSTRIAL M - STYLE PLUGS

Item No.	Description
14910	Plug -1/4" NPT Male - 2Pc
14911	Plug -1/4" NPT Female - 2Pc
14912	Plug -3/8" NPT Male - 2Pc

INDUSTRIAL M - STYLE

3/8" AUTO TRU - FLATE COUPLERS

Item No.	Description
14935	1/4" NPT Male
14936	1/4" NPT Female
14937	3/8" NPT Male
14938	3/8" NPT Female

3/8" AUTO TRU-FLATE

3/8" AUTO TRU - FLATE PLUGS

Item No.	Description
14930	1/4" NPT Male
14931	1/4" NPT Female
14932	3/8" NPT Male
14933	3/8" NPT Female

ARO TRU - FLATE COUPLER

Item No.	Description
14962	1/4 Female Steel

ARO TRU-FLATE

AUTO TRU - FLATE PLUGS

Item No.	Description
14960	1/4 Male - 2 Pc Steel
14961	1/4 Female -2 Pc Steel

ARO STYLE COUPLER

Item No.	Description
14952	1/4 Female Steel

ARO

ARO STYLE PLUG

Item No.	Description
14950	1/4 Male -2 Pc Steel
14951	1/4 Female - 2 Pc Steel

14920
3 PC PLUG AND COUPLER INDUSTRIAL M - STYLE

- Ideal for quickly connecting air tools

- 1 - M-Style Plug - Male
- 1 - M-Style Coupler - Female
- 1 - M-Style Plug - Female

14921
5 PC PLUG AND COUPLER INDUSTRIAL M - STYLE

- Ideal for quickly connecting air tools

- 3 - M-Style Plug - Male
- 1 - M-Style Coupler - Female
- 1 - M-Style Plug - Female

14923
17 PC AIR ACCESSORY SET - INDUSTRIAL M - STYLE

- Ideal for inflating and checking tire pressure, blowing debris and quickly connecting air tools

Kit includes:
- 1 Air Blow Gun
- 1 Tire gauge
- 1 Dual head tire chuck
- 1 Blow gun adapter
- 1 Safety nozzle
- 1 Tapered inflation needle
- 2 x 1/4" F NPT Plugs, M-Style (Female)
- 4 x 1/4" M NPT Plugs, M-Style (Male)
- 1 x 1/4" F NPT Coupler, M-Style (Female)
- 1 x 1/4" F NPT Coupling
- 2 x 1/4" M NPT Nipples
- 1 Inflation needle

14940
5 PC PLUG AND COUPLER 3/8" AUTO TRU - FLATE

- Ideal for quickly connecting air tools 1/4" NPT

- 3 - Truflate® 3/8" Plug - Male
- 1 - Truflate® 3/8" Coupler - Female
- 1 - Truflate® 3/8" Plug - Female

14925
21 PC SET - INDUSTRIAL M - STYLE

- Ideal for inflating and checking tire pressure, blowing debris and quickly connecting air tools

Kit includes:
- 1Coil hose: 1/4" x 25 ft
- 1Tire gauge 10-100 PSI
- 1Tapered nozzle
- 1Blow gun adapter
- 11/4" M NPT Nipples
- 1 Dual head tire chuck
- 1 Air Blow Gun
- 1Blow Gun Nozzle
- 1Roll Thread Seal Tape
- 11/4" F NPT Coupling
- Tapered inflation needle
- 2 x 1/4" F NPT Plugs, M-Style (Female)
- 3 x 1/4" M NPT Plugs, M-Style (Male)
- 2 x 1/4" F NPT Steel Couplers, M-Style (Female)
- 3 Inflation needles

14087
AIR ACCESSORY KIT 10PC INDUSTRIAL M - STYLE

- Industrial M-Style Fitting, 1/4" NPT

Kit Includes:
- Air blow gun
- Safety blow gun tip
- Tapered blow gun tip
- 2 x inflator needle
- Tire chuck
- Plug – 1/4" NPT Male
- Plug – 1/4" NPT Female
- Quick Release

14041
POCKET BLOW GUN M-STYLE

- Pocket blow gun with pocket clip
- Anodized aluminum body
- Easy twist on-off

14081
AIR BLOW GUN WITH FLEXIBLE TIP

- Small and flexible tip gets into confined areas where other blow guns can't
- Brass and rubber construction
- Max. working pressure: 150 PSI acturer of the power tool.

14043
AIR BLOW GUN WITH 3 TIPS

•Includes:
- Standard nozzle
- 2" nozzle
- 3" nozzle
- 1/4" M NPT

14085
AIR BLOW GUN TELESCOPIC

- Simply twist the adjusting knob to extend the tube to desired length
- Adjusted length: 12-1/2" to 22"
- 1/4" NPT air inlet size
- Max. working pressure: 150 PSI

AIR BLOW GUN WITH EXTENSION

Item No.	Description
14075	24" Extension
14076	48" Extension

- Trigger handle easily controls air flow
- Chrome plated body
- Rubber tip for non - marring
- 4 steel tips to handle many jobs
- 1/4" NPT

14070
SAND BLASTING GUN

- Designed for fast and efficient sand blasting

• Includes:
- 3 foot hose with breather
- 2 nozzles: 5 mm and 6 mm

14072
AIR ENGINE CLEANING GUN WITH HOSE

- Comes with 4' Hose
- With built-in strainer for solvent or detergent
- Fast easy way to clean dirt, grease, grime, salt, mud, and more

Specifications:
• Length: 15½"
• Average air consumption: 5 CFM
• Air inlet: 1/4" F NPT
• Air pressure: 90 PSI

14044
4" EXTENSION BLOW GUN

- Offers variable flow control
- Rugged, durable and comfortable to use "ergonomic design"
- Lightweight
- 1/4" NPT brass inserts
- Improved valve design makes it effective for all applications

PowerSonic

14046
4" EXTENSION BLOW GUN

- Offers variable flow control
- Rugged, durable and comfortable to use "ergonomic design"
- Lightweight
- 1/4" NPT brass inserts
- Improved valve design makes it effective for all applications
- Professional quality

14074
AIR BLOW GUN PRO

- Professional quality
- Durable ABS body and brass inlet
- 4" nozzle for access to hard to reach places

14048
10" EXTENSION BLOW GUN

- Long narrow tip allows user to get to hard-to-reach places
- Offers variable flow control
- Rugged, durable and comfortable to use "ergonomic design"
- 1/4" F NPT brass insert

14042
AIR BLOW GUN WITH 5 TIPS

- Trigger handle easily controls air flow while the rubber tip protects work piece surfaces from scratching
- Chrome plated body
- 1/4" NPT
- 4 Steel tips to handle many jobs
- Rubber tip for non-marking

14040
AIR BLOW GUN

- Trigger handle easily controls air flow while the rubber tip protects work piece surfaces from scratching
- Chrome plated body
- 1/4" NPT
- Rubber tip for non-marking

14082
AIR BLOW GUN H.D.

- Blow debris from workspace and garage floor etc.
- 1/4" NPT air inlet size
- Max. working pressure: 150 PSI

14084
SAFETY BLOW GUN

- Brass safety tip reduces pressure to 30 PSI when dead ended
- Lever style design for easy control
- Hanging hook for easy storage
- Maximum pressure: 150 PSI - 1/4" NPT

14034
TIRE CHUCK- BALL TYPE

- Heavy duty solid brass construction
- Valve end is offset to keep hose out of way during inflation
- 1/4" NPT female thread
- Ball type

14031
TIRE CHUCK WITH CLIP

- Locks onto valve during inflation
- Brass
- 1/4" F NPT

14078
4 PC NEEDLE INFLATOR

- Fits 1/4" NPT threads

14898
VALVE REPAIR TOOL 4 WAY

14036
TIRE CHUCK - LONG TYPE

- Dual head to get into hard to reach spots
- Chrome plated
- 5-3/4" long
- 1/4" NPT female thread

14080
HEAVY DUTY TIRE CHUCK

- Dual head
- Heavy duty with-rubber grip
- Comfortable and lightweight design

14038
TIRE INFLATING GUN

- Dual head tire chuck
- 10 to 170 psi pressure gauge
- Flexible hose
- 1/4" F NPT

14035
TIRE INFLATING GUN WITH GAUGE

- Air inlet: 1/4" NPT
- Working pressure: 10
- 220 PSI
- 12" Heavy duty rubber hose
- 6" Chrome plated steel dual chuck offset to allow easy access to all valves
- Rubber protected gauge

Rubber protected gauge

14037
HEAVY DUTY TIRE GAUGE

- Dual head
- Hanging ring
- Chrome plated
- 0 to150 PSI

14033
PENCIL TIRE GAUGE

- With pocket clip
- Built-in deflating pin
- 5 to 50 PSI

14032
TIRE GAUGE

- With pocket clip
- 10 to 120 PSI
- 100 to 800 KPA

13990
PENCIL TIRE GAUGE

- Sold in 25 pc display box
- 5 to 50 PSI
- Quickly check tire pressure to ensure maximum fuel efficiency
- Pocket clip for easy access

13992
ROUND TIRE GAUGE

- Sold in 12 pc display box
- 5 to 60 PSI
- Large gauge is easy to read
- Easy to hold rubber casing

14888
TUBELESS TIRE REPAIR KIT

- For temporary repair of tubeless tire punctures

Includes:
- Rasp tool
- Insert tool
- 5 repair plugs
- tire gauge

14079
DIGITAL TIRE GUAGE

- Easy to read backlit display
- Auto shut off
- Range: 0-99 PSI

14892
TIRE PLUG REPAIR KIT 7PC

- For temporary repair of tubeless tire punctures

14894
20 PC TIRE REPAIR PLUG

14893
DELUXE PATCH KIT

2 PC NIPPLE HEX

Item No.	Size (NPT)
14240	1/4"
14242	3/8"

2 PC NIPPLE HEX

Item No.	Size (NPT)
14243	1/4" x 3/8"

2 PC REDUCER

Item No.	Size (NPT)
14244	1/4" M x 3/8" F

2 PC REDUCERS

Item No.	Size (NPT)
14262	1/4" x 3/8"
14264	1/4" x 1/2"
14266	3/8" x 1/2"

2 PC BUSHING

Item No.	Size (NPT)
14246	1/4" M x 1/8" F
14248	3/8" M x 1/4" F
14250	1/2" M x 1/4" F
14252	1/2" M x 3/8" F

2 PC HOSE MENDER

Item No.	Size (NPT)
14254	1/4"
14256	3/8"

2 PC HOSE BARB - M

Item No.	Size (NPT)
14268	1/4" M x 1/4"
14270	1/4" M x 3/8"
14272	3/8" M x 1/4"
14274	3/8" M x 3/8"

2 PC HOSE BARB - F

Item No.	Size (NPT)
14276	1/4" F x 1/4"
14278	1/4" F x 3/8"
14280	3/8" F x 1/4"
14282	3/8" F x 3/8"

2 PC COUPLING

Item No.	Size (NPT)
14258	1/4" F
14260	3/8" F

ELBOW

Item No.	Size (NPT)
14286	1/4"
14288	3/8"

TEE

Item No.	Size (NPT)
14290	1/4"
14292	3/8"

TEE

Item No.	Size (NPT)
14291	1/4" M x 1/4"F

BALL VALVE

Item No.	Size (NPT)
14294	1/4"
14295	3/8"

2 PC DRAIN VALVE

Item No.	Size (NPT)
14284	1/4"

SAFETY VALVE

Item No.	Size (NPT)
14293	1/4"

2 PC HOSE CLAMP

Item No.	Size (NPT)
14297	1/4"
14298	3/8"

14028
3-IN-1 AIR MANIFOLD

- Connect from one outlet to three outlets
- 1/4" NPT

14929
MANIFOLD ROUND WITH 3 INDUSTRIAL M - STYLE COUPLERS

- 3 Couplers Industrial M-Style
- 1/4" F NPT mount

14928
MANIFOLD STRAIGHT WITH 3 INDUSTRIAL M - STYLE COUPLERS

- 3 Couplers Industrial M-Style
- 1/4" F NPT mount

14231
FLEXIBLE CONNECTOR PLUG 1/4" NPT

- Provides free 360 rotation with a 45 angled rotation

14022
1/4" NPT AIR HOSE SWIVEL CONNECTOR

- 1/4" NPT
- 360° rotation in two ways

14020
1/4" NPT SWIVEL CONNECTOR

- 1/4" NPT
- 360° rotation
- 90° inlet to outlet

14237
1/4" HOSE REPAIR KIT

Use to repair 1/4" inside diameter hose

Includes:
- 1 x 1/4" hose mender
- 1 x 1/4" hose barb x 1/4"M NPT
- 3 x hose clamps

14299
3/8" AIR SHUT-OFF KIT

- Allows quick and easy air shut-off
- Steel ball with Teflon seals for long life
- 3/8" NPT Thread Size

Includes: 3/8" NPT
- Nipple and 3/4" NPT to 3/8" NPT Reducer

14238
3/8" HOSE REPAIR KIT

Use to repair 3/8" inside diameter hose

Includes:
- 1 x 3/8" hose mender
- 1 x 3/8" hose barb x 1/4"M NPT
- 3 x hose clamps

14239
1/4" AND 3/8" HOSE REPAIR KIT

- Use to repair 1/4" and 3/8" inside diameter air hoses
- Includes:
- 1 x 1/4" hose mender
- 1 x hose barb 1/4" x 1/4" F NPT
- 1 x hose barb 1/4" x 1/4" M NPT
- 1 x hose barb 3/8"
- 1 x hose barb 3/8" x 1/4" F NPT
- 1 x hose barb 3/8" x 1/4" M NPT
- 6 x hose clamps

INDUSTRIAL AIR REGULATORS AND FILTERS

13921
MINI FILTER

- 1/4" NPT
- Filter: 20 micron
- Max Pressure: 140 PSI
- Max Flow Rate: 70 CFM
- Compact sized for tight spaces
- Boxed

13923
MINI FILTER REGULATOR

- 1/4" NPT
- Range: 7 - 120 PSI
- Filter: 20 micron
- Max Pressure: 140 PSI
- Max Flow Rate: 70 CFM
- Compact sized for tight spaces
- Boxed

13924
MINI FILTER, REGULATOR, LUBRICATOR

- 1/4" NPT
- Range: 7 - 120 PSI
- Filter: 20 micron
- Max Pressure: 140 PSI
- Max Flow Rate: 70 CFM
- Compact sized for tight spaces
- Boxed

13910
AIR REGULATOR WITH GAUGE

- Range: 0 - 120 PSI
- Max pressure: 140 PSI
- 1/4" NPT
- Double blister

AIR FILTER REGULATOR

Item No.	Description
13928	1/4" NPT
13934	1/2" NPT

- Filter: 20 micron
- Range: 7-120 PSI
- Max Pressure: 140 PSI
- Max Flow Rate: 140 CFM
- Boxed

AIR FILTER

Item No.	Description
13926	1/4" NPT
13932	1/2" NPT

- Filter: 20 micron
- Max Pressure: 140 PSI
- Max Flow Rate: 140 CFM
- Boxed

AIR LUBRICATOR

Item No.	Description
13927	1/4" NPT

- Max Pressure: 140 PSI
- Max Flow Rate: 140 CFM
- Boxed

AIR FILTER, REGULATOR, LUBRICATOR

Item No.	Description
13929	1/4" NPT
13935	1/2" NPT

- Range: 7 - 120 PSI
- Max Pressure: 140 PSI
- Max Flow rate: 140 CFM
- Filter: 20 micron
- Boxed

13937
AIR FILTER REGULATOR

- 3/4" NPT
- Filter: 20 micron
- Range: 7 - 120 PSI
- Max Pressure: 140 PSI
- Max Flow Rate: 140 CFM
- Boxed



13944
HIGH PRESSURE AIR FILTER REGULATOR

- Filter Regulator
- Range: 7 - 176 PSI
- Max Pressure: 230 PSI
- Boxed
- 1/2" NPT

AIR PRESSURE GAUGES

- 0 - 150 PSI
- Back mount

Item No.	Description
13960	1-1/2"diameter / 1/8" NPT
13962	1-1/2" diameter / 1/4" NPT
13964	2" diameter / 1/4" NPT

14301
SPRAY GUN VALVE WITH GAUGE

- Adjusts airflow at the spray gun
- Gauge indicates pressure at gun
- Adjustment range: 0-125 PSI
- 1/4" NPT

14001
AIR REGULATOR WITH GAUGE

- Air restriction with gauge (0-150 PSI)
- 1/4" NPT
- Brass fitting

14005
AIR REGULATOR WITH GAUGE

- Range: 0 - 120 PSI
- Max pressure: 140 PSI
- 1/4" NPT

13905
MINI IN-LINE LUBRICATOR

- 1/4" NPT

14025
WATER / OIL SEPARATOR

- Male 1/4" NPT & Female 1/4" NPT
- Max. pressure: 150 PSI (10 Bars)
- Safe and durable

13907
MINI IN-LINE FILTER

- 1/4" NPT

13912
AIR FILTER

- Filter: 20 micron
- Auto drain
- 1/4" NPT
- Max Pressure: 140 PSI
- Max Flow rate: 60 CFM

13915
AIR FILTER, REGULATOR, LUBRICATOR

- Filter: 20 micron
- Auto drain
- 1/4" NPT
- Range: 0 - 120 PSI
- Max Pressure: 140 PSI
- Max Flow rate: 60 CFM

13914
AIR FILTER, REGULATOR

- Filter: 20 micron
- Auto drain
- 1/4" NPT
- Range: 0 - 120 PSI
- Max Pressure: 140 PSI
- Max Flow rate: 60 CFM

28543
SLIDING T-BEVEL

- Movable handle can be set to almost any angle
- Positive wing-nut clamping

PowerSonic

28544
SLIDING T-BEVEL

- Strong polycast construction
- Built-in level vial
- Movable handle can be set to almost any angle

28349
24" CONTRACTOR ALUMINUM COMBINATION SQUARE

- With scribe and level
- Center finder
- Metric & inch graduations
- Use as a square, height gauge, depth gauge, ruler, level etc.
- Precise 90° and 45° angle

- Extra strong aluminum body

28539
8" PROFESSIONAL ALUMINUM T-BEVEL

- Heavy duty solid aluminum handle
- Adjustable stainless steel blade will not rust
- Locking nut holds blade securely in place

28535
8" PROFESSIONAL ALUMINUM TRY SQUARE

- Heavy duty solid aluminum handle
- Stainless blade will not rust
- Permanently etched 1/16" and 1/8" graduations

28538
8" PROFESSIONAL BAMBOO T-BEVEL

- Carbonized bamboo handle with steel edging
- Adjustable stainless steel blade will not rust
- Locking nut holds blade securely in place

28531
8" PROFESSIONAL BAMBOO TRY SQUARE

- Carbonized bamboo handle with stainless gauging edges
- Stainless steel blade will not rust
- Permanently etched 1/16" and 1/8" graduations

PROFESSIONAL DRY-WALL T-SQUARE

- Heavy duty 3/16" aluminum blade
- Easy to read 1/8" markings

Item No.	Size
28385	48"
28386	54"

28410
12" COMBINATION SQUARE

- Stainless Steel Ruler
- Easy to read 1/8" and 1/16" graduations
- Protractor - Set to any angle
- Center finder
- Adjustable head with 45º and 90º
- Center finder head
- Adjustable head with 0° to 180° angle.
- Comes with level and scribing marker
- 12" stainless steel ruler
- All heads are zinc alloy with brass thumb screws



28414
12" COMBINATION SQUARE

- Marking gauge
- Spirit level
- Adjustable head with 45º and 90º
- Easy to read, 1/8" and 1/16" graduation

28412
6" COMBINATION SQUARE

- Adjustable head with 90° and 45°
- Comes with level and scribing marker

28404
16" X 24" ALUMINUM FRAMING SQUARE

- Anodized aluminum frame, will not rust
- Highly visible permanently stamped graduations
- 1/8", 1/10", 1/12", 1/16" Graduations
- Rafter, Brace & Essex Tables; Octagon scale

28403
8" X 12" ALUMINUM CARPENTER SQUARE

- Anodized aluminum frame, will not rust
- Highly visible permanently stamped graduations
- 1/16" Graduations

28416
CONTRACTOR SET
12" COMBINATION SQUARE & 10" ALUMINUM TRY SQUARE



- Spirit level
- 45º angle
- 90º angle
- Marking gauge
- Outside try square
- Measuring and more!

28356
7" ALUMINUM QUICK ANGLE SQUARE

- Anodized body will not rust or corrode
- Diagonal edge has markings for laying out rafters, roof trim and stair angles
- Can also be used as a saw fence or cutting guide

28418
5 PC MEASURING TOOL SET

Set Includes:
- 12" Combination Square
- 7" Quick Angle Square
- 8" Try Square
- Sliding T-Bevel
- Carpenter Pencil

28352
7" PLASTIC QUICK ANGLE SQUARE

- Lightweight
- Has markings for laying out rafters and stair angles

28354
7" ALUMINUM QUICK ANGLE SQUARE

- Die-cast aluminum alloy
- Has markings for laying out rafters and stair angles

28334
6" POCKET RULER

- SAE & Metric
- 1/32" and mm
- Decimal equivalents listed on back
- Stainless steel

STAINLESS STEEL RULER

- SAE and metric
- 1/16" and mm

Item No.	Size
28300	6" / 150 mm
28302	12" / 300 mm

Item No.	Size
28304	24" / 600 mm
28306	40" / 1,000 mm

STAINLESS STEEL RULER WITH CORK BACK

Item No.	Size
28312	12" / 300 mm
28314	24" / 300 mm

- SAE and metric
- 1/16" and mm

ALUMINUM RULER

- 1-7/8" extrusion

Item No.	Size
28342	24" / 600 mm
28346	48" / 1,200 mm

ALUMINUM TRY SQUARE

- 1-9/16" extrusion
- also able to mark at 45°

Item No.	Size
28370	12"
28374	24"

3/4" 10 FT SELF-ADHESIVE TAPE

- SAE / Metric

Item No.	Size
28394	Left to right
28396	Right to left

28380
MULTI PURPOSE PROTRACTOR

- Vernier scale accurate to 10' (60' = 1°)
- Measures inward, outward, barred inward and sloped angles

28230
8" ROUND PROTRACTOR

- Easy to read accurate measurement
- Stainless steel with 10 cm / 4" etched numbers
- Locking arm

28383
PROTRACTOR AND SAW GUIDE

- Designed for use with portable electric circular saws and jigsaws
- Easy to use, makes layout work and cutting angles simpler
- Overall length: 17-1/2"
- Protractor Range: 15 to 165 degrees

28361
LASER SQUARE

- Generates two laser lines at 90° angle for surface layout
- Ideal for floor and wall tiling, paneling, wall fixtures, wallpapering, lighting fixtures, wall studs and partitions
- Integrated level vials
- Suction cups on base allow easy positioning on tile
- Requires 3 AA batteries (not included)

MEASURING WHEEL

- Four digit counter measure total distance or segments
- Reads up to 999.9 meters or 999.9 feet
- Push-button zero reset
- Lightweight telescoping handle extends from 14-5/8" to 34-1/4"
- Impact-resistant 5-5/8"wheel
- Durable tread for improved traction

Item No.	Type
28002	Metric (999.9 m)
28003	SAE (999.9 ft)

REPLACEMENT BATTERIES

28044
- SR44
- For 28121, 28123

28046
- CR2032
- For other tools

28121
6" DIGITAL CALIPER 3 MODE

- Carbon Fiber Composite.
- Instant Imperial - Metric Conversion.
- Fraction/Decimal/Metric.
- Inside/Outside/Depth.

28123
6" DIGITAL CALIPER 3 MODE

- Fraction/Decimal/Metric.
- Inside/outside/depth measurement
- Stainless steel components
- Locking jaws and thumb wheel adjustment
- Instant imperial-metric conversion
- Fractional inches
- Protective plastic storage case and extra battery

28427
DIGITAL ANGLE LEVEL

- LCD display
- On/Off LED light display
- Hold button to lock angle
- On/Off Button
- 9 Volts battery (Included)
- Horizontal level
- Vertical level
- Lock knob
- Angle guide
- Hole to hang the digital angle level

70046
WOOD MOISTURE METER

- Compact and Lightweight
- Easy to Operate
- 2 Probes
- Includes: 1 x 9V battery

- Measure range: Range 1: 7~15% / Range 2: 16~35%
- Measure accuracy: ±1 digit (moisture content)

28235
DIGITAL ANGLE GAUGE

- Finds the angle on any surface (Table Saw, Miter Table, etc.)
- Large display screen provides easy digital reading
- Working range of angle measurement 4 x 90 degrees
- Magnetic Base securely clings to saw blades for hands free use
- AAA Battery included

28189
3 PC 6" CALIPER AND DIVIDER SET

- Includes divider and both inside and outside calipers
- Carbon steel with hardened fulcrum, spring and points

28130
COMBINATION SQUARE



- Stainless steel etched blade
- 1/32" (1 mm), 1/64" (0.5 mm)
- Three heads
- Scribing pin
- Plastic storage case

28010
2 PC PLASTIC CALIPER

- 6" & 3"
- SAE / Metric

COMPASS

- Made out of durable, long lasting steel
- With pencil holder and locking swing
- Machined steel legs feature hardened points for precise marking
- Adjusting Screw has self-seating washer and nut for quick adjustments

Item No.	Size
28176	6"
28177	8"

DIVIDER

- Made out of durable, long lasting steel
- Machined steel legs feature hardened points for precise marking
- Adjusting screw has self-seating washer and nut for quick adjustments
- Locking swing

Item No.	Size
28172	6"
28174	12"

OUTSIDE CALIPER

- Made out of durable, long lasting steel
- Hardened Spring
- Forged steel legs feature hardened points for precise marking
- Adjusting Screw has self-seating washer and nut for quick adjustments

Item No.	Size
28192	6"
28194	8"
28196	12"

28225
BEAM COMPASS

- Designed to mark circles on drywall, plywood and other building materials
- Helps make accurate hole markings
- Adjustable pivot point and integrated pencil holder make perfect circles
- 16" long fibreglass rod

28160
6 PC TELESCOPING GAUGES SET

- 5/16" to 6"
- Self-centering
- Double action
- Jaw lock

MICROMETER

Item No.	Size
28150	0-1"
28152	1-2"

- Locking lever
- Ratcheting tension
- Wooden storage case

28169
DIAL INDICATOR & MAGNETIC BASE KIT

- Comes with 0" to 1" dial indicator 28162 and magnetic base 28166 in a blow mould case

28162
0" TO 1" DIAL INDICATOR

- Used with magnetic base
- Revolution counter
- 0.001" graduation
- 0.100"per revolution

28166
MAGNETIC BASE

- Permanent magnet type
- On / off switch
- Fine adjustment arm

19110
5 WAY EMERGENCY TOOL

- Life saving
- Keep one in every vehicle
- Requires 2 AA batteries (not included)

• Seat belt cutter

• Window Spike

• Flashing Beacon

• Flashlight

19100
COLLAPSIBLE SAFETY CONE

- Reflective tape
- Collapses flat for storage and carriage
- Open: 7-1/4" x 7-1/4" x 14"
- Comes with light for added visibility

22560
4½" ALUMINUM SUCTION CUP AND DENT PULLER

- 85 lb (40kg) Capacity

22550
2" SUCTION CUP & DENT PULLER

- Tighten and clip the 2 handles to create suction
- Produces exceptional cup strength

22561
ALUMINUM DOUBLE SUCTION CUP

- Two 4-1/2" suction cups
- 178 lb (80kg) Capacity

22552
4½" SUCTION CUP & DENT PULLER

- Ideal for automotive work or for carrying heavy goods
- Tighten and clip the 2 handles to create suction
- Produces exceptional cup strength
- 55 lb (25 kg)

22554
DOUBLE SUCTION

- Two 4-1/2" suction Cups
- Ideal for automotive work or for carrying heavy goods
- Produces exceptional cup strength
- 110 lb (50kg)

70500
CLEAR GLASSES

70502
CLEAR GLASSES BLACK ARM

70503
GLASSES ADJUSTABLE ARM

70504
CLEAR GLASSES WRAPAROUND

70505
CLEAR GLASSES SPORT

70506
TINTED GLASSES SPORT

70508
CLEAR GLASSES

70510
GLASSES RED TINT

70530
GOGGLES SPLASH PROOF

70514
GLASSES PRO CLEAR

70516
GLASSES PRO MIRROR

70522
FACE SHIELD WITH RATCHET SUSPENSION

- Protects face against flying particles
- Easy to adjust ratchet suspension for extra comfort
- High quality polycarbonate window

70650
DISPOSABLE COVERALLS

- Extremely lightweight and breathable
- Elastic hood, wrists, and ankles add further protection
- Zipper closure for ease of wear
- Size: XL

70636
EAR PLUGS 50 PAIR BOX

- Noise reduction rating 32 Decibels
- Slow expanding polyurethane foam
- Tapered design earplugs provide comfortable fit
- One size fits all

70634
EAR PLUGS HEADBAND

- Noise reduction rating 25 Decibels
- Lightweight and portable
- Soft, ergonomic pods for maximum comfort
- Includes 2 Pair replacement ear pods

70630
EAR PLUGS WITH STRING

- Noise reduction rating 25 decibels
- Soft pliable material
- Break away cord
- Comes in a compact storage case

DUST MASK WITH VALVE N95

- Valve reduces heat and humidity
- Protection from sanding, grinding and sawing particles
- Particulate respirator
- Adjustable metal nose piece
- Lightweight and comfortable

Item No.	Description
70604	10 Pack (Box)
70605	3 Pack (Blister)

DUST MASK N95

- Protection from sanding, grinding and sawing particles
- Particulate respirator
- Adjustable metal nose piece
- Lightweight and comfortable

Item No.	Description
70600	20 Pack (Box)
70601	3 Pack (Blister)

RESPIRATOR FILTER CARTRIDGE

Item No.	Description
70614	For Dust
70615	For Organic Vapour

- For use with 70610 mask
- Use dust cartridge (70614) for protection from particulates from sanding, grinding and sawing
- Use organic vapour cartrige (70615) for protection against paint, pesticised solvent and glue thinner vapours, dusts and mists
- Warning: do not use to protect against any toxic or harmful substance such as asbestos and lead.

PowerSonic

70610
DUST RESPIRATOR FILTER MASK

- Cartridges for: Dust
- Use dust cartridge for protection from particulates from sanding, grinding and sawing

PowerSonic

30910
1/4" X 25' DRAIN AUGER

- 1/4" x 25' flexible non-kink steel wire
- Long length provides adequate reach into drains for help clearing household clogs
- Cable is held securely by a steel collar and thumbscrew
- Molded plastic housing



31030
1/4" - 7/8" TUBE BENDER KIT

- Ideal in tight spaces. Easy one handed operation.
- Includes aluminum formers 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8"



31040
CRIMPING TOOL - HYDRAULIC

- Crimps copper and aluminum lugs.
- Hexagonal crimping shape.
- Includes a crimping dies for 12 to 00 AWG wire

31060
REBAR CUTTER HYDRAULIC

- For Cutting Rebar, Cable, ACSR, Bolts and Wire Rope
- Maximum Cutting Capacity: 7/8"
- Plastic Storage Case

31062
BLADE SET FOR REBAR CUTTER

45218
4 IN 1 PIPE BRUSH

- Cleans inside and outside of pipes, tubes and fittings
- Use with 1/2" and 3/4" copper and plastic pipes

31017
PIPE EXPANDER

- Expand PVC and PEX pipe
- Expanding range: 5/8", 3/4", 1"

31001
PVC PIPE CUTTER

- 1-5/8" Cutting capacity
- Cuts PEX, PVC and other rigid plastic pipe
- Ratcheting action for quick and easy cuts

31002
PVC PIPE CUTTER PROFESSIONAL

- Quick release blade
- 1-5/8" Cutting capacity
- Cuts PEX, PVC and other rigid plastic pipe
- Comfortable rubber grip
- Ratcheting action for quick and easy cuts

31015
PEX CRIMP REMOVAL TOOL

- Used to remove copper crimp rings from the PEX connections
- Allows you to re-use PEX fittings

ANGLE PEX CRIMPER

Item No.	Size
31005	1/2"
31007	3/4"

- Angled head for use in tight spots
- Soft grip handle
- Designed to meet ASTM standards

31010
1/2" & 3/4" PEX CRIMPER

- Dual tool for 1/2" & 3/4" PEX pipe sizes
- Long handle minimizes user fatigue
- Soft grip handle
- Designed to meet ASTM standards

STRAIGHT PEX CRIMPER

Item No.	Size
31004	1/2"
31006	3/4"

- Long handle minimizes user fatigue.
- Soft grip handle
- Designed to meet ASTM standards

31011
PEX CRIMPER KIT

- Exchangeable jaw for different size pipe.
- Crimps 3/8" 1/2", 5/8", 3/4", 1" PEX pipe.
- Designed to meet ASTM standards

31070
CABLE INSTALLATION ROD SET



- For running wire through walls, attics, crawl spaces, sub-floors and suspended ceilings.
- Non conductive fiberglass rods can be screwed together to form longer length
- Set includes 10 x 1 meter rods with threaded brass connectors, 1 flexible acrylic connection and 1 brass hook end for pulling
- Comes in plastic storage case

CABLE CUTTERS

- Forged steel blades for long life. Cuts aluminum and copper cable.
- Not designed for cutting steel or ACSR

Item No.	Size	Max Cutting Capacity
31020	12-1/2"	3/8"
31022	24"	9/16"

31026
RATCHETING CABLE CUTTER

- Cuts aluminum,copper and multicore cable.
- Compact design for tight areas.
- Ratchet driver requires little power.
- Do not use with live wire
- Not designed for cutting steel or ACSR

SAMONA

31050
KNOCKOUT PUNCH KIT TYPE C

- Includes 1/2", 3/4", 1", 1¼" conduit size punch & die, 3/8" and 3/4" draw studs.
- Punch mild steel, aluminum, fiberglass and plastic

31045
AUTOMATIC WIRE STRIPPER

- Strip cables from 10-24 AWG, jaws adjust automatically
- Compound action wire stripping

SAMONA

31042
MULTI PURPOSE WIRE STRIPPER

- Two straight cutting blades
- Cuts and strips 8-22 AWG and 10-26 stranded wire.
- Shears 4-40, 6-32, 8-32 and 10-24 screws
- Crimping dies for 26-14 and 12-10 insulated and 22-10 non-insulated terminals and connectors
- Crimping die for ignition terminals



31044
WIRE STRIPPER/ CUTTER

- Cuts, strips, loops, and gauges 12-24 AWG solid wire.
- Spring loaded action

31041
WIRE CUTTER

- Flush Cutting Edge
- Stainless Steel
- Spring Loaded for Easy Operation
- Cuts up to 18 Ga soft wire

31320
DIGITAL CLAMP METER - SMALL

- Digital LCD, max reading of 1999
- Data hold Function
- Overload protection
- Low battery indicator
- Voltage: AC/DC 300V
- Current: AC 400A
- Includes Batteries

31305
SOCKET TESTER

- Detects faulty wiring in standard 3-wire receptacles
- Tests GFCI Receptacles for proper operation

31310
NON CONTACT VOLTAGE DETECTOR

- Safe, non-contact voltage detection
- LED lights and buzzer sounds if voltage is present

31325
DIGITAL CLAMP METER- PROFESSIONAL

- Ideal for Electricians, Technicians, Service man and Hobbyists

- Digital LCD, max reading of 1999
- Data hold Function
- Overload protection
- Low battery indicator
- Voltage: AC750V DC1000V
- Current: AC 1000A
- Includes Batteries

31315
DIGITAL MULTI METER

- Digital LCD with backlight function
- Auto Range
- Auto power off
- Data hold function
- Includes 3 x AAA Batteries
- Voltage: AC/DC 250V
- Current: AC/DC 10A

37185
37 PC RATCHETING SCREWDRIVER BIT SET

- Sold in 4 PC Display Box
- Includes Square Recess Bits
- Ratcheting Screwdriver
- 36 Pc Screwdriver Bits

37175
31 PC PRECISION SCREW-DRIVER BIT SET

- Sold in 4 PC Display Box
- Includes Square Recess Bits
- Precision Screwdriver Handle
- 30 Pc Precision Screwdriver Bits

37180
23 PC SCREWDRIVER BIT AND SOCKET SET

- Sold in 4 PC Display Box
- Includes Square Recess Bits
- Ratchet Driver & 2" Extension
- Coupler
- 12 Pc Screwdriver Bits

37190
67 PC SCREWDRIVER BIT SET

- Sold in 4 PC Display Box
- Includes Square Recess Bits
- Bit Holder
- 66 Pc Screwdriver Bits

37170
33 PC SCREWDRIVER BIT SET

- Sold in 12 Pc Display Box
- Includes Square Recess Bits
- Quick Change Magnetic Bit Holder



37155
9 PC PRECISION SCREW DRIVER

- Slotted and Phillips bits
- Convenient bit storage in handle
- Magnetic tip holds bits securely

37160
28 PC PRECISION TOOL SET

- Ideal tool set for small jewelry and electronic repairs
- Set includes:
  1 Precision blade holder
  9 Precision blades
  1 Precision screwdriver
  15 Precision screwdriver bits
  2 Tweezers

37100
3 PC SOCKET DRIVER

- 1/4", 3/8", 1/2"
- 1/4" Hex Shank



37105
3 PC IMPACT SOCKET DRIVER

- Sizes: 1/4", 3/8", 1/2"
- 1/4" Hex Shank
- Use with Impact Drivers
- Spring-loaded ball bearing holds sockets securely

37115
5 PC MAGNETIC NUT DRIVER SET

- Color coded for easy size identification
- Magnetic inserts
- Sizes: 1/4, 5/16, 3/8, and 1/2"
- 1/4" Hex Drive

37110
10 PC NUT DRIVER

- 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"



37195
33 PC SECURITY BIT SET

Compact pocket sized bit box
- Comes with bit holder

37205
6" 10 PC SCREWDRIVER BIT SET

- 1/4 Hex Shank
- Square: 2 x #1, #2, #3, Phillips: #1, #2, #3, Slot: 1/4"

36285
SCREW REMOVER SET

- Removes all types of fasteners including Robertson, Phillips and Torx
- Comes complete with plastic case.

70032
RIGHT ANGLE ATTACHMENT WITH 3/8" KEYLESS CHUCK

- Fits all standard drills
- All metal gearing for long life
- Easily drill holes or attach fasteners
- Screws in hard to reach areas
- Includes a two-position side handle for support reaching into tight work spot

54289
3/8" KEYLESS CHUCK WITH 1/4" HEX SHANK

- All Steel Construction
- Click Lock
- 1/32" -3/8" Capacity
- Fits impact drivers

37015
REVERSIBLE RATCHET HANDLE 1/4"

- 1/4" Hex Drive / Socket Drive
- Sold in 24 pc display box

PowerSonic

SELF-CENTERING BIT

- 1/4" quick-change shank Spring-loaded barrel self-centers
- For pre-drilling screws for hinges
- Ensures screws will go in straight and flat

Item No.	Size	Bit
36272	#6	7/64"
36274	#8	9/64"
36276	#10	11/64"

36270
SELF-CENTERING BIT SET

- 1/4" quick-change shank
- Spring-loaded barrel self-centers
- For pre-drilling screws for hinges
- Ensures screws will go in straight and flat

37210
SQUARE RECESS BIT SET

- Our professional grade screwdriver bits are manufactured from a special S2 alloy steel which is heat treated for maximum stre0ngth and durability
- Contains 4 insert bits and 8 power bits
- Sold in 15pc display box



SQUARE RECESS SCREWDRIVER BITS

- Our professional grade screwdriver bits are manufactured from a special S2 alloy steel which is heat treated for maximum strength and durability

Item No.	Size	Bit
37302	Square Recess Red	#2 x 1"
37321	Square Recess Green	#1 x 2"
37322	Square Recess Red	#2 x 2"
37323	Square Recess Black	#3 x 2"
37341	Square Recess Green	#1 x 3"
37342	Square Recess Red	#2 x 3"
37343	Square Recess Black	#3 x 3"
37361	Square Recess Green	#1 x 6"
37362	Square Recess Red	#2 x 6"
37363	Square Recess Black	#3 x 6"

Professional Grade

PHILLIPS SCREWDRIVER BITS

Item No.	Size	Bit
37422	Phillips Red	#2 x 2"
37440	Phillips Red	#2 x 3"
37462	Phillips Red	#2 x 6"

SCREW GUIDE BIT HOLDER

- Magnetic bit holder
- Retractable screw guide
- 1/4" Hex shank
- Holds screws for easy driving

Item No.	Length
37497	3"
37498	4¾"

37495
FLEXIBLE EXTENSION BIT HOLDER

- Allows access in hard to reach areas
- 7" long
- 1/4" Hex shank

QUICK CHANGE EXTENSION

Item No.	Length
36075	6"
36077	12"

MAGNETIC BIT HOLDERS

- 1/4" Hex Shank

Item No.	Length
37491	3"
37492	6"
37493	12"

37488
QUICK CHANGE BIT HOLDER

- 1/4" Hex shank
- Magnetic

36080
2 PC QUICK CHANGE EXTENSION

- 2" and 6" Quick Change Extension
- 1/4" Hex Shank

37005
ANGLE HEX DRIVER WITH EXTENSION

- 1/4" Hex drive, accepts standard 1/4" Hex shank bits
- Quick release
- Adjustable 360 thumb flange
- Durable die cast construction

37002
HEX DRIVER 90° ANGLE

- For use in awkward or hard to reach areas
- Magnetic Bit Holder
- Can be used in forward or reverse

TAPERED COUNTERSINK

- Adjustable stop
- Replaceable bit
- Tapered hole produced give screws more holding power

Item No.	No.
36200	# 5
36202	# 6
36204	# 7
36206	# 8
36210	# 10

COUNTERSINK

- Suitable for all wood and wood products and non ferrous metal

Item No.	Size
36214	3/8"
36216	1/2"
36218	5/8"

TAPERED BIT

- High speed steel (HSS)
- Use alone or with tapered-countersink
- Tapered hole produced give screws more holding power

Item No.	Size
36220	1/8"
36222	9/64"
36224	5/32"
36226	11/64"
36228	3/16"
36230	13/64"
36232	7/32"

36900
7 PC DEPTH STOP DRILL BIT COLLARS

- Includes 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"
- Adjustable collars make drilling fast, easy and accurate
- These stop collars are precision machined and balanced from solid bar stock
- Reamed bore is closed-tolerance controlled

36018
METAL DRILL INDEX

- 29 SAE sizes
- Made of metal
- Engraved Measure-ments

36249
4 PC PLUG CUTTER SET

- 1/4" Hex Shank
- 1/4,3/8,1/2,5/8

PLUG CUTTERS

- Machined from high quality carbon steel
- Smooth rounded shoulder for easy, tight insertion into a bored hole.
- Ideal for use in a drill press.

Item No.	Size
36240	1/4"
36242	3/8"
36244	1/2"
36246	5/8"

36325
8 PC TITANIUM DRILL BIT SET WITH QUICK CHANGE CHUCK

- For easy, fast and precise drilling
- Fast, one-handed bit changes
- Split point design for heavy duty use
- Kit Includes:
- Quick change chuck
- 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4" Drill bit

36328
14 PC QUICK CHANGE TITANIUM DRILL BIT SET

-Most popular sizes with carrying case
- Ideal for high performance drilling into metal and wood
-Titanium coating reduces friction providing durability
-Quick Change ¼" No Spin Shank prevents bit slippage

Set Includes: 2 x 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16" 13/64", 7/32", 15/64", 1/4"

36330
84 PC IMPACT DRIVER ACCESSORY KIT

Includes: 1 Magnetic Bit Holder 2 -1/4", 1 Magnetic Bit Holder 3", 1 Stubby Magnetic Screw Guide 3", 1 Magnetic Screw Guide 4 3/4", 2ea 1" Bits — Type: PH1, PH2, PH3, S1, S2, S3, 2ea. 2" Bits — Type: PH1, PH2, PH3, S1, S2, S3, 2ea. 3" Bits — Type: PH1, PH2, PH3, S1, S2, S3, 3 Socket Adapters — Size: 1/4" Drive, 3/8" Drive, 1/2" Drive, 4 Masonry Hex Shank Drill Bits size: 5/32", 7/32", 1/4", 5/16", 5 Nutsetters size: 1/4", 5/16", 3/8", 7/16", 1/2", 5 Spade Bits size: 1/4", 3/8", 1/2", 5/8", 3/4", 7 Imperial Sockets size 3/8": 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7 Metric Sockets size 3/8": 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 19mm, 13 HSS Titanium Hex Shank Drill Bits size: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 3/8"

FORSTNER BITS

- For all woods and wood composites
- Flat bottom
- Self centering
- Clean, smooth sides
- 1" to 4" saw tooth design
- Use in portable drill or drill press

Item No.	Size
36100	1/4"
36102	5/16"
36104	3/8"
36106	7/16"
36108	1/2"
36110	9/16"
36112	5/8"
36114	11/16"
36116	3/4"
36118	13/16"
36120	7/8"

Item No.	Size
36122	1"
36124	1-1/8"
36126	1-1/4"
36128	1-3/8"
36130	1-1/2"
36132	1-5/8"
36134	1-3/4"
36136	1-7/8"
36138	2"
36140	2-1/8"
36142	2-1/4"

Item No.	Size
36144	2-3/8"
36146	2-1/2"
36148	2-5/8"
36150	2-3/4"
36152	2-7/8"
36154	3"
36156	3-1/8"
36158	3-1/4"
36160	3-1/2"
36162	3-3/4"
36164	4"

36173
5 MM BRAD POINT

- Ideal for shelf pins

36170
35 MM CARBIDE BORING BIT

- For 35 mm European hinges
- Thick carbide tip
- Precision machined for best results
- High quality industrial grade

36092
7 PC 12" BRAD POINT SET

- 12" overall length
- Set contains sizes 1/8, 3/16, 1/4, 5/16, 3/8, 7/16 and 1/2"
- Two outside spurs
- For drilling for dowels, pilot holes and counterboring

PowerSonic

36090
7 PC BRAD POINT SET

- Set contains sizes 1/8, 3/16, 1/4, 5/16, 3/8, 7/16 and 1/2"
- Two outside spurs
- For drilling for dowels, pilot holes and counterboring

PowerSonic

36015
7 PC COUNTERSINK

- Drills a tapered pilot hole which allows screw to have maximum bite
- Adjustable stop collar allows you to set the depth of outersink
- Bit Sizes: 5, 6, 7, 8, 9, 10, 12

PowerSonic

36016
25PC BRAD POINT BIT SET

- For all kinds of wood
- Set contains 1/8" to 1/2" in increments of 1/64"
- Two outside spurs
- For drilling holes for dowels, counterboring, pilot holes
- In metal indexed case

PowerSonic

36022
7PC FORSTNER BIT

- Set includes: 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1"
- Ideal for: Dowel and plug holes, Pocket Holes, Mortises, End Grain holes

PowerSonic

PowerSonic

36024
16PC FORSTNER BIT

- Set includes: 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8"

- Made from high quality carbon steel
- Produces a smooth, clean, flat bottomed hole in any wood
- For use in any 3/8" drill press or variable speed 3/8" drill.

36072

6 PC SPADE BIT SET

- Sizes: 3/8, 1/2, 5/8, 3/4, 7/8, 1"
- Raised spur for cutting clean holes
- 1/4" Hex shank

36032

6 PC AUGER BIT SET

- Sizes: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"
- Self feed tip for easier drilling
- 6" Overall length
- Hex shank ensures positive grip in chuck
- For drilling into hard and soft woods



PowerSonic

36040

3 PC SPEED AUGER BIT SET

- Sizes: 5/8, 3/4, 1"
- 4 flutes for faster, cleaner holes
- Self feed tip for easier drilling
- 1/4" Hex shank

PowerSonic

36030

6 PC 18" SHIP AUGER BIT SET

- 18" overall length
- Sizes: 1/4, 5/16, 3/8, 1/2, 9/16, 3/4"
- Drills a clean and deep flat bottomed hole Ideal for drilling large-diameter, deep holes in wood or thick man-made boards.The single spur cuts and defines the edge of the hole while the chisel-like cutting edge removes the waste within the cut circle

PowerSonic

36219
3 PC COUNTERSINK

- 5/8", 1/2", 3/8"
- 1/4" Hex shank
- Suitable for all wood and wood products and non ferrous metal

PowerSonic

36310
3 PC COUNTERSINK

- Set includes: #6, #8, #10, #12
- High speed steel (HSS)
- 1/4" Hex shank
- Drills pilot hole, countersinks and counter bores in one operation

PowerSonic

40808
16 PC HOLE SAW SET

Includes
- 12 hole saws (3/4", 7/8", 1-1/8", 1-1/4", 1-1/2", 1-3/4", 2", 2-1/2", 3", 3-1/2", 4", 5")
- 3/8" arbor with pilot bit
- 1/4" arbor for saws up to 1-1/8"
- Arbor plate
- Hex wrench

PowerSonic

40809
6 PC HOLE SAW SET, 1¼" - 2⅛"

Includes
- 4 Hole Saws (1-1/4", 1-1/2", 1-3/4", 2-1/8")
- Arbor with pilot bit
- Hex wrench
- For wood



PowerSonic

40807
11 PC HOLE SAW SET, 3/4" - 2½"

Includes
- 8 Hole Saws (3/4", 7/8", 1-1/8", 1-1/4", 1-1/2", 1-3/4", 2", 2-1/2")
- 3/8" arbor with pilot bit
- 1/4" arbor for saws up to 1-1/8"
- Hex wrench
- For wood

PowerSonic

40910
7 PC BI-METAL HOLE SAW SET

• Includes:
- 3/4", 7/8", 1-1/8", 1-3/8" hole saw
- 1/4" arbor with 1/2" x 20 UNF
- 1/4" x 4" spare HSS bit
- Arbor adaptor

40914
9 PC BI-METAL HOLE SAW SET (ELECTRICIAN'S SET)

• Includes:
- 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2" hole saw
- 1/2" x 20 UNF hole saw arbor
- 5/8" x 18 UNF hole saw arbor
- Arbor adaptor

40912
9 PC BI-METAL HOLE SAW SET (PLUMBER'S SET)

• Includes:
- 3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4" hole saw
- 1/2" x 20 UNF hole saw arbor
- 5/8" x 18 UNF hole saw arbor
- Arbor adaptor

40916
13 PC BI-METAL HOLE SAW SET

• Includes:
- 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2" hole saw
- 1/4" arbor with 1/2" x 20 UNF
- 5/8" x 18 UNF hole saw arbor
- Arbor adaptor
- Hex wrench

40918
15 PC BI-METAL HOLE SAW SET

• Includes:
- 3/4", 7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/2", 3" hole saw
- 1/2" x 20 UNF hole saw arbor
- 5/8" x 18 UNF hole saw arbor
- 12" extension

STEP DRILL BIT

- Drill multiple size holes with one bit, no changeover required
- Split point tip for easier starts
- HSS

Item No.	Steps	Size	Shank
36400	13	1/8" to 1/2"	1/4"
36406	12	3/16" to 7/8"	3/8"
36408	10	1/4" to 1-3/8"	3/8"
36402	6	3/16" to 1/2"	1/4"

SAMONA

36420
3 PC STEP DRILL BIT SET

- 3/16" to 1/2" 6 step bit
- 1/4" to 3/4" 9 step bit
- 1/8" to 1/2" 13 step bit
- Drop forged, high speed steel, titanium coated.
- Two flute design provides faster, smoother and Cleaner cuts.
- Includes storage pouch

PowerSonic

HOLE SAW ARBOR - HEX SHANK

Item No.	Shank	Thread
40972	3/8" - Fits 7/16" to 1-3/16" hole saw	1/2" x 20 UNF
40976	3/8" - Fits 1-1/4" to 6" hole saw	5/8" x 18 UNF
40978	7/16" - Fits 1-1/4" to 6" hole saw	5/8" x 18 UNF

BI-METAL HOLE SAW

- HSS teeth with variable pitch
- for wood or steel

Item No.	Size
40922	5/8"
40925	3/4"
40927	7/8"
40929	1"
40931	1-1/8"
40933	1-1/4"
40935	1-3/8"
40937	1-1/2"
40939	1-5/8"
40941	1-3/4"
40943	1-7/8"
40944	2"
40946	2-1/8"
40947	2-1/4"
40949	2-3/8"

Item No.	Size
40950	2-1/2"
40951	2-9/16"
40952	2-5/8"
40954	2-3/4"
40956	3"
40957	3-1/4"
40958	3-1/2"
40959	3-3/4"
40960	4"
40961	4-1/4"
40962	4-1/2"
40964	4 -3/4"
40966	5"
40968	5-1/2"
40970	6"

- Variable Tooth Design for easy chip removal and faster, cleaner cuts.
- Use on: Wood, Plastics, Aluminum, Steel , Cast Iron, Stainless Steel

EXTENSION

Item No.	Size
40986	5-1/2"
40988	12"
40989	18"

- Fits 7/16" hole saw arbor
- Also use with Auger and selfeed bits

PILOT DRILL BIT

- 2 pack

Item No.	Size
40980	1/4" x 3"
40982	1/4" x 4"



40884
ARBOR ADAPTOR
1/2" X 20 UNF TO 5/8" X 18 UNF

SAMONA

AUGER BITS PROFESSIONAL

- Self-feed point for fast boring
- Edge cutting spur for smoother holes
- Available in 6" and 18"

- Drills a clean and deep flat bottomed hole
- Ideal for drilling large-diameter, deep holes in wood or thick man-made boards. The single spur cuts and defines the edge of the hole while the chisel-like cutting edge removes the waste within the cut circle.

6" overall length

Item No.	Size
36360	1/4"
36361	5/16"
36362	3/8"
36363	1/2"
36364	9/16"
36365	5/8"
36367	3/4"
36368	7/8"
36369	1"
36370	1-1/8"
36371	1-3/16 "
36372	1-1/4"
36373	1-3/8"
36374	1-1/2"

18" overall length

Item No.	Size
36380	3/8"
36382	1/2"
36383	9/16"
36384	5/8"
36385	3/4"
36386	7/8"
36387	1"
36388	1-1/8"
36389	1-3/16"
36390	1-1/4"
36391	1-3/8"
36392	1-1/2"

36035
6" AUGER BIT SET

- Includes: 1/2", 3/4", 7/8" and 1" Auger Bits
- 6" Overall length
- Self-feed point for fast boring
- Edge cutting spur for smoother holes

36037
18" AUGER BIT SET

- Includes: 1/2", 3/4", 1" Auger Bits
- 18" Overall Length
- Self-feed point for fast boring
- Edge cutting spur for smoother holes

40804
DOOR LOCK INSTALLATION KIT

• For wood doors
- sizes : 1-3/8" and 1-3/4"
- backset : 2-3/8" and 2-3/4"

• Contains:
- Installation guide template
- 2-1/8" carbon hole saw
- 1" carbon hole saw
- Mandrel and adaptor
- Installation instructions

40806
BI-METAL DOOR LOCK INSTALLATION KIT

• For metal and wood doors
- sizes : 1-3/8" and 1-3/4"
- backset : 2-3/8" and 2-3/4"

• Contains:
- Installation guide template
- 2-1/8" bi-metal hole saw
- 1" bi-metal hole saw
- Mandrel and adaptor
- Installation instructions

36342
13 PC SPADE BIT SET

- Sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
- Unique twist design for faster drilling of holes
- Double spur design produces clean holes
- Grooved spur point for exact positioning
- 1/4" hex shank fits all drills, 1/4" impact drivers and quick change adapters

36340
6 PC SPADE BIT SET

- Sizes: 3/8, 1/2, 5/8, 3/4, 7/8, 1"
- Unique twist design for faster drilling of holes
- Double spur design produces clean holes
- Grooved spur point for exact positioning
- 1/4" hex shank fits all drills, 1/4" impact drivers and quick change adapters

REPLACEMENT SELF FEED SCREW

Item No.	Size
36636	1" to 1-3/8"
36638	1-1/2" to 2-1/8"
36640	2-9/16" to 4-5/8"



SELF FEED BITS

- Ideal for plumbing and electrical
- 7/16" shank

Item No.	Size
36614	1-1/4"
36616	1-3/8"
36618	1-1/2"
36620	1-3/4"

Item No.	Size
36622	2"
36624	2-1/8"
36625	2-1/4"
36626	2-9/16"

80550
OSCILLATING MULTI TOOL

- 1.8 Amp Motor
- Variable speed 15,000 to 22,000 OPM

• Kit includes
- Scraper blade
- Flush cut blade 35mm (1-3/8")
- Flush cut blade 20mm (3/4")
- Segment saw blade HSS
- Hook & Loop sanding pad
- Sanding Paper, 10 Pc 80 Grit
- Sanding Paper, 10 Pc 120 Grit

46946
4 PC FLOORING KIT

- Includes the most popular blades for flooring installation
- HSS Segment Saw Blade, Bi-Metal Flush Cut Blade, Standard Flush Cut Blade, and a Rigid Scraper Blade
- Quick change capability for fast accessory changes

46948
4 PC TILING KIT

- Includes the most popular blades for tile installation and repair
- Carbide Abrasive Saw Blade, Carbide Rasp, Bi-Metal Flush Cut Blade and a Rigid Scraper Blade
- Quick change capability for fast accessory changes

80552
QUICK CHANGE OSCILLATING MULTI TOOL

- 2.5 Amp Motor
- Variable speed 15,000 to 22,000 RPM
- Quick Blade Change
- Kit includes
- Scraper blade
- Flush cut blade 35mm (1-3/8")
- Flush cut blade 20mm (3/4")
- Segment saw blade HSS
- Hook & Loop sanding pad
- Sanding Paper, 10 Pc 80 Grit
- Sanding Paper, 10 Pc 120 Grit

FLUSH CUT BLADES - UNIVERSAL FIT

- Universal Fit
- Fits Dermel®, Bosch®, Fein®, King®, Rok® and Most other Brands

STANDARD

- General cutting of wood
- Trim work

Item No.	Decs.	Pk Size
46906	1-3/8"	1 Pc
46908	2-11/16"	1 Pc
46907	1-3/8"	5 Pc
46909	2-11/16"	5 Pc

PRECISION

- Cutting door jambs and trim work
- Great for hardwoods

Item No.	Decs.	Pk Size
46912	1-3/8"	1 Pc
46914	2-11/16"	1 Pc
46913	1-3/8"	5 Pc
46915	2-11/16"	5 Pc

BI - METAL

- Cutting nails in trim work
- Thin sheet-metal

Item No.	Decs.	Pk Size
46918	1-1/8"	1 Pc
46920	1-3/4"	1 Pc
46919	1-1/8"	5 Pc
46921	1-3/4"	5 Pc

46944
3 PC FLUSH CUT BLADE SET

- Includes 3/8", 3/4" and 1-1/4" blades
- Ideal for cutting wood, plaster board and plastics

HSS SEGMENT SAW BLADES - UNIVERSAL FIT

- Ideal for aggressive plunge and flush cuts in wood, plastics, and thin sheet metal
- High Carbon Steel construction for increased durability and strength
- Quick change capability for fast accessory changes

Item No.	Description
46900	Flat 3-1/8"
46902	Depressed 3-7/16"

CARBIDE GRIT- UNIVERSAL FIT

Item No.	Description
46924	Flush Cut Blade 1-1/8"
46930	Fingertip Carbide Rasp

- Ideal for rough sanding of wood, tile adhesives and concrete
- High Carbon Steel construction for increased durability and strength
- Quick change capability for fast accessory changes

Item No.	Description
46863	Abrasive Saw Blade
46865	Carbide Rasp

SANDPAPER

- Multi purpose sandpaper for wood
- 10 pcs per package

Item No.	Description
46837	60 Grit 10 Pc
46838	80 Grit 10 Pc
46840	120 Grit 10 Pc



SCRAPER - UNIVERSAL FIT

- Use for removing paint, adhesives, linoleum, carpet and other materials

Item No.	Description
46936	Rigid
46938	Flexible

DIAMOND CUTTER - UNIVERSAL FIT

- Removes grout
- Cuts abrasive materials and tile

Item No.	Description
46932	2-1/2"
46934	Segmented

46940
SANDING PAD

- Replacement hook and loop backing pad



41125
10 PC JIGSAW BLADE SET T - SHANK

- Precision ground teeth for clean cuts and long life
- Includes:
- 2 x ST227D
- 2 x ST118A
- 2 x ST111C
- 2 x ST101B
- 2 x ST118AO

41145
10 PC JIGSAW BLADE SET UNIVERSAL - SHANK

- Precision ground teeth for clean cuts and long life
- Includes:
- 2 x SU227D
- 2 x SU118A
- 2 x SU111C
- 2 x SU101B
- 2 x SU118AO

T - SHANK JIGSAW BLADE - 5 PACK

- Precision ground teeth for clean cuts and long life

Item No.	Size
41110	21TPI Metal ST118A
41111	12TPI Metal ST118B
41112	8TPI Metal ST227D
41113	8TPI Non Ferr.ST127D
41114	6TPI Wood ST144D
41115	6TPI Wood ST244D
41116	20TPI Wood ST101AO
41117	10TPI Wood ST101B
41118	10TPI REV. Wood ST101BR
41119	8TPI Wood ST111C

UNIVERSAL SHANK JIGSAW BLADE - 5 PACK

- Precision ground teeth for clean cuts and long life

Item No.	Size
41130	21TPI Metal SU118A
41131	12TPI Metal SU118B
41132	8TPI Metal SU227D
41133	8TPI Non Ferr.SU127D
41134	6TPI Wood SU144D
41135	6TPI Wood SU244D
41136	20TPI Wood SU101AO
41137	10TPI Wood SU101B
41138	10TPI REV. Wood SU101BR
41139	8TPI Wood SU111C

41012
DEMOLITION BLADE SET

- Bi-Metal
- Set Includes
- 1 Pc 5/8 TPI x 9"
- DEMOLITION Wood (For Wood with Nails)
- 2 Pc 8/10 TPI x 6"
- DEMOLITION Metal (For Metal)
- 2 Pc 5/8 TPI x 6"
- DEMOLITION Wood (For Wood with Nails)

41010
RECIPROCATING SAW BLADE SET

- Bi-Metal
- Set Includes
- 1 Pc 5/8 TPI x 9"
- DEMOLITION Wood (For Wood with Nails)
- 3 Pc 6 TPI x 9"
- General Purpose Wood (For Wood with Nails)
- 3 Pc 18 TPI x 9"
- General Purpose Metal (For Metal)
- 2 Pc 14 TPI x 6"
- General Purpose Metal (For Metal)
- 3 Pc 6 TPI x 6"
- General Purpose Wood (For Wood with Nails)

MULTI SCRAPER BLADES

- Made from high grade carbon steel with corrosion resistant coating
- Blades can be re-sharpened to keep a fine edge
- Available in 3 size for a wide variety of jobs- Fits most brands of reciprocating saws.

Item No.	Size	Application
41014	2"	Tile Adhesive, Glue, Tape etc.
41015	4"	Linoleum, Tile, Glue, Drywall Mud etc.
41016	6"	Carpet, Paint, Wallpaper etc.



41020

MULTI SCRAPER BLADE 3 PC

THIN KERF FOR SMOOTHER CUTS & ANTI-KICKBACK DESIGN

40013

7 1/4" X 24T CONTRACTOR CARBIDE SAW BLADE

- Diamond knock out
- Sold to dealers in box of 25 pcs

40031

7 1/4" X 40T CONTRACTOR CARBIDE SAW BLADE

- Diamond knock out
- Sold to dealers in box of 25 pcs

40014

7 1/4" X 24T CONTRACTOR CARBIDE SAW BLADE

- Diamond knock out
- Sold to dealers in box of 25 pcs

40032

7 1/4" X 40T CONTRACTOR CARBIDE SAW BLADE

- Diamond knock out
- Sold to dealers in box of 25 pcs

40034

3 PC 7-1/4" CARBIDE SAW BLADE

- 2: 7-1/4" x 24T
- 1: 7-1/4" x 40T
- Diamond knock out

40316

2 PC 10" CARBIDE SAW BLADE

- 1: 10" x 24T
- 1: 10" x 60T

40318

3 PC 10" CARBIDE SAW BLADE

- 1: 10" x 24T
- 1: 10" x 40T
- 1:10" x 60T

40335

2 PC 12" CARBIDE SAW BLADE

- 1: 12" x 44T
- 1: 12" x 72T

40002
7-1/4" X 24T CARBIDE SAW BLADE

- Sold to dealers in box of 25 pcs
- Diamond knock out

40005
7-1/4" X 24T CARBIDE SAW BLADE

- Sold to dealers in box of 25 pcs
- Diamond knock out

40035
3 PC 7-1/4" CARBIDE SAW BLADES

Qty	Size	Tooth	Arbor
2	7-1/4"	24T	5/8" ◇
1	7-1/4"	40T	5/8" ◇

40028
7-1/4" X 40T CARBIDE SAW BLADE

- Sold to dealers in box of 25 pcs
- Diamond knock out



40060
10"X 40T GENERAL PURPOSE BLADE

40064
10"X 60T FINISHING BLADE

- Sold to dealers in box of 5 pcs

40322
3 PC 10" CARBIDE SAW BLADES

• Includes

Qty	Size	Tooth	Arbor
1	10"	24T	5/8"
1	10"	40T	5/8"
1	10"	60T	5/8"



PowerSonic

CONTRACTOR BLADES

- Fast cutting carbide tipped, Cooling slots for blade stability & Anti-Kickback Design
- Hard body blade resists warping
- Tipped with superior quality C3 tungsten carbide
- Diamond knock out
- Sold to dealers in packs of 10

40015

7-1/4" X 24T SAW BLADE

- For Ripping and crosscutting in hard and soft woods

40033

7-1/4" X 40T SAW BLADE

- Smooth cutting finishing blade for hard and soft woods

40043

8-1/4" X 24T SAW BLADE

- For Ripping and crosscut-ting in hard and soft woods

40053

8-1/4" X 40T SAW BLADE

- Smooth cutting finishing blade for hard and soft woods

40017

7 1/4" X 24T SAW BLADE FOR PRESSURE TREATED WOOD

- For ripping and crosscutting pressure treated and wet lumber
- Ultra-Thin Kerf
- Anti-Stick coating prevents gum build up and improves blade performance- Tipped with superior quality C3 tungsten carbide

CIRCULAR SAW BLADE FOR CORDLESS TOOLS CARBIDE TIPPED

- Carbide Tipped

Item No.	Size	Tooth	Arbor
40210	3-3/8"	20T	5/8"
40212	4-3/8"	24T	3/4"
40215	5-3/8"	18T	10mm
40216	5-3/8"	24T	10mm
40220	6-1/2"	18T	5/8"
40222	6-1/2"	24T	5/8"
40224	6-1/2"	40T	5/8"



40227

3 PC 6-1/2" CIRCULAR SAW BLADE SET

- For Cordless Tools
- Carbide Tipped
- 18 Teeth / 24 Teeth / 40 Teeth
- 5/8" Arbor



40070

4-3/4" X 12T JAMB BLADE WITH ANTI KICK BACK

- Anti-kick back design
- Carbide Tipped
- 7/8" arbor
- Ideal for undercutting jambs for floor installation
- Use with 5" angle grinder

Ideal for undercutting jambs for floor installation

THIN KERF BLADES

- Thin Kerf for fast smooth cuts, minimal waste and less wear and tear on your saw

40450
10" X 24T RIP BLADE TK

- Ideal for ripping and fast crosscutting of dimensional lumber

40452
10" X 40T GENERAL PURPOSE BLADE TK

- Ideal for crosscutting hard and soft woods and man-made materials.

40456
10" X 60T FINISHING BLADE TK

- Ideal for trim work on plywood, paneling, veneer and man made materials.

40458
10" X 80T ULTRA FINE CROSSCUT BLADE TK

- Smooth splinter free cutting ideal for cabinet and furniture making.

40460
10" X 60T SLIDING MITER SAW BLADE

- Fine finish cut-off blade for hard and soft woods and man-made materials
- Ideal for sliding compound miter saws
- -5º hook angle

40480
10" X 40T GENERAL PURPOSE 10" X 80T ULTRA FINE CROSSCUT
2 Pack

- Ideal for crosscutting hard and soft woods and man-made materials
- Fine finish cut-off blade for hard and soft woods and man-made materials

40453
12" X 44T GENERAL PURPOSE BLADE TK

- Ideal for crosscutting hard and soft woods and man-made materials.

40457
12" X 72T FINISHING BLADE TK

- Fine finish cut-off blade for hard and soft woods and man-made materials

40482
2 PK 12" X 44T & 72T SAW BLADES TK

2 Pack

- 44T blade ideal for crosscutting hard and soft woods and man-made materials
- 72T finish cut-off blade for hard and softwoods and man-made materials

40462
12" X 72T SLIDING MITER SAW BLADE

- -5º hook angle
- Fine finish cut-off blade for hard and soft woods and man-made materials
- Ideal for sliding compound miter saws
- Thin Kerf for fast smooth cuts, minimal waste and less wear and tear on your saw

FULL KERF PROFESSIONAL BLADES

- Pro Full Kerf saw blades are tipped with superior quality C4 tungsten carbide and ground with a fine diamond grit wheel to maximize sharpness. Made from top quality hardened steel. Plates on all our Professional Series are a minimum of HRC 40- 42+.
Our full kerf blades combine a hard body with thicker plate steel for added stability and longer blade life. Blades run truer without deflection for more accurate cutting.

40440

10" X 24T RIP BLADE

- For smooth, heavy-duty fast ripping and crosscutting of dimensional lumber

40442

10" X 50T ALL PURPOSE COMBINATION BLADE

- Heavy-duty combination blade produces a fast smooth cut in almost any type of wood

40443

10" X 60T FINISHING BLADE

- Heavy-duty crosscutting blade for hard and soft woods from1/2" to 2-3/4"



40447

10" X 80T ULTRA FINE CUT-OFF BLADE

- Heavy-duty crosscutting blade ideal for cabinet and furniture making

40446

10" X 72T SLIDING MITER SAW BLADE

- Designed for miter, sliding compound miter and radial arm saws.
- -5° hook angle

40449

10" X 80T LAMINATE BLADE

- Extremely smooth cutting for melamine, laminates or plastics.
- -5° hook angle

40444
12" X 72T FINISHING BLADE

- Heavy-duty crosscutting blade for hard and soft woods from1/2" to 2-3/4"

40448
12" X 96T ULTRA FINE CUT-OFF BLADE

- Heavy-duty crosscutting blade ideal for cabinet and furniture making

TCG NON-FERROUS SAW BLADE

- For thin non-ferrous metals including aluminum extrusions and copper pipe

Item No.	Size	Tooth	Arbor
40419	7¼"	56T	1"
40434	10"	80T	5/8"
40435	12"	96T	1"



STEEL CUTTING BLADE

Item No.	Size	Tooth	Arbor
40429	6½"	40T	5/8"
40430	7-1/4"	50T	5/8"
40431	10"	60T	5/8"
40432	12"	80T	1"
40433	14"	72T	5/8"

- Steel Cutting saw blades are tipped with superior quality C6 tungsten carbide

40715
8" X 24 T CARBIDE TIPPED DADO SET IN WOOD BOX

- Make cuts from 1/4" to 13/16"
- Stacking with carbide tips
- 5/8" Arbor

Includes:
1 each: 1/16" twin tooth chipper
2 each: Outside blades
4 each: 1/8" twin tooth chippers
14 each: Shims

40726
8" X 42 T CARBIDE TIPPED DADO SET WITH 6 T CHIPPERS IN ALUMINUM CASE

• Set contains:
- 2 blades : 8" x 42T
- 4 chippers : 6T x 1/8"
- 1 chipper : 6T x 1/16"
- shim set

Professional Quality

- Full body 6 teeth chipper reduce vibration producing a super smooth cut
- 42 teeth outer blades give excellent cut in plywood and melamine
- Stacking dado set for grooves and rabbets 1/4" to 13/16" wide
- Shim set enables you to incrementally increase spacing between blades and chippers
- 5/8" arbor
- Maximum 8,000 rpm

40727
DADO SHIM SET

- Incrementally increase spacing between blades and chippers
- Use with 40715, 40726

54024
TENON JIG

- Adjustable back stop
- Quick adjust
- Adjustable face angle
- Standard 3/8" x 3/4" bar for T-slot
- Micro adjust
- Bonus 1/4" x 3/4" bar

SAMONA

54023
PRECISION MITER GAUGE

- Sliding fence with adjustable flip stop
- Preset detents at 0°, 15°, 22-1/2°, 30°, 45°
- Hold down with quick release for fast adjustment

SAMONA



ROK PROFESSIONAL DIAMOND BLADES

ROK Professional Grade Diamond Blades are designed for top of the line every day industrial use. Manufactured with an exceptional diamond formulation, the blades exemplify durability and high performance at its core.
The collection includes an extensive variety of diamond blades and cup wheels, delivering versatility and flexibility for any job at hand. The ROK Professional Grade Diamond Blades provide outstanding quality and exceptional results.

ROK CONTRACTOR DIAMOND BLADES

ROK Contractor Diamond Blades represents quality and value providing contractors with the best affordable diamond blades on the market. Manufactured with the highest quality materials, these diamond blades last long and provide smooth cuts over and over again.
The line includes the most popular diamond blades and cup wheels on the market. With its excellent quality and unmatched affordability, the ROK Contractor Diamond Blades are a perfect choice for any contractor.

POWERSONIC DIAMOND BLADES

PowerSonic Diamond Blades demonstrate great quality at a lower price point.
The blades are tailored towards the low use contractor, the regular handyman, or any homeowner out there.
With a medium sized selection of blades that can fulfill most tasks, the PowerSonic Line is a great choice for those seeking value.

PROFESSIONAL DIAMOND BLADES

CONTINUOUS RIM DIAMOND BLADE

- For cutting ceramic tile, marble, granite
- smoothest chip free cuts

Item No.	Size	Arbor	Ring
26204	4-1/2"	7/8"	20mm, 5/8"
26205	5"	7/8"	5/8"
26207	7"	7/8"	5/8" ◆
26208	8"	7/8"	5/8" ◆
26210	10"	7/8"	5/8"

SEGMENTED RIM DIAMOND BLADE

- For cutting concrete, masonry, foundation, paver brick, terrazzo, roofing tile, concrete pipe
- Fast cutting

Item No.	Size	Arbor	Ring
26223	4"	7/8"	20mm, 5/8"
26224	4-1/2"	7/8"	20mm, 5/8"
26225	5"	7/8"	5/8"
26227	7"	7/8"	5/8" ◆
26228	8"	7/8"	5/8" ◆
26230	10"	7/8"	5/8"
26232	12"	1"	20 mm
26234	14"	1"	20 mm

TURBO DIAMOND BLADE

- For cutting granite, slate, concrete, masonry, paver brick, terrazzo, roofing tile, concrete pipe
- Smooth cutting



Item No.	Size	Arbor	Ring
26243	4"	7/8"	20mm, 5/8"
26244	4-1/2"	7/8"	20mm, 5/8"
26245	5"	7/8"	5/8"
26247	7"	7/8"	5/8" ◆
26248	8"	7/8"	5/8" ◆
26250	10"	7/8"	5/8"

GRANITE DIAMOND BLADES

- For cutting marble and granite

Item No.	Size	Arbor	Ring
26264	4-1/2"	7/8"	5/8"
26265	5"	7/8"	5/8"
26267	7"	7/8"	5/8" ◆
26270	10"	7/8"	5/8"

◆ with diamond insert

ULTRA THIN PORCELAIN DIAMOND BLADES

- Ultra thin
- For cutting porcelain
- Hot pressed for long life

Item No.	Size	Arbor	Ring
26283	4"	7/8"	20mm, 5/8"
26284	4-1/2"	7/8"	20mm, 5/8"
26287	7"	7/8"	5/8" ◆
26290	10"	7/8"	5/8"

PROFESSIONAL DIAMOND BLADES

ASPHALT DIAMOND BLADES

- For cutting Asphalt and green concrete
- Laser welded for long life
- Undercut protection

Item No.	Size	Arbor	Ring
26298	12"	1"	20mm
26299	14"	1"	20mm

26192
CRACK CHASER

- For repairing cracks in concrete and other masonary surfaces
- Leaves a V-shaped groove for filling

Size	Arbor	Ring
4-1/2"	7/8"	5/8"

26196
TUCK POINTER

- For cleaning and removing mortar joints

Size	Arbor	Ring
4-1/2"	7/8"	5/8"

4" DIAMOND POLISHING PADS

Item No.	Grit
26911	50
26912	100
26913	200
26914	400
26915	800

Item No.	Grit
26916	1500
26917	3000
26918	Buff Black
26919	Buff White

- Wet resin bond diamond polishing pads
- Designed for polishing granite, marble and concrete
- Hook and loop backed for fast changing

WET USE ONLY

26902
4" BACKING PAD

- 5/8-11 Thread
- Hook and loop pad

PROFESSIONAL DIAMOND BLADES

MULTI - CUT DIAMOND BLADE

- For cutting: concrete, brick, granite, cast iron, sheet metal, rebar, pvc pipe, fiberglass and most other construction materials.

Item No.	Size	Arbor	Ring
26274	4-1/2"	7/8"	5/8"
26276	7"	7/8"	5/8" ◆
26277	10"	7/8"	5/8"
26278	12"	1"	20mm
26279	14"	1"	20mm

◆ with diamond insert

STEEL

Rebar

Concrete

Granite

Brick

26179
5" DOUBLE ROW SEGMENTED CUP WHEEL

- For grinding concrete, masonry and stone
- Double row segments for quick material removal

SEGMENTED CUP WHEEL

- For grinding concrete, masonry and stone
- Segments minimize dust and debris

Item No.	Size	Arbor	Ring
26174	4"	7/8"	5/8"
26175	5"	7/8"	5/8"
26177	7"	7/8"	5/8"

CONTINUOUS DIAMOND CUP WHEEL

- For grinding concrete, masonry and stone
- Ideal for leveling concrete seams
- Smooth finish

Item No.	Size	Arbor	Ring
26154	4"	7/8"	5/8"
26155	5"	7/8"	5/8"

TURBO DIAMOND CUP WHEEL

- For grinding concrete, masonry and stone
- Turbo segments provide smoot consistent finish

Item No.	Size	Arbor	Ring
26164	4"	7/8"	5/8"
26165	5"	7/8"	5/8"

CONTRACTOR DIAMOND BLADES

26440
4-1/2" 3 PC DIAMOND BLADE SET

- Includes 3 blades: 4 1/2" continuous, segmented and turbo blade
- Can be used wet or dry with appropriate equipm

26452
4-1/2" SINGLE ROW SEGMENTED CUP WHEEL

- For grinding concrete, masonry, stone
- Segments minimize dust and debris

DOUBLE ROW SEGMENTED CUP WHEEL

- For grinding concrete, masonry, stone
- Segments minimize dust and debris
- Double row segments for quick material removal

Item No.	Size	Arbor	Ring
26456	4-1/2"	7/8"	5/8"
26458	7"	7/8"	5/8"

TURBO DIAMOND CUP WHEEL

- For grinding concrete, masonry, stone
- Optimized hole pattern for fast dust removal
- Turbo segments provide smooth consistent finish

Item No.	Size	Arbor	Ring
26460	4-1/2"	7/8"	5/8"
26462	7"	7/8"	5/8"

CONTRACTOR DIAMOND BLADES

SEGMENTED

- For cutting, brick & block, concrete, limestone
- Segments allow for better exhaust of debris
- Durable and long blade life provide a smooth cut
- Can be used wet or dry with appropriate equipment

Item No.	Size	Arbor	Ring	
26412	4-1/2"	7/8"	5/8"	
26413	5"	7/8"	5/8"	
26414	7"	7/8"	5/8"	◆
26416	10"	7/8"	5/8"	

TURBO

- For cutting concrete, marble, tile, granite, brick and block
- Designed to cut faster
- Serrated edge maintains a smooth cut
- Can be used wet or dry with appropriate equipment

Item No.	Size	Arbor	Ring	
26422	4-1/2"	7/8"	5/8"	
26423	5"	7/8"	5/8"	
26424	7"	7/8"	5/8"	◆
26426	10"	7/8"	5/8"	

CONTINUOUS

- Softer bond for cutting ceramic tile, marble, granite
- Smoothest chip free cuts
- Can be used wet or dry with appropriate equipment

Item No.	Size	Arbor	Ring	
26402	4-1/2"	7/8"	5/8"	
26403	5"	7/8"	5/8"	
26404	7"	7/8"	5/8"	◆
26406	10"	7/8"	5/8"	

PORCELAIN

- Outstanding performance with porcelain tile, marble, and granite
- Fast cutting while leaving a smooth finish
- Thin kerf cuts with less drag and resistance
- Can be used wet or dry with appropriate equipment

Item No.	Size	Arbor	Ring	
26432	4-1/2"	7/8"	5/8"	
26434	7"	7/8"	5/8"	◆

◆ with diamond insert

POWERSONIC DIAMOND BLADES

SEGMENTED

- For cutting concrete, masonry, foundation, paver brick, terrazzo, roofing tile, concrete pipe
- Fast cutting

Item No.	Size	Arbor	Ring	
26714	4-1/2"	7/8"	5/8"	
26716	5"	7/8"	5/8"	
26718	7"	7/8"	5/8"	◆
26720	10"	7/8"	5/8"	

TURBO

- For cutting granite, slate, concrete, masonry, paver brick, terrazzo, roofing tile, concrete pipe
- Smooth cutting

Item No.	Size	Arbor	Ring	
26724	4-1/2"	7/8"	5/8"	
26726	5"	7/8"	5/8"	
26728	7"	7/8"	5/8"	◆
26730	10"	7/8"	5/8"	

CONTINUOUS

- For cutting marble, marble tiles, ceramic tiles.

Item No.	Size	Arbor	Ring	
26704	4-1/2"	7/8"	5/8"	
26706	5"	7/8"	5/8"	
26708	7"	7/8"	5/8"	◆
26710	10"	7/8"	5/8"	

PORCELAIN

- For cutting porcelain, marble, marble tiles, ceramic tiles

Item No.	Size	Arbor	Ring	
26734	4-1/2"	7/8"	5/8"	
26738	7"	7/8"	5/8"	◆



◆ with diamond insert

POWERSONIC DIAMOND BLADES

26800
3 PC DIAMOND BLADE SET - 4½"

- Contains:
- 1 continuous rim
- 1 segmented rim
- 1 turbo rim

- 4-1/2" for use on portable angle grinders
- For general purpose cutting of brick, tile, concrete, stone, slate, and terrazzo

26805
3 PC DIAMOND BLADE SET - 7 "

- Contains:
- 1 continuous rim
- 1 segmented rim
- 1 turbo rim

- 7" for tile saw or circular saw
- For general purpose cutting of brick, tile, concrete, stone, slate, and terrazzo
- ◆ with diamond insert

PREMIUM DIAMOND HOLE SAW

Tile

Fiber Cement

Marble

Granite

Concrete Block

- Use on:
  - Ceramic tile
  - Porcelain
  - Glass
  - Granite
  - Marble
  - Fiberglass
  - Concrete block
  - Fiber cement product

- Electroplate bonded diamond
- Segmented teeth reduces heat build up
- Wet cut, Use with water

Item No.	Size
48380	1/4
48381	5/16"
48382	3/8"
48383	1/2"
48384	5/8"
48385	3/4"
48386	1"
48387	1-1/4"
48388	1-3/8"
48389	1-1/2"
48390	1-3/4"
48391	2"

48401
HOLE SAW GUIDE PLASTIC

- Suction cup for easy positioning on tile, glass, granite, marble and other smooth surfaces.
- 7 sizes: 5/32", 3/16", 1/4", 9/32", 5/16", 3/8",15/32"

48402
HOLE SAW GUIDE METAL ROUND

- Stainless steel design for long life
- Foam layer under the plate helps keep water in place speeding up the drilling process and extending the life of the hole saw
- Suction cup for easy positioning on tile, glass, granite, marble and other smooth surfaces.
- 5 sizes: 3/16", 1/4", 5/16", 3/8", 15/32"

48404
HOLE SAW GUIDE ADJUSTABLE 5/32" TO 1-3/8"

- Adjustable: 5/32" to 1-3/8"
- Stainless steel design for long life
- Foam layer under the plate helps keep water in place speeding up the drilling process and extending the life of the hole saw
- Double suction cup design for easy positioning on tile, glass, granite, marble and other smooth surfaces.

48406
HOLE SAW GUIDE ADJUSTABLE 5/32" TO 2-3/4"

- Adjustable: 5/32" to 2-3/4"
- Stainless steel design for long life
- Foam layer under the plate helps keep water in place speeding up the drilling process and extending the life of the hole saw
- Double suction cup design for easy positioning on tile, glass, granite, marble and other smooth surfaces.

DIAMOND HOLE SAW

- Use on ceramic tile, hard stone, granite, marble, brick and concrete block
- Wet cut, use with water

Item No.	Size
48351	1/4"
48352	3/8"
48353	1/2"
48354	3/4"
48356	1"
48357	1-1/4"
48358	1-3/8"
48359	1-1/2"
48360	2"
48362	2-3/8"
48363	2-1/2"
48364	3"
48365	3-1/2"
48366	4"
48367	4-1/2"
48368	5"

Tile

Marble

Fiber Cement

Fiber Glass

Granite


Brick

48350
10 PC DIAMOND HOLE SAW SET

- Includes:
- 1/4", 3/8", 1/2", 3/4", 1", 1-1/4", 1-3/8", 1-1/2", 2", 2-3/8"
- 1/4" to 1" with 1/4" shank
- 1-1/4" to 2-3/8" with 3/8" shank

48345
5 PC DIAMOND HOLE SAW SET

Use on

- Granite
- Tile
- Glass
- Ceramic
- Marble
- Fiberglass
- Fiber cement product (Hardi Plank)
- Includes
- 1/4", 5/16", 3/8", 1/2", 3/4"

GLASS & TILE BIT

- Solid carbide tips
- 1/4" Hex Shank
- Spear- pointed tip design reduces breakouts.

Glass

Tile

Item No.	Size	Item No.	Size
36520	1/8"	36526	5/16"
36521	5/32"	36528	3/8"
36522	3/16"	36530	1/2"
36524	1/4"		

36019
GLASS AND TILE BIT SET

- For use in any drill press or variable speed drill.
- Spear- pointed tip design reduces breakouts.
- Sizes: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"
- Comes with storage case



SDS MAX HAMMER BITS

- 4 Cutter design for fast drilling
- Premium quality carbide tip for long life

8" DRILLING SDS MAX

Item No.	Bit size x Drilling L x overal L
25701	1/2" x 8" x 13½"
25703	5/8" x 8" x 13½"
25704	3/4" x 8" x 13½"
25705	7/8" x 8" x 13½"
25706	1" x 8" x 13½"

14½" DRILLING SDS MAX

Item No.	Bit size x Drilling L x overal L
25711	1/2" x 14½" x 19¾"
25713	5/8" x 14½" x 19¾"
25714	3/4" x 14½" x 19¾"
25715	7/8" x 14½" x 19¾"
25716	1" x 14½" x 19¾"
25718	1¼" x 14½" x 19¾"
25720	1½" x 14½" x 19¾"

BULL POINT CHISEL SDS MAX

Item No.	Bit length
25730	13½"
25740	19¾"

FLAT CHISEL 13½" SDS MAX

Item No.	Bit size
25731	1"
25732	1½"
25733	2"
25734	3"

FLAT CHISEL 19¾" SDS MAX

Item No.	Bit size
25741	1"
25742	1½"
25743	2"
25744	3"

DEMOLITION BITS

- 1 3/16 Hex Shank, Fits Hitachi H65 and similar
- 16" Long

25800
BULL POINT

25802
1½" COLD CHISEL

25804
2" SCALING CHISEL

10" SDS PLUS® CHISELS AND POINT

Item No.	Bit type
25640	Point
25642	3/4"
25644	1-1/2"

4 CUTTER SDS PLUS® HAMMER BITS

- 4 Cutter design extends life and improves performance

Item No.	Size
25651	5/32 x 4" x 6"
25653	3/16 x 4" x 6"
25656	1/4 x 4" x 6"

SDS PLUS® HAMMER BITS

Item No.	Size (Bit size x Drilling length x Overall length)
25601	5/32 x 4" x 6"
25602	3/16" x 2" x 4"
25603	3/16" x 4" x 6"
25604	3/16" x 6" x 8"
25606	1/4" x 4" x 6"
25608	1/4" x 10" x 12"
25609	5/16" x 4" x 6"
25611	5/16" x 10" x 12"
25612	3/8" x 4" x 6"
25614	3/8" x 10" x 12"
25618	1/2" x 4" x 6"
25620	1/2" x 10" x 12"
25625	5/8" x 6" x 8"
25626	5/8" x 10" x 12"
25628	3/4" x 6" x 8"
25629	3/4" x 10" x 12"

- Premium quality carbide tip for longer life
- 4 Flute design for faster drilling

25638
17 PC SDS PLUS® BIT SET

- Fits SDS plus® hammers

- Includes
1: 3/16" x 2" x 4"
1: 15/64" x 2" x 4"
1: 5/16" x 2" x 4"
1: 3/8" x 2" x 4"
1: 15/64" x 4" x 6"
1: 5/16" x 4" x 6"
1: 3/8" x 4" x 6"
1: 15/32" x 4" x 6"
1: 5/16" x 6" x 8"
1: 3/8" x 6" x 8"
1: 15/32" x 7" x 10"
1: 9/16" x 7" x 10"
1: 3" Point x 6"
1: 7" Point x 10"
1: 3/4" x 6" Flat Chisel
1: 3/4" x 10" Flat Chisel
1: 1 1/2" x 10" Flat Chisel

26039
1/2" KEYLESS DRILL CHUCK WITH SDS ADAPTOR

END BRUSH

- 1/4" hex shank

Item No.	Size / Type
45150	1" Fine
45152	1" Coarse
45162	Knot 1" Coarse

END CUP BRUSH

- 1/4"hex shank

Item No.	Size / Type
45142	2" Fine
45144	2" Coarse
45146	3" Fine
45148	3" Coarse
45154	3" Knot

END CIRCULAR BRUSH

- 1/4" hex shank

Item No.	Size / Type
45134	2" Fine
45136	2" Coarse
45138	3" Fine
45140	3" Coarse
45156	3" Knot Coarse

44516
4" POLY ABRASIVE WHEEL

44517
4½" POLY ABRASIVE WHEEL

45220
20 PC PIPE CLEANING BRUSH SET

- Used to clean inner and outer surfaces of small pipes and tubes
- Brass, nylon and stainless steel brushes for cleaning various materials
- Brush sizes: 1/4", 3/8", 1/2", 5/8", 3/4" and 1"
- 1/4" Hex shank
- Includes: handle, extension and 6 brushes each brass, nylon and stainless steel

45125
6" WIRE WHEEL BRUSH

- For removing rust, paint and dirt from metal and other surfaces
- narrow body design fits most bench grinders
- 1/2" wide, medium
- 5/8" arbor with 1/2" bushing

6" WIRE WHEEL BRUSH - MEDIUM FACE

- For removing rust, paint and dirt from metal and other surfaces
- 3/4" wide body
- 5/8" arbor with 1/2" bushing

Item No.	Type
45122	Fine
45124	Coarse

45202
5 PC BRUSH SET

- 1/4" Hex Shank
- 2" wire wheel
- 3" wire wheel
- 1" x 1" wire brush
- 1-3/4" wire cup
- 2-1/2" wire cup
- Brass coated wire
- For rust removal, paint removal, deburring & edge blending

45212
5 PC WIRE WHEEL BRUSH SET

- Brass coated wire
- Ideal for general cleaning and paint removal, corrosion, weld scale, and surface rust
- Includes sizes: 1", 1-1/2", 2", 2-1/2" and 3"

PowerSonic

45210
3 PC WIRE CUP BRUSH SET

- 2pc 2" cup brush and 1pc 1" cup brush
- For general cleaning and removal of paint and rust
- 1/4" Hex shank

PowerSonic

WIRE BEVEL BRUSH

- 5/8"- 11 Arbor

Item No.	Size / Type
45108	4" Crimped
45117	4" Knot

WIRE CUP BRUSH

- 5/8"- 11 Arbor

Item No.	Size / Type
45100	3" Crimped
45102	4" Crimped
45106	3" Crimped - Stainless
45110	2-3/4" Knot
45112	4" Knot

45118
WIRE WHEEL BRUSH

- 5/8"- 11 Arbor
- 4" Knot

45121
7 PC CUP/CIRCULAR BRUSH SET

- Maximum speed 12,500 rpm
- For rust removal, paint removal, deburring & edge blending

45207
8 PC GRINDING DISC & BRUSH KIT

- General purpose : includes angle grinder accessories for cleaning, grinding and cutting

• Includes:

- 3" Wire Cup Brush - 5/8-11 Arbor for removing rust and paint
- 2 PC 4-1/2" Aluminum Oxide Flap Disc for grinding and cleaning soft metals
- 5 Pc – 4-1/2" Cut-Off Wheel for general purpose cutting of ferrous metals

PowerSonic

W000800
MINI WIRE BRUSH

- 3-row STEEL bristles
- Durable ABS Plastic handle
- Soft comfort rubber grip

W000806
HEAVY DUTY WIRE BRUSH

- 4 -row STEEL bristles
- Durable ABS Plastic handle
- Soft comfort rubber grip

W000802
MINI WIRE BRUSH

- 3-row STEEL bristles
- Durable ABS Plastic handle
- Soft comfort rubber grip

W000808
HEAVY DUTY WIRE BRUSH

- 4 -row STEEL bristles
- Durable ABS Plastic handle
- Soft comfort rubber grip

W000804
HEAVY DUTY WIRE BRUSH

- 3-row STEEL bristles
- Durable ABS Plastic handle
- Soft comfort rubber grip

W000810
HEAVY DUTY WIRE BRUSH

- 4 -row STEEL bristles
- Durable ABS Plastic handle
- Soft comfort rubber grip

FILAMENT END CUP BRUSH

- 1/4" hex shank

Item No.	Size / Type
45170	2" Fine
45172	2" Coarse
45174	3" Fine
45176	3" Coarse

SAMONA

FILAMENT CIRCULAR BRUSH

- 1/4" hex shank



Item No.	Size / Type
45178	3" Fine
45180	3" Coarse
45182	4" Fine
45184	4" Coarse

SAMONA

FILAMENT END BRUSH

- 1/4" hex shank

Item No.	Size / Type
45186	1" Fine
45188	1" Coarse

SAMONA

FILAMENT BRUSH

- 1/2 - 5/8 Arbor

Item No.	Size / Type
45164	6" Fine
45166	6" Coarse

SAMONA

FILAMENT FLAP BRUSH

- 1/4" hex shank



Item No.	Size / Type
45190	4" Fine
45192	4" Coarse

SAMONA

REDUCING ADAPTOR



Item No.	Size / Type
45194	5/8-11 x 3/8-24 UNF
45196	5/8-11 x M10 x1.5
45198	5/8-11 x M10 x1.25

SAMONA

44640
CLEANING AND POLISHING KIT

- Steel, iron, stainless steel and other hard metals
- Use on barbecues, garden tools and golf clubs.

CLEANING COMPOUND

Item No.	Type
44650	#1 - Black
44652	#2 - Grey
44654	#3 - Brown

Item No.	Type
44656	#4 - Red
44658	#5 - White
44660	#6 - Green

	Heavy duty cleaning	Regular cleaning	Light polishing	High gloss polishing
Hard metals	***1***	***2***	***5***	***6***
Soft metals		***3***	***5***	***6***
Precious metals		***4***	***5***	***6***

44670
6" FELT WHEEL

- 1" x 6"
- 1/2" arbor
- Max 3,600 rpm

BUFFING WHEEL

- Firmer buffing wheel is ideal for honing sharpened edges
- Removes scratches
- Buffing wheels may be stacked for a wider working face

Item No.	Size / Type
44610	4" - Soft
44615	4" - Hard
44620	6" - Soft
44625	6" - Hard
44630	8" - Soft
44635	8" - Hard

44645
DRILL CHUCK ARBOR

- The 1/4" shank allows your drill to accept 1/2" arbor hole accessories
- Converting your drill into a grinder, buffer and polisher.

44680
5 PC FELTPOINTS

- 1/4" shank

44600
14 PC 1/4" POLISHER KIT

- Comes in 14 pc display box
- Clean & polish recessed area
- High quality felt bobs in assorted shapes
- 1/4" shank with hex shape

53030
7" BACKING PAD HOOK AND LOOP

- 5/8-11 thread fits most 7" polishers and sanders
- Tapered edge helps prevent accidental contact with paint when buffing or polishing
- Use with hook and loop backed polishing bonnets and buffing pads

53034
7" WOOL BUFFING PAD

- Hook and loop backed
- Use for compounding and buffing applications
- Ideal for removing oxidized paint and scratches without swirl marks

FOAM POLISHING PAD

- hook and loop backing
- Waffle design provides maximum contact with polishing surface over contours
- The grooves increase airflow to keep pad cool, helps extend life of the pad

Item No.	Type
53040	Hard - Yellow
53042	Medium - White
53044	Soft - Black

- Hard density for cutting, removes moderate surface imperfections

- Medium density for polishing, removes minor surface imperfections and restores gloss to your paint

- Soft density for finishing, creates high gloss swirl free finish

44427
SANDING BLOCK - HOOK & LOOP

- Uses standard 6" hook & loop sanding discs

44425
RUBBER SANDING BLOCK

- 4-3/4" x 2-1/2"



44430
RUBBER SANDING BLOCK

- 3-1/4" x 6-1/4"
- 1/3 Sheet

RUBBER BACKING PAD WITH NUT

- 5/8-11 thread fits most angle grinders
- Ideal for use with resin fiber sanding discs

Item No.	Size
53020	4-1/2"
53021	5"
53022	7"

44561
ADJUSTABLE ANGLE GRINDER WRENCH

- Universal wrench adjusts to fit most grinder hubs
- Remove and replace grinding wheels quickly
- Fits sizes 3/8 in. to 1-1/16 with 4mm pin diameter

44560
ADJUSTABLE ANGLE GRINDER WRENCH WITH LOCKING KNOB

- Adjustable pin wrench
- Screwdriver tip
- Fits most angle grinder

53010
5" HOOK & LOOP PAD - 8 HOLES

- 5/16 x 24 Thread
- For use with 5" random orbit sanders

53012
SANDING PAD - PSA 6 HOLES

- 5/16 x 24 thread
- Replacement pad for random orbit sander and dual action sander
- Maximum operating speed: 10,000 rpm

5" HOOK & LOOP BACKING PAD - 8 HOLE

- Replacement pad for electric random orbital sanders

Item No.	Fits	Mount
53002	DeWalt, Makita, Porter Cable	3 hole
53004	Milwaukee, Rigid	4 hole
53005	ROK	4 hole

44406
25 PC SANDING DRUM SET

• Contents:
- Rubber drum size:
  1/2" x 1/2", 3/4" x 1", 1" x 1", 1-1/2" x 1-1/2", 2" x 1-1/2"
- Abrasive sleeves:
  2 sets of fine (120 g)
  2 sets of coarse (80 g)

• In blow moulded case

44408
15 PC SAND PAPER SLEEVE

- Replacement sanding sleeves for 44406
- 1 each fine, med, coarse for the following drum sizes:
  1/2" x 1/2", 3/4" x 1", 1" x 1", 1-1/2" x 1-1/2", 2" x 1-1/2"

44400
20 PC SANDING DRUM SET

• Contents:
- Rubber drum size:
  1/2" x 1/2", 3/4" x 1", 1" x 1", 1-1/4" x 1"
- 2 each fine and coarse for each size drum sanding sleeve



44410
16 PC 2" SANDING DRUM SET

• Contents:
- Rubber drum size: 1/2" x 2", 3/4" x 2", 1" x 2", 1-1/2" x 2"
- 1 each fine, med and coarse for each size drum sanding sleeve

44402
12 PC SANDING DRUM SLEEVE

- Replacement sanding sleeves for 44400
- 1 each sanding sleeve fine, med and coarse for the following drum sizes:
  1/2" x 1/2", 3/4" x 1", 1" x 1", 1-1/4" x 1"

44412
12 PC SANDING DRUM SLEEVES

- Replacement sanding sleeves for 44410
- 1 each sanding sleeve in fine, medium and coarse for the following drum sizes:
  1/2" x 2", 3/4" x 2", 1" x 2", 1-1/2" x 2"

SANDING BELTS

3" 10 PACK

Item No.	Size	Grit
44780	3" x 18"	60
44782	3" x 18"	80
44784	3" x 18"	100
44786	3" x 18"	120
44788	3" x 18"	180
44801	3" x 21"	60
44802	3" x 21"	80
44803	3" x 21"	100
44804	3" x 21"	120
44806	3" x 21"	180
44811	3" x 24"	60
44812	3" x 24"	80
44813	3" x 24"	100
44814	3" x 24"	120

- 10 Pack
- Resin Bonded
- Resin Coated

4" 10 PACK

Item No.	Size	Grit
44821	4" x 24"	60
44822	4" x 24"	80
44823	4" x 24"	100
44824	4" x 24"	120

SANDING BELTS

- 3 Pack
- ROK aluminum oxide sanding belts are excellent for general purpose usage on wood, metal and plastics

5" 8 HOLE HOOK & LOOP SANDING DISC - 10 PACK

- 10 Pack
- Resin bonded resin coated

Item No.	Grit
44701	40
44702	60
44703	80
44704	100
44705	120
44707	180
44708	240

5" 8 HOLE HOOK & LOOP SANDING DISC - 100 BOX

- 100 Box
- Resin bonded resin coated

Item No.	Grit
44712	40
44711	60
44713	80
44714	100
44715	120
44717	180
44718	240

DETAIL SANDPAPER HOOK & LOOP - 5 PACK

- 3-7/8" x 5-1/2"
- Fits most mouse style sanders

Item No.	Grit
44742	80
44743	100
44744	120
44746	180
44747	220

3" 3 PACK

Item No.	Size	Grit
44850	3" x 18"	60
44851	3" x 18"	80
44852	3" x 18"	100
44853	3" x 18"	120
44854	3" x 18"	180
44860	3" x 21"	60
44861	3" x 21"	80
44862	3" x 21"	100
44863	3" x 21"	120
44864	3" x 21"	180
44870	3" x 24"	60
44871	3" x 24"	80
44872	3" x 24"	100
44873	3" x 24"	120

4" 3 PACK

Item No.	Size	Grit
44880	4" x 24"	60
44881	4" x 24"	80
44882	4" x 24"	100
44883	4" x 24"	120
44891	4" x 36"	80
44893	4" x 36"	120

6" 3 PACK

Item No.	Size	Grit
44896	6" x 48"	80
44898	6" x 48"	120

BISCUITS

- Beech wood

Item No.	Pack Size	Size
56100	150 pc	# 0
56102	125 pc	# 10
56104	100 pc	# 20

Item No.	Pack Size	Size
56108	1000 pc	# 0
56110	1000 pc	# 10
56112	1000 pc	# 20

36260
90° STEP DRILL BIT

- Ideal for pocket hole jigs
- 5-1/2" long 3/8" drill bit with 1/8" pilot tip
- Use 90° for flat head screws

36262
45° STEP DRILL BIT

- Ideal for pocket hole jigs
- 5-1/2" long 3/8" drill bit with 1/8" pilot tip
- Use 45° for countersink screws

DOWEL PINS

Item No.	Pk Size	Size
44023	100 pc	1/4 X1-1/2"
44024	100 pc	5/16 X 1-1/2"
44025	100 pc	3/8 X 1-1/2"

44016
8 PC DOWEL CENTERS

- 2 of each size: 1/4", 5/16", 3/8" and 1/2"
- Excellent for fast, accurate alignment of dowel holes

44208
POCKET HOLE JIG

- Includes:
- 3/8" step bit
- Depth stop collar
- 2 replacement bushings
- Adjustable double hole
- Make pocket holes with precision to join table legs, table tops, cabinet frames, etc

44021
DOWELING JIG KIT

- Creates 1/4", 5/18" and 3/8" dowel joints.

Kit includes:
- Doweling jig
- 3 brad point drill bits
- 3 drill stops
- hex wrench
- 3 steel drill bushings
- 6 dowel center points
- set of wood dowels

56012
50 PC GLUE BRUSH SET

- For applying glue, paint, stain, solder flux and other substances

56008
ROLLER-TOP GLUE BOTTLE

- 8 oz / 250 ml bottle
- Roller 2-3/8" wide
- Easy to use, saves glue and time and makes no mess
- Excess glue will not stick to the roller or the bottle even after it is dry

56006
NOZZLE-TIP GLUE BOTTLE

- 8 oz (250 ml) bottle
- For dowels, biscuits, dovetails, & other narrow surfaces

56018
LAMINATE & PLASTIC CUTTER

- Score and snap cut to size with ease
- Precision ground carbide tip
- For fast accurate cutting and scoring of laminates, plastics, Plexiglas®, Formica®, Arborite® and other materials (can be re-sharpened)

SAMONA

56004
BISCUIT SLOT GLUE SPREADER

- 8 oz (250 ml) bottle
- Cap for storage
- Biscuit-shaped tip applies glue evenly where needed

56026
HEAVY DUTY PRESSURE ROLLER

- Extendable handle (17" to 27")
- 3 red rubber rollers
- Designed for applying pressure on wood & plastic laminates



56020
RUBBER J-ROLLER

- Designed for applying pressure on wood and plastic laminates
- Soft non-marking face
- 1-1/2" diameter x 3" wide roller
- 12" overall length

ALUMINUM T-TRACK



- A: 3/8" x 3/4" outside dimensions

Item No.	Size
44162	4 ft

ALUMINUM MITER TRACK



- A: 3/8" x 3/4" inside dimensions

Item No.	Size
44166	4 ft

44172
T-NUT FOR T-TRACK AND MITER TRACK

- 12 pc per pack
- 1/4" x 20 TPI



THREAD POST HANDLE

Item No.	Size	Length
44100	5/16"	4-1/2"
44104	1/2"	4-1/2"

THREADED STUD KNOB

Item No.	Diameter	Stud Size
44106	2-1/4"	1" x 1/4"
44108	2-1/4"	1" x 5/16"
44110	2-1/4"	1" x 3/8"

THREAD KNOB THROUGH HOLE

Item No.	Diameter	Thread
44114	2-1/4"	1/4"
44116	2-1/4"	5/16"
44118	2-1/4"	3/8"

THREAD KNOB T-STYLE

Item No.	Size	Length
44120	1/4"	1-7/8"
44122	5/16"	1-7/8"

THREAD KNOB T-STYLE THROUGH HOLE

Item No.	Size	Length
44126	1/4"	3"
44128	5/16"	3"

RATCHET HANDLE - THREAD

Item No.	Size	Length
44134	5/16"	2-1/4"
44136	3/8"	2-7/8"

RATCHET HANDLE THREADED STUD

Item No.	Stud Size	Length
44142	3/8"	3"

56060
LAMINATE FLOOR CUTTER

- Quick and easy with no dust or debris
- Cut width: 8", 20cm
- Cut thickness: 7/16", 11mm
- Clean cut without surface damage
- No electricity required



SAMONA

56065
PROFESSIONAL LAMINATE FLOOR CUTTER

- Quick and easy with no dust or debris
- Cut width: 13", 33cm
- Cut thickness: 5/8", 16mm
- Clean cut without surface damage
- No electricity required



56067
REPLACEMENT CUTTER
- For 56065

56036
DELUXE CARPET PULLER

- Cast aluminum

SAMONA

56030
CARPET SEAM ROLLER

- Tooth design blends carpet yarn to get a better looking seam
- 15 tooth seam roller
- 5" wide

SAMONA

56034
EDGE ROLLER

- 1-3/16" hard rubber roller
- Soft rubber handle

SAMONA

56080
TILE PLIER

- Tungsten carbide scoring blade
- Breaker bar for snapping tile

56081
TILE PLIER PRO

- Tungsten carbide scoring blade
- Breaker bar for snapping tile
- Ergonomic cushion grip handles

56090
TILE SCRIBE AND SNAP

- Tungsten carbide tip for scribing
- Tile holding slot for snapping

56084
TILE NIPPER

- Tungsten carbide tipped jaws

56085
TILE NIPPER PRO

- Tungsten carbide tipped jaws
- Ergonomic cushion grip handles

56094
GROUT SPONGE

- 7-1/2 x 4-3/4 x 2
- removes excess grout during installation of tiles
- great for general cleaning

56096
ROD SAW BLADE

- Carbide grit edge
- Use with most hacksaws
- Cuts irregular shapes in ceramic tile



56087
TILE NIPPER ANGLED HEAD

- Angled head allows easy access in hard to reach areas
- Tungsten carbide tipped jaws
- Ergonomic cushion grip handles

56092
GROUT SAW

- Carbide grit edge
- For cleaning or removing old grout

56098
RECIP BLADE CARBIDE GRIT

- Carbide grit edge
- Use with standard reciprocating saws
- Cuts ceramics, brick and stone

REPLACEMENT BLADE

Item No.	Description
56077	for 16" tile cutters
56078	for 24" tile cutters

56070
16" TILE CUTTER

- Cuts floor and wall tile up to 16", 11" diagonal, 3/8" thick
- Steel base with non-slip rubber pads
- Chrome plated steel rails for smooth operation
- Tungsten carbide blade included

56072
16" PRO TILE CUTTER

- Cuts floor and wall tile up to 16", 11" diagonal, 1/2" thick
- Heavy duty steel base with non-slip rubber pads
- Chrome plated steel rails for smooth operation and easy scoring
- Adjustable straight guide for easy repeat cuts
- Tungsten carbide blade included

80700
7" TILE SAW

- Uses 7" continuous rim diamond blade (1 blade included)
- Water tray for wet cutting
- Cam lock fence for precision cutting.
- Angle cutting attachment
- Blade height: 1-5/16"
- Tilting table
- Specifications:
- Horse power: 2/3 HP
- Max tilt of table: 45°
- 3,600 rpm

56074
24" PRO TILE CUTTER

- Cuts floor and wall tile up to 24", 18" diagonal, 9/16"thick
- Reinforced steel base with non-slip rubber pads
- Ball bearing cutting assembly and chrome plated steel rails for easy repetitive cuts and smooth operation.
- Adjustable angle guide for cuts from 0 to 60 degrees
- Heavy duty 7/8" tungsten carbide blade included

80702
7" TILE SAW WITH LASER

• Includes Stand (Separate Package)
- Sliding table with 45° and straight stop
- Overload protector
- Water pump
- Includes 7" continuous diamond blade
- Rips 16"
- Max Cutting Depth: 1"
- 3/4 hp
- 120 V
- 60 Hz
- 3,450 rpm



80710
10" PROFESSIONAL TILE SAW

- Powerful 2 HP single phase motor
- 24" extra large cutting capacity at 90°
- Diagonal cut at 45° 17"
- Depth of cut 3"
- Automatic thermal overload protection
- Removable plastic water tray
- Includes:
- Parallel, 45° mitre, 45° angle stops and fixtures
- Water pump
- Folding stand (boxed separately)
- 10" continuous rim diamond blade

- Saw size on stand: 40-1/2" L x 27-1/4" W x 48-1/2" H
- Specifications:
- 2 HP
- 120 V
- 60 Hz
- 1 phase
- 3,500 rpm

70116
6 PC PICK SET

- Full stainless steel

70112
3 PC PICK AND TWEEZER SET

- Stainless steel
- Includes inspection mirror, pick and bent nose tweezers

70110
5 PC TWEEZER SET

- Stainless steel
- Full stainless steel

70142
3 PC SCRATCH BRUSH SET

- 1 brush each: Steel, Brass and Nylon
- Bristles retract into handle
- Ideal for soldering, rust removal and cleaning in tight areas

70140
3 PC DUST BRUSH SET

- Nylon bristles
- Ideal for dusting small objects

70102
MAGNIFYING TWEEZERS

- Perfect for fine detail work electronic projects, hobbies, jewelry, and watch repair

70150
DUST BLOWER

- Delivers powerful burst of air to blow away dust and debris.
- Ideal for cleaning electronics and small parts.

37160
28 PC PRECISION TOOL SET

- Ideal tool set for small jewelry and electronic repairs
- Set includes:
  1 Precision blade holder
  9 Precision blades
  1 Precision screwdriver
  15 Precision screwdriver bits
  2 Tweezers

37165
HOBBY KNIFE SET 15PC

- Ideal knife set for cutting, carving and craft work
- Set includes:
  1 Precision blade holder
  13 Precision blades
  1 Precision Scratch Awl

80501
ROTARY TOOL KIT

- Ideal for grinding, sanding, cutting and polishing
- Includes 40" flex shaft and table mount stand
- Electronic variable speed
- 8,000 to 32,000 RPM
- Standard universal 1/8" collet
- Motor: 1.0 Amp, 120 Volt
- Electronic variable speed
- 8,000 to 32,000 RPM
- Flex shaft
- Adjustable stand



• 40" (102 cm) flex shaft

• Adjustable height

48200
105 PC ROTARY TOOL ACCESSORIES

• Includes:
- Sanding disk
- Cut off wheels
- Sanding drum & sleeves
- Buffing wheels & compounds
- Mounted points
- Bristle brushes

48218
300 PC ROTARY TOOL ACCESSORY SET

- Comes in plastic storage case
- 1/8" shank
- Includes: Grinding stones, Diamond points, Polishing points, Sanding discs, Sanding drums, Cut-off wheels, Wire wheels, Drill bits and other popular accessories

48215
251 PC ROTARY TOOL ACCESSORY SET

• Plastic Tray
• Includes:
- Grinding wheels
- Cut off disks
- Sanding drums & sleeves
- Diamond points
- Mandrels
- Sanding flap wheels
- Sanding disks
- Buffing points & mandrel
- Diamond cut off wheel
- Mounted points
- Wires & nylon brushes
- Abrasive rubber points

HIGH SPEED CUTTERS

- Use on soft metals, plastics and wood. Use to shape, hollow, groove, slot or make tapered holes.



48010 1PC

48011 1PC

48012 1PC

48013 1PC

48014 1PC

48015 1PC

48016 1PC

DIAMOND POINTS

- Use on wood, jade, ceramic, glass, steel, and other hard material. Use for detail engraving, carving, and finishing.

48020 3PC

48021 3PC

48022 3PC

48025 DIAMOND 2 WHEELS

- Use on marble, concrete, ceramic and other hard materials
- With mandrel

CARBIDE CUTTERS

- Use on steel, cast iron, non ferrous metal; ceramics, plastic, wood, and other hard materials. Use to shape, smooth or remove material. Do not use on floor tile.

48030 1PC

48031 1PC

48032 1PC

TILE AND GROUT ACCESSORIES



48035 1/8" CARBIDE CUTTING BIT

- Use on ceramic wall tile.

48036 1/16" CARBIDE GROUT BIT

- For grout removal

48037 1/8" CARBIDE GROUT BIT

- For grout removal

GRINDING STONE ALUMINUM OXIDE

- Use on metals, castings, welded joints, rivets and rust. Use to sharpen, De-Burr, and grind.

48040 3PC

48041 2PC

48042 2PC

48043 3PC

FIBERGLASS REINFORCED WHEELS

- Use for cutting metal, wood, plastic
- use edge only.

48052

1-1/4"
(31.8mm)

- 5 Pc with mandrel

48054

1-1/2"
(38.1mm)



- 5 Pc with mandrel

48053
20 / pack
- 1-1/4"

48055
20 / pack
- 1-1/2"

CUT-OFF WHEELS

- Use for cutting metal, wood, plastic use only edge.

48050
20 / pack

15/16"
(23.8mm)



- With mandrel

48051
5 / pack

1-1/4"
(31.8mm)



- With mandrel

48057 7 PC SAW BLADES

48059 MANDREL

- Use with grinding wheels, cut off wheels, buffing wheels, sanding discs.

48090 7 PC DRILL BIT SET

- 1/32", 3/64", 1/16", 5/64", 3/32", 7/64", 1/8"

48092 CHUCK KEYLESS

- For use drill bits

CARBON BRUSH

- For removing rust and corrosion.

3/4" (19.1mm)

48080 2PC

1/2" (12.7mm)

48081 2PC

STAINLESS BRUSH

- For use on pewter, aluminum, and stainless steel.

3/4" (19.1mm)

48083 2PC

1/2" (12.7mm)

48084 2PC

BRASS BRUSH

- For use on gold, copper, and brass.

3/4" (19.1mm)

48086 2PC

1/2" (12.7mm)

48087 2PC

POLISHING ACCESSORIES

- Use for polishing metals and plastic with polishing compound.
- With Mandrel



1/8" 3.2mm

48072 Felt 3/8" 2PC

48071 Felt 1/2" 6PC

48073 Felt 1" 2PC

48075
2 PC 1" BUFFING WHEEL

- Use for polishing metals and plastic with polishing compound
- With Mandrel

SANDING DRUM

- Use on wood, fiberglass, and metals. For sharpening, smoothing, and removing rust.

1/8" (3.2mm)

48060 1/4"

1PC

48061 1/4 " Sanding Sleeve

60 Grit 6 / pack

48062 1/4 " Sanding Sleeve

120 Grit 6 / pack

48063 1/2"



1PC

48064 1/2" Sanding Sleeve

60 Grit 6 / pack

48065 1/2" Sanding Sleeve

120 Grit 6 / pack

FLAPWHEELS

- Use for grinding, and polishing flat or contoured surface.

1/8" 3.2mm



3/16" (4.8 mm)

48066 1PC
• 80 Grit

48067
• 120 Grit
1PC

3/8" (9.5 mm)

48068 1PC
• 80 Grit

48069 1PC
• 120 Grit

48320
20 PC DIAMOND POINTS 1/8" SHANK

CHAIN SAW SHARPENING STONES

- Use for chain saw sharpening.

1/8" 3.2mm

5/32" (4.0mm)

48046 3PC

3/16" (4.8mm)

48047 3PC

7/32" (5.6mm)

48048 3PC

47400
CHAIN SAW SHARPENING KIT

47362
HSS SAW BLADE SET

- Includes:
- 1/8" mandrel
- Saw blade sizes: 7/8", 1", 1-1/4", 1-1/2" and 1-3/4"

MAGNETIC HOOKS

Item No.	Capacity	Pc	Size (Dia.)
70240	8 lb	2	1-1/2"
70241	15 lb	2	2"
70242	40 lb	1	3"

MAGNETIC TAPE

- Flexible magnetic tape with adhesive

Item No.	Size
70243	1/2" x 30"
70244	1"x 30"

HORSESHOE MAGNETS



SAMONA

Item No.	Capacity
70251	2 lb
70246	3 lb
70247	10 lb
70248	20 lb
70249	28 lb

SUPER HOLD MAGNETS

- Rare Earth Magnets

Item No.	Pc	Size
70237	10	0.315" X 0.118"
70238	3	0.709" X 0.118"
70239	10	0.197" X 0.394"

CERAMIC MAGNETS

Ring Type

Item No.	Pc	Size
70230	6	3/4" x 1/8"

Disc Type

Item No.	Pc	Size
70231	6	1" x 5/32"
70232	8	3/4" x 3/16"
70233	10	1/2" x 3/16"

Bar Type

Item No.	Pc	Size
70235	2	3/8" x 3/8" x 1-7/8"
70236	2	3/8" x 7/8" x 1-7/8"

70250
2" HOOK & LOOP CIRCLE

- 2" Diameter
- Adhesive Backed
- 3 Sets

70258
MAGNETIZER / DEMAGNETIZER

- Magnetize or demagnetize small tools instantly

70101
MAGNETIC WRIST BAND

- Hook & loop fits all wrists
- Perfect for home improvement projects
- Use only to hold small metal objects (Nails, screws, nuts, bolts, pins, s/d bits, etc.)

70284
13" MAGNETIC SWEEPER

- Sold in 12 pc display box
- Pick up to 30 lb of metallic debris
- This magnet works well over concrete, grass, gravel, etc
- Powerful magnets are enclosed in a heavy gauge aluminum shell
- Adjustable handle length: 30" - 44-1/2"
- Removable handle for easy storage

70286
18" MAGNETIC SWEEPER

- Pick up to 30 lb of metallic debris
- This magnet works well over concrete, grass, gravel, etc
- Powerful magnets are enclosed in a heavy gauge aluminum shell
- Adjustable handle length: 30" - 44-1/2"
- Removable handle for easy storage

70288
24" H.D. MAGNETIC SWEEPER WITH RELEASE

- Pick up to 50 lbs of metallic debris
- Release handle for easy removable of debris
- Adjustable handle length: 30" to 44-1/2"

70273
2 PC INSPECTION TOOL SET PICKUP TOOL & MIRROR

- 3 LB Telescoping Pickup Tool
- Telescoping 1-1/8" Inspection Mirror

70213
TELESCOPING MAGNETIC FLASHLIGHT WITH MIRROR

- 3 LED flashlight with magnetic head
- Mirror attaches to head, allows you to see around and in between objects
- 5 lb lifting capacity
- Extends from 6-3/4" to 21-3/4"

70289
2 X 3-1/2" INSPECTION MIRROR

- Ideal for seeing around and in between objects
- Telescoping – 11-1/2" to 30-3/4"

70291
INSPECTION TOOL SET

- Comes in handy plastic storage case
- Change head of pick up tool for different applications

Includes:
- 2" round telescoping inspection mirror
- 8 lb magnetic pick up tool
- 5 lb pick up head
- 8 lb pick up head with hinge

70293
INSPECTION MIRROR

- Sold in 25 pc display box
- 1-1/2" Telescoping Inspection Mirror
- 2" Telescoping Inspection Mirror
- 1" x 2" Telescoping Inspection Mirror

70214
INSPECTION MIRROR WITH LED

- Sold in 12 pc display box, 6 round and 6 square
- LED light for easy viewing in dark areas
- Ideal for seeing around and in between objects
- Telescoping 11-1/8 to 34-1/4
- 3" round and 2 x 3-1/4" rectangular

70215
INSPECTION MIRROR WITH 3 LED

- Sold in 12 pc display box
- Adjustable 3 LED light for easy viewing in dark areas
- Ideal for seeing around and in between objects
- Telescoping 11-1/4" to 34-1/2"
- 2 x 3-1/4" rectangular

70290
2 PC INSPECTION TOOL SET

- Sold in 12 pc display box
- 5 LB Telescoping Pickup Tool with LED
- Ideal for picking up sockets and wrenches
- 2" Telescoping Inspection Mirror
- Pick up parts in hard-to-reach places

70292
3 PC INSPECTION TOOL SET

- Sold in 6 pc display box
- 5 LB Telescoping Pickup Tool
- 1-1/4" Telescoping Inspection Mirror
- 4 1/4" Round Magnetic Tray

70265
3 LB MAGNETIC PICKUP TOOL

- Extends to 25"

70267
8 LB MAGNETIC PICKUP TOOL WITH LED

- 8 lb lifting capacity
- LED Light
- Pick up parts in hard-to-reach places

70264
8 LB PICKUP TOOL WITH LED

- Sold in 12 pc display box
- 8 lb lifting capacity
- LED Light
- Telescoping handle 7-1/2" to 31-1/2"

70268
8 LB PICKUP TOOL

- Sold in 25 pc display box
- Extends to 24-1/2"
- Telescoping pick-up magnet retrieves screws, nut, washers and more

70269
16 LB MAGNETIC PICKUP TOOL

- 16 lb lifting capacity
- Telescoping handle 7-3/8" to 30"

70266
8 LB MAGNETIC PICKUP TOOL

- Extends to 24-1/2"
- Telescoping pick-up magnet retrieves screws, nut, washers and more

70211
MAGNETIC TELESCOPING FLASHLIGHT LED

- Sold in 20 pc display box
- Flashlight with magnetic head
- 3 lb lifting capacity
- 1 LED light
- Extends from 5-3/4" to 14-1/4"

70212
TELESCOPING FLASH-LIGHT PICKUP TOOL

- Sold in 12 pc display box
- Flashlight with magnetic head
- 3 LED lights
- 2-1/2" long flexible gooseneck
- Extends from 6-3/4" to 21-3/4"

70272
MAGNETIC PICKUP TOOL WITH HINGE

- 3 lb capacity
- Adjustable locking hinge allows access around corners or hard to reach places

70270
2 LB BENDABLE MAGNETIC PICKUP TOOL

- Bend or straighten to 19" long
- Can be bent to reach almost any location

70227
2 LB BENDABLE MAGNETIC PICKUP TOOL

- 2 in 1
- Magnetic pick up of metal objects and 4 jaw claw to pick up other items
- LED light allows you to easily see objects in dark spaces
- 24-1/2" flexible reach allows you to pick up objects around corners and in tight spots

70280
16 LB MAGNETIC PICKUP TOOL WITH RELEASE STUBBY

- Lifts up to 16 lbs
- Handle comes with quick release mechanism

70282
50 LB MAGNETIC PICKUP TOOL

- Lifts up to 50 lbs!
- Telescoping shaft extends from 23" to 39"
- Retrieves nails, screws, bolts and other ferrous metal objects.



70281
25 LB MAGNETIC PICKUP TOOL WITH RELEASE

- 27" Long
- Lifts up to 25 lbs!
- Handle comes with quick release mechanism.
- Retrieves nails, screws, bolts and other ferrous metal objects.



70260
50 LB MAGNETIC WITH HANDLE

- Handle magnet lifts, holds, suspends and retrieves metal objects.

WELDING MAGNET

- Leaves hands free for welding and soldering.
- Good for 45°, 90°, and 135°.

Item No.	Size	Capacity
22400	3"	25 lb
22402	4"	50 lb
22406	5"	75 lb

WELDING GROUND MAGNET

Item No.	Size	Amp	Magnetic pull
22425	2"	200	16 lb
22426	4"	500	65 lb



22418
2 PC MINI WELDING MAGNET

- 2" x 2-3/8"
- Holds work at 45º, 90º and 135º
- Leaves hands free for welding and soldering

SAMONA

22420
4 PC MINI WELDING MAGNET

- 2" x 2-1/4"
- Holds work at 45º, 90º and 135º
- Leaves hands free for welding and soldering

70297
4" ROUND MAGNETIC TRAY
- Sold in 10 pc display box

70294
2½ X 3¾" MAGNETIC TRAY

70296
3" ROUND MAGNETIC TRAY

70275
5" MAGNETIC ROUND TRAY

70276
5½" X 9½" MAGNETIC TRAY

70299
6" MAGNETIC ROUND TRAY

70255
COW MAGNETS

- 3/4" x 3-3/8"
- 5 magnet and steel assembly
- Cow magnets are widely used to help prevent hardware disease

70278
4 PC MAGNETIC TOOL SET 2 TRAY & 2 BAR

- 1 Magnetic tray 5-1/2"x 9-1/2"
- 1 Magnetic tray round 6"
- 2 Magnetic tool bars 18"

70277
3 PC MAGNETIC TOOL HOLDER

- 8",12" & 18" magnetic tool bar
- Organize and hold hardware items such as hammers, wrenches and screw drivers
- Perfect for use in garages and workshops

- Powerful durable, high speed production tool
- Quick release air valve permits cylinder to return quickly for high speed assembly operations: prevents overloading for long life
- Gets into hard-to-reach areas
- Provides quick, quiet and comfortable operation preventing user fatigue

17080
3/16" AIR POP RIVETER

- Extra nozzles store in base
- Powerful durable, high speed production tool
- Quick release air valve permits cylinder to return quickly for high speed assembly operations: prevents overloading for long life
- Gets into hard-to-reach areas
- Provides quick, quiet and comfortable operation preventing user fatigue

• 4 Nosepieces: 3/32", 1/8", 5/32", 3/16"

17082
1/4" AIR POP RIVETER HEAVY DUTY

- Powerful durable, high speed production tool
- Quick release air valve permits cylinder to return quickly for high speed assembly operations: prevents overloading for long life
- Gets into hard-to-reach areas
- Provides quick, quiet and comfortable operation preventing user fatigue
- 6 Nosepieces: 3/32", 1/8", 5/32", 7/32", 3/16", 1/4"

17035
AIR METAL SHEAR

- For sheet metal, aluminum, and even plastic
- Cutter head rotates 360°
- Handle exhaust

Specifications :
- 18 Gauge capacity
- Net weight: 2.8 lb / 1.29 kg
- Average air consumption: 4 cfm
- Air inlet: 1/4"F NPT
- Air pressure: 90 psi

17140
AIR RECIPROCATING SAW

- Ideal for general body shop and repair work
- Cuts a wide range of materials
- Great for sheet metal and plastic

Specifications:
- Cutting capacity: 1/16"
- Strokes per min: 9000spm
- Average air consumption: 2.2 CFM
- Length: 9.53" / 242 mm
- Net weight: 1.43 lbs / 0.65 kg

17137
NEEDLE SCALER

- Ideal for removing welding slag, rust, paint and scale from most surfaces
- Comes complete with 19 needles (3mm)

Specifications:
- Strokes per min: 4000spm
- Average air consumption: 4.0 CFM
- Length: 18.4"/ 468 mm
- Net weight: 6.17 lbs / 2.8 kg

18728
4" ANGLE GRINDER

- Compact design
- Side handle
- Specifications:
- Free speed: 11,000 rpm
- Length: 9" / 230 mm
- Net weight: 4 lb / 1.8 kg
- Avg. air consumption: 6 CFM
- Air pressure: 90 psi / 6.2 bar
- Air inlet: 1/4" NPT

SAMONA

MINI RATCHET WRENCH

Item No.	Size
18030	1/4"
18032	3/8"

18036
1/2" MINI IMPACT WRENCH

- Free Speed: 1100 rpm
- Air consumption: 16 CFM
- Max Torque: 450 ft/lb (610 N-m)
- Length: 4.92" (12.5 cm)
- Weight: 3.3 lb (1.5 kg)
- Noise: 87 db

Master

18018
2" MINI RIGHT ANGLE DISC SANDER

- Free Speed: 15000 rpm
- Air consumption: 13 cfm
- Length: 4.92" (12.5 cm)
- Weight: 0.75 lb (0.34 kg)
- Pad Size: 2" M6
- Noise: 81 db

Master

17025
1/4" 15 PC AIR DIE GRINDER KIT

• Kit Includes
- 17022 air die grinder
- 5 Pc 1/4" mounted grinding stone
- 5 Pc 1/8" mounted grinding stone
- 1/8" and 1/4" collet
- Air plug

17020
MINI AIR DIE GRINDER

- Compact design for easy operation
- Ideal for grinding, deburring and polishing metal components
- Rear exhaust

Specifications
- Free speed: 25,000 RPM
- Average air consumption: 4.5 cfm
- Length: 5.98" / 152 mm
- Net weight: 0.82 lbs / 0.37 kg

17022
1/4" AIR DIE GRINDER

- Compact and lightweight
- Ideal for grinding, deburring and polishing metal components
- Rear exhaust

• Specifications
- Free speed: 22,000 RPM
- Average air consumption: 4 cfm
- Length: 6.77" / 172 mm
- Net weight: 1.25 lbs / 0.57 kg

17030
3" AIR CUT-OFF TOOL

- Ideal for cutting autobody panels or light sheet metal
- Cuts mufflers and tail pipes quickly and efficiently
- Chrome plated steel guard protects you from sparks

Specifications:
- Wheel Size: 3"x 3/8" arbor
- Free Speed: 20,000 RPM
- Average Air Consumption: 4 CFM
- Length: 7.36"/ 187 mm
- Weight: 1.67 lbs / 0.76 kg

17027
1/4" AIR ANGLE DIE GRINDER

- Angle head provides easy access into tight spaces
- Ideal for grinding, deburring and polishing metal components
- Rear exhaust

• Specifications
- Collet size: 1/4"
- Free speed: 20,000 RPM
- Average air consumption: 2.8 cfm
- Length: 6.18" / 157 mm
- Net weight: 1.08 lbs / 0.49 kg



17052
AIR HAMMER KIT WITH CASE

- Ideal for general body shop and repair work
- Heat treated piston for increased durability

• Includes:
- 5 Chisels
- Mini Oiler
- Case

Specifications:
- Blows per minute: 4,500 BPM
- Barrel stroke: 1-5/8" / 41mm
- Chisel shank: 0.4" / 10.2mm
- Average air consumption: 4 cfm

17050
5 PC AIR HAMMER KIT

- Ideal for general body shop and repair work
- Heat treated piston for increased durability
- Comes with 4 chisels

• Specifications:
- Blows per minute: 4,500 BPM
- Barrel stroke: 1-5/8" / 41mm
- Chisel shank: 0.4" / 10.2mm
- Average air consumption: 4 cfm
- Length: 5.1" / 130 mm
- Weight: 2.42 lbs / 1.10kg

17040
3/8" AIR ANGLE DRILL

- Ideal for drilling in tight spaces
- Low profile angle head
- Variable speed throttle for easy starts
- Non-reversible

• Specifications:
- Chuck capacity: 3/8"
- Spindle thread: 3/8 - 24 UNF
- Free speed: 2,000 RPM
- Average air consumption: 2.8 cfm
- Length: 6.22" / 158 mm
- Net weight: 1.41 lbs / 0.64 kg

17012
3/8" BUTTERFLY IMPACT WRENCH

- Compact size for access in tight areas
- Butterfly throttle allows one hand direction change

• Specifications
- Maximum Torque: 95 ft/lb
- Free speed: 10,000 RPM
- Average air consumption: 4 cfm
- Length: 6.96" / 177 mm
- Net weight: 2 lbs / 0.91 kg

17042
3/8" AIR DRILL WITH KEYLESS CHUCK

- Ideal for general drilling in the workshop
- Reversible
- Ergonomic rubber grip

• Specifications:
- Chuck capacity: 3/8"
- Spindle thread: 3/8 - 24 UNF
- Freespeed: 1,800 RPM
- Average air consumption: 4 cfm
- Length: 7.12" / 180 mm
- Weight: 2.6 lbs / 1.2 kg

17045
1/2" AIR DRILL WITH KEYLESS CHUCK

- Powerful for heavy duty work in the workshop
- Reversible, side mounted F/R lever
- Side handle helps reduce vibration

• Specifications
- Chuck capacity: 1/2"
- Spindle thread: 3/8 - 24 UNF
- Free speed: 700 RPM
- Average air consumption : 3.5 cfm
- Length: 9.06" / 230 mm
- Net weight: 3.43 lbs / 1.56 kg

17060
5" HIGH SPEED AIR SANDER

- Designed for light sanding
- Ideal for feather edging, metal preparation and blending body filler
- Comes with 3 resin fiber backing pads
- Built in regulator
- Use with 4", 5" or 6" sanding discs

• Specifications:
- Pad sizes: 3", 4-1/2", 5"
- Free speed: 15,000 RPM
- Average air consumption: 3.2 cfm
- Length: 7.63" / 194 mm
- Net weight: 2.07 lbs / 0.94 kg

17063
6" DUAL ACTION AIR SANDER

- Ideal for feather edging, metal preparation and blending body filler
- Uses Standard 6" PSA sanding discs
- Built in regulator

• Specifications:
- Pad size: 6" PSA
- Free speed: 10,000 RPM
- Average air consumption: 2.8 cfm
- Length: 9.84" / 250 mm
- Net weight: 3.96 lbs / 1.8 kg

17065
6" PROFESSIONAL AIR SANDER

- Lightweight and compact design for greater comfort and control
- Provides smooth swirl free finishes
- Ideal for surface preparation before painting
- Uses standard 6"Hook and Loop Discs

• Specifications:
- Pad size: 6" Hook and loop
- Orbit diameter: 3/32"
- Free speed: 10,000 RPM
- Average air consumption: 2.2 cfm
- Length: 8.41" / 213.5 mm
- Net weight: 2.02 lbs / 0.92 kg

17008
3/8" AIR RATCHET

- Ideal for most automotive applications
- Ball type retainer for positive socket retention

• Specifications
- Maximum Torque: 50 ft/lb
- Free speed: 160 RPM
- Average air consumption: 3 cfm
- Length: 10.2" / 260 mm
- Weight: 2.62 lbs

17005
1/4" AIR RATCHET

- Lightweight and compact
- Ball type retainer for positive socket retention

• Specifications
- Maximum Torque: 25 ft/lb
- Free speed: 250 RPM
- Average air consumption: 2.8 cfm
- Length: 7.36" / 187 mm
- Net weight 1.21 lbs / 0.55 kg

17010
1/2" AIR RATCHET KIT

- Ideal for most automotive applications
- Ball type retainer for positive socket retention
- 50 ft/lb Maximum Torque

• Includes:
- Socket sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", and 3/4"
- 3" Extension bar
- Universal joint adapter
- Bit holder and 3 driver bits
- Case

Specifications
- Free speed: 160 RPM
- Average air consumption: 3 cfm

17015
1/2" IMPACT WRENCH

- Ideal for most automotive applications
- Ball type retainer for positive socket retention

• Specifications
- Maximum Torque: 230 ft/lb
- Free Speed: 7,000 RPM
- Average air consumption: 4 cfm
- Length: 7.12" / 180 mm
- Weight : 4.8 lbs / 2.49 kg

17018
1/2" HEAVY DUTY IMPACT WRENCH

- Heavy Duty, ideal for automotive and farm applications
- Powerful twin hammer mechanism
- High torque allows fast removal of stubborn bolts
- Built-in Regulator

• Specifications
- Maximum Torque: 400 ft/lb
- Free speed: 7,000 RPM
- Average air consumption: 4 cfm
- Length: 7.36" / 187 mm
- Net weight: 5.8 lbs / 2.6 kg

17016
1/2" IMPACT WRENCH KIT

- Ideal for most automotive applications
- Ball type retainer for positive socket retention
- 230 ft/lb Maximum Torque

• Includes:
- Impact socket sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" and 1"
- 5" Extension bar
- Mini Oiler
- Case

• Specifications
- Free Speed: 7,000 RPM
- Average air consumption: 4 cfm

17125
ANGLE DIE GRINDER

- Angled head allows grinding in confined areas
- 360° Adjustable Exhaust
- 4 Position Speed Regulator

Specifications
- Free speed: 20,000 RPM
- Average air consumption: 4.25 CFM
- Length: 6.69" / 170 mm
- Net weight: 1.19 lbs / 0.54 kg

17122
AIR DIE GRINDER

- 360° Adjustable Exhaust
- 4 Position Speed Regulator
- Ideal for grinding, deburring and polishing metal components

Specifications
- Free speed: 25,000 RPM
- Avg air consumption: 4.25 CFM
- Length: 6.69" / 170 mm
- Net weight: 0.88 lbs / 0.4 kg

17120
MINI DIE GRINDER

- Compact design for easy operation
- Ideal for grinding, deburring and polishing metal components
- Rear exhaust

Specifications
- Free speed: 25,000 RPM
- Avg air consumption: 4.25 CFM
- Length: 4.76" / 121 mm
- Net weight: 0.73 lbs / 0.33 kg

17130
3" AIR CUT-OFF TOOL

- 360° Adjustable Exhaust
- 4 Position Speed Regulator
- Ideal for cutting autobody panels or light sheet metal
- Chrome plated steel guard protects you from sparks

Specifications:
- Wheel Size: 3" x 3/8" arbor
- Free Speed: 18,000 RPM
- Average Air Consumption: 4.25 CFM
- Length: 8.07"/ 205 mm
- Weight: 1.83 lbs / 0.83 kg

17108
AIR RATCHET 3/8"

- 360° Adjustable Exhaust
- 4 Position Speed Regulator

Specifications
- 102 ft/lb Maximum Torque
- Free speed: 180 RPM
- Average air consumption: 5.4 CFM
- Length: 9.8" / 250 mm
- Weight: 2.62 lbs / 1.2 kg

17112
IMPACT WRENCH 1/2"

- High performance twin clutch mechanism
- Built in regulator with 3 forward and 1 reverse setting for maximum power

Specifications
- 550 ft/lb Maximum Torque
- Free speed: 7000 RPM
- Average air consumption: 7.0 CFM
- Length: 7.1" / 180 mm
- Weight: 4.53 lbs / 2.05 kg

17135
AIR HAMMER

- Professional Quality
- Lightweight Composite Body
- Ideal for general body shop and repair work
- Heat treated piston for increased durability
- Comes with 5 chisels

Specifications:
- Blows per minute: 3,500 BPM
- Barrel stroke: 2-5/8" / 67mm
- Chisel shank: 0.4" / 10.2mm
- Avg air consumption: 6.3 CFM
- Length: 6.69" / 170 mm
- Weight: 3.75 lbs / 1.55kg

18948
PROFESSIONAL AIR BRUSH KIT

- Double action, internal mix, gravity feed air brush

Kit contains:
- Wrench
- 1/4" barbed hose adaptor
- Paint dropper

18947
AIR BRUSH KIT

- Single action, external mix siphon feed
-Spray pattern adjusts from 1/4" to 1-1/2"

Kit contains:
- Air brush
- 2 glass bottles
- 4 vinyl hoses
- Propel regulator valve
- 1/4" F NPT adaptor for air brush hose
- Wrench
- Paint dropper

18941
LOW PRESSURE SPRAY GUN

- Works great with small compressors
- Specifications:
- Average air consumption: 3 CFM
- Max working pressure: 50 PSI
- Nozzle size: 1.4 mm
- Capacity: 1 L

18912
HIGH PRESSURE SPRAY GUN

- Designed for autobody and light industrial jobs
- Specifications:
- Average air consumption: 14.5 CFM
- Operating pressure: 50 to 70 PSI
- Nozzle size: 2.0 mm
- Capacity: 1L

18906
TOUCH UP SPRAY GUN

- Great for detail and custom painting
- Fast, easy clean-up
- Specifications:
- Average air consumption: 8.2 CFM
- Operating pressure: 50 to 70 PSI
- Nozzle size: 1.5 mm
- Capacity: 200 ml

18921
MINI DETAIL SPRAY GUN

- Great for detail and custom painting
- Gravity feed
- Metal cup
- Specifications
- Average air consumption: 8.0 CFM
- Operating pressure: 20-50 PSI
- Nozzle size: 0.8 mm
- Capacity: 200 ml

18936
HVLP SPRAY GUN WITH REGULATOR

- Fast working speed and wide fan pattern
- High transfer efficiency means reduced spray mist
- Stainless steel needle and fluid tip allows use with water based paints
- 0.6L aluminum paint cups
- HVLP specifications
- Average air consumption: 7.5 CFM
- Operating presssure: 20-50 PSI
- Nozzle size: 1.4 mm
- Regulator specifications
- 0 to 140 psi
- Air inlet: 1/4" NPT

14440
FILTER FOR HVLP SPRAY GUN

14303
MAGNETIC SPRAY GUN HOOK

- 3 3/8" Steel Hook
- Supports up to 10 lbs

14302
SPRAY GUN HOLDER

18903
3 PC HVLP SPRAY GUN SET

- Gun A:
- 1.4 mm needle and nozzle set for lighter materials
- Gun B:
- 1.7 mm needle and nozzle set for heavier materials
- Air Regulator With Gauge:
- Diaphragm regulator allows control of air pressure from 0 to 125 PSI
- 1 liter aluminum paint cups
- Average Air Consumption: 8.8 CFM
- Operating pressure: 18 to 43 PSI

15000
5 PC MOUNTED POINTS GRINDING STONE

- 1/4" Shank



CUTTING WHEEL (5 PACK & BULK)

Item No.	Dia.	Th.	Arbor
15004	3"	1/32"	3/8"
15006	3"	1/16"	3/8"

15008
MANDREL SET

- 1/4" Shank

14052
2" SURFACE PREP KIT

- Four prep-pads:
  1 coarse, 2 medium, 1 fine
- One 1/4" shank holder
- Roloc™ type attaching system



14056
2" SURFACE SANDING KIT

- Four sanding discs:
  1 coarse (60g), 1 medium (80g), 1 fine (120g), 1 extra fine (180g)
- One 1/4" shank holder
- Roloc™ type attaching system



DRAWER LINER - NON SLIP

- Uses:
- Tool boxes
- Shelves
- Workbenches, etc.

Item No.	Width
22320	12" x 72"
22322	18" x 72"

14140
4 PC AIR HAMMER CHISEL SET

- Set contains:
- Tapered punch 5"
- Weld breaker 5"
- Bushing breaker 5"
- Ripping chisel 5"

15020
AIR RECIP SAW BLADES

- Multipurpose blades for cutting a variety of material

- 2 x Coarse 24 TPI
- 3 x Fine 32 TPI

24013
HEAVY DUTY ROLLER SEAT

- Heavy duty 1" steel tube frame ensures durability.
- Foam padded seat for maximum comfort
- Large tray under seat for quick access to your tools and parts
- Four swivel casters for easy and smooth maneuvering.

24010
PNEUMATIC ADJUSTABLE SEAT

- 360° Swivel seat, foam padded
- Pneumatic ram for greater comfort and adjustability
- 5 Nylon swivel casters
- Round storage tray under seat
- Height Range: 38 to 49cm / 15 to 19-1/4"

24020
40" CREEPER WITH 2 TOOL TRAYS

- Six swivel casters for smooth maneuverability
- Foam padded back and headrest
- Heavy duty 3/4" steel frame
- Four cross-members for greater strength
- Powder-coated finish
- Oil and solvent-resistant

24018
36" CREEPER

- Padded headrest and back
- Oil resistant padding
- Six nylon castors
- Heavy duty steel frame with powder-coated finish

22329
3 TRAY SERVICE CART

- 220 lb capacity
-Transport tools, supplies and other products around your work-space with ease
- All steel construction and durability
- Trays are 3-1/2" deep to organize and accommodate variety of items
- 4 heavy duty castors for easy maneuverability

20010
5 GALLON PARTS WASHER

• Features
- Removable shelf
- 110V 60 Hz pump
- Tank capacity: 5 gallons
- Solvent capacity: 3-1/2 gallons

20012
20 GALLON PARTS WASHER

Features
- Removable work shelf
- Parts basket
- Fire safety fusible link on lid
- 110V 60Hz pump
- Tank capacity 20 gallons
- Solvent capacity 12 gallon

HYDRAULIC BOTTLE JACK

- Compact structure for easy portability
- Heavy duty steel and durable design for rugged use
- Powerful jack makes big loads easy to lift
- Can be used horizontally or vertically

Item No.	Capacity (ton)	Lifting Range	Lifting Height
22040	2	6-1/4" to 12-1/8"	3-9/16"
22042	4	7-1/8" to 13-3/4"	4-5/16"
22044	6	7-3/4" to 15"	4-7/8"
22046	8	8-1/16" to 15-15/16"	4-7/8"
22050	12	9-7/16" to 15-11/16"	4-7/8"
22052	16	8-13/16" to 16-11/16"	5-1/2"
22054	20	9-5/8" to 17-11/16"	5-11/16"
22057	32	11-1/4" to 18-5/16"	7-1/8"

22059
ENGINE STAND 1000 LBS

- 1000 lb capacity
- Heavy duty steel frame
- 360 degree rotating head locks in 8 positions
- Disassembles quickly and easily for storage and transportation

22080
LOAD LEVELER

- Provides level for off-center engines
- Easily mounts to shop cranes
- Capacity: 750 kg / 1,650 lb
- Adj. Range of Threaded Rod: 250 mm / 9.8"

22072
2 TON HEAVY DUTY FOLDING SHOP CRANE

- Folding legs for easier storage
- 4 Position boom length
- Capacity: 1,800 kg / 4,000 lbs
- Working Range: 1050 to 1590mm / 41 to 62.5"
- Lifting Range: 0 to 2360mm / 0 to 93"
- Comes in two shipping boxes

22078
8 TON LONG RAM JACK

- Replacement ram for many styles of shop cranes
- Capacity: 7,270 kg / 16,000 lb
- Ram Stroke: 490 mm / 19.3"



22030
48" FARM JACK

- Min Height: 15.4cm / 6-1/8"
- Max Height: 107cm / 42-1/2"
- Lifting Capacity 3000 kg

22011
2 TON MINI JACK

- Capacity 4,000 lb (2 ton)
- Support range: 4-7/8" to 11-13/16"

22014
3 TON FLOOR JACK

- Capacity 6,000 lb (3 Ton)
- Support range: 5-3/16" to 19-7/16"

22016
3-1/2 TON FLOOR JACK

- Capacity 7,000 lb (3-1/2 Ton)
- Support range: 5-3/16" to 19-7/16"
- Patented foot pump by which the jack can lift quickly before bearing load.

22013
3 TON LOW PROFILE JACK

- Capacity 6,000 lb (3 Ton)
- Support range: 3-3/8" to 19"

22062
WHEEL DOLLIES

- Sold as a pair
- Dimensions (L x W x H): 23-1/2" x 15-1/2" x 5-1/2" (603 x 309 x 140 mm)
- Four 3-1/2" heavy duty swivel caster wheels for easy maneuverability
- Each dolly holds up to 1,000 lb load
- Great for cars and boats

JACK STANDS

• Sold as a pair

Item No.	Capacity / Lifting Height
22032	3 ton (6,000 lb) / 11-13/16" to 16-1/2"
22034	6 ton (12,000 lb) / 15-3/4" to 23-7/8"
22036	12 ton (24,000 lb) / 18-1/8" to 28"

22170
30" BENDING BRAKE



- Bends sheet metal up to 17 gauge
- Able to bend angles 0° to 90°
- Maximum bending width of 30" / 77 cm
- Long handles for better control
- Pre-drilled holes to mount to table
- Weight: 30 lb/ 13.8 kg
- Dimensions: 91.5 x 18 x 8 cm (36" x 7" x 3")

22160
HYDRAULIC PIPE BENDER

- Die sizes: 1/2", 3/4", 1", 1-1/4", 1-1/2", & 2" for 6 pipe sizes

22182
4 TON PORTA POWER

- Ram Lowest Order: 13"/ Ram Stroke: 4-11/16"
- In rugged carrying case
- Includes: hand pump, hose, cylinder ram, spreader ram, rubber head, rubber faced flat base, ram toe, plunger toe, wedge head, 90° V-base, serrated saddle, male thread adaptor, assorted extension tubes.

22186
10 TON PORTA POWER

- Ram Lowest Order: 18-1/2"
- Ram Stroke: 5-11/12"
- Includes: hand pump, hose, cylinder ram, spreader ram, rubber head, rubber faced flat base, ram toe, plunger toe, wedge head, 90° V-base, serrated saddle, male thread adaptor, assorted extension tubes.
- In rugged carrying case with wheels

22124
12 TON H FRAME SHOP PRESS

- 8 Position adjustable table
- Capacity: 11,000 kg / 24,000 lb
- Working Range: 0 to 27.5"
- 19-3/4"(W) x 52"(H)

22126
20 TON H FRAME SHOP PRESS

- 8 Position adjustable table
- Table has grab handles for table adjustment
- Capacity: 18,180 kg / 40,000 lb
- Working Range: 0 to 36"
- 26"(W) x 62-1/4"(H)

22128
30 TON H FRAME SHOP PRESS

- 10 Position adjustable table
- Table has grab handles for table adjustment
- Capacity: 27,270 kg / 60,000 lb
- Working Range: 0 to 30.3"
- 32"(W) x 67"(H)

BEAM CLAMP

- Provides temporary or permanent mounting point for hook mounted hoists or lever pullers.
- Jaw opening adjusts for a wide range of tapered or flat-flanged beams.

Item No.	Lift Chain Hoist
21020	1 Ton
21022	2 Ton
21023	3 Ton

SNATCH BLOCK SINGLE

- Top safety hook
- Used to make it easier to lift and haul loads
- Also used to change the direction of one or more ropes

Item No.	Lift Chain Hoist
21041	1 Ton
21043	2 Ton

SNATCH BLOCK DOUBLE

- Top safety hook
- Used to make it easier to lift and haul loads
- Also used to change the direction of one or more ropes

Item No.	Lift Chain Hoist
21046	1 Ton
21048	2 Ton

21002
3M .25T MINI CHAIN HOIST LIFT

- 3 Meter Lift
- Compact, ideal for use in tight spaces and areas with low headroom
- Top and bottom safety hooks
- Factory load tested to 125% capacity

21010
2M .25T MINI LEVER HOIST LIFT

- 2 Meter Lift
- Raise or lower load by ratchet action of the handle
- Compact, ideal for use in tight spaces and areas with low headroom
- Top and bottom safety hooks
- Factory load tested to 125% capacity

TROLLEY

- Ideal for garage, shop or farm use
- Adjustable to fit various widths of I beams

- Fits beams 2-1/2" to 6"
- Ball bearing wheels for smooth operation
- Multiple spacer washers for easy width adjustment
- Anti-corrosive powder coated finish

Item No.	Lift Chain Hoist
21030	.5 Ton
21031	1 Ton
21032	1.5 Ton
21034	3 Ton

LEVER HOIST

- Ideal for garage, shop or farm use.
- Raise or lower load by ratchet action of the handle

- 360° Handle rotation
- Swivel top safety hook
- Anti-corrosive powder coated finish
- Surface hardened gears
- Grade 80 load chain for strength and wear resistance
- Load tested to 150% of rated capacity, comes with certificate

Item No.	Lift Chain Hoist
21012	.75 Ton
21013	1.5 Ton
21014	3 Ton

CHAIN HOIST

- Ideal for garage, shop or farm use.
- Durable and easy to use.

- Anti-corrosive powder coated finish
- Surface hardened gears
- Grade 80 load chain for strength and wear resistance
- Top and bottom safety hooks
- Load tested to 150% of rated capacity, comes with certificate

Item No.	Lift Chain Hoist
21005	1 Ton
21007	2 Ton
21008	3 Ton

FIXED CASTER

- Black hard rubber wheel
- For use on any surface including concrete, tile, and wood

Item No.	Size	Capacity
24103	4"	220 lb / 100 Kg
24113	6"	440 lb / 200 Kg

SWIVEL CASTER

- Black hard rubber wheel
- For use on any surface including concrete, tile, and wood

Item No.	Size	Capacity
24104	4"	220 lb / 100 Kg
24114	6"	440 lb / 200 Kg

CASTER WITH FRONT BRAKE

- Black hard rubber wheel
- For use on any surface including concrete, tile, and wood

Item No.	Size	Capacity
24102	4"	220 lb / 100 Kg
24112	6"	440 lb / 200 Kg

CAST WHEEL CASTERS

- Black cast wheel
- For use on any surface including concrete, tile, and wood

FIXED

Item No.	Size	Capacity
22530	3"	500 lb / 230 Kg
22540	3½"	500 lb / 230 Kg

SWIVEL

Item No.	Size	Capacity
22535	3"	500 lb / 230 Kg
22545	3½"	500 lb / 230 Kg

4 PC CASTER SET

- 2 Swivel casters and 2 fixed casters

24100
4"

- Capacity:
  - Swivel caster - 220 lb / 100 Kg each
  - Fixed caster - 220 lb / 100 Kg each
  - Total capacity: 880 lb / 400 Kg

24110
6"

- Capacity:
  - Swivel caster - 440 lb / 200 Kg each
  - Fixed caster - 440 lb / 200 Kg each
  - Total capacity: 1760 lb / 800 Kg

FIXED CASTER

- Polyurethane wheel is non marking and non conductive
- Heavy duty build quality with extended capacity
- For use on any surface including concrete, tile, and wood

Item No.	Size	Capacity
24121	3"	330 lb / 150 Kg
24131	4"	395 lb / 180 Kg
24140	5"	485 lb / 220 Kg
24150	6"	615 lb / 280 Kg

SWIVEL CASTER

- Polyurethane wheel is non marking and non conductive
- Heavy duty build quality with extended capacity
- For use on any surface including concrete, tile, and wood

Item No.	Size	Capacity
24122	3"	330 lb / 150 Kg
24132	4"	395 lb / 180 Kg
24142	5"	485 lb / 220 Kg
24152	6"	615 lb / 280 Kg

SWIVEL CASTER WITH BRAKE

- Polyurethane wheel is non marking and non conductive
- Heavy duty build quality with extended capacity
- For use on any surface including concrete, tile, and wood

Item No.	Size	Capacity
24124	3"	330 lb / 150 Kg with side brake
24134	4"	395 lb / 180 Kg
24144	5"	485 lb / 220 Kg
24154	6"	615 lb / 280 Kg

22510
2" POLY SWIVEL CASTER

- With threaded stem and nut
- 150 lb capacity each

22515
2-1/2" POLY SWIVEL CASTER

- With threaded stem and nut
- 150 lb capacity each

22517
2-1/2" POLY SWIVEL CASTER WITH PLATE

- 150 lb capacity each

22520
3" POLY SWIVEL CASTER WITH PLATE

- 250 lb capacity each

22522
3" POLY SWIVEL CASTER WITH PLATE

- Replacement for mobile base (34072 / SMR72)

92179
32", 45" STORAGE BOX

Set Includes:
- 45" X 23-3/4" X 24-3/4" H Storage box
- 32" X 18" X 21-1/8" H Storage box
- Black Hammered finish
- Heavy duty steel construction
- Double recessed locking system to keep your tools safe and secure

92176
30", 36", 48" STORAGE BOX

Set Includes:
- 30" W x 16-1/2" D x 11" H Storage box with single lock and side handles
- 36" W x 17" D x 18-1/2" H (22" H with lid) Storage box
- 48" W x 24" D x 24" H (27-3/4 with lid) Storage box

36" and 48" Features:
- Black Hammered finish
- Heavy duty steel construction
- Double recessed locking system to keep your tools safe and secure
- Ready to accept castors

92170
30" STORAGE BOX / WELDERSBOX

- 30"x 16-1/2" x 12"H

92172
36" STORAGE BOX

- 36" x 17" x 18-1/2"h x 22"H

92174
48" STORAGE BOX

- 48" x 24" x 24"H x 27-3/4"H

3/8" QUICK-DISCONNECT

- Brass
- Use with high pressure hoses and spray guns

Item No.	Description
72005	3/8 Male NPT
72006	3/8 Female NPT
72008	3/8 Coupler

1/4" QUICK-DISCONNECT

- Brass
- Use with high pressure hoses and spray guns

Item No.	Description
72015	1/4 Male NPT
72016	1/4 Female NPT
72018	1/4 Coupler

SPRAY TIP

- 1/4" Quick Disconnect Plug

Item No.	Description
72020	0º (White)
72021	15º (Yellow)
72022	25º (Red)
72023	40º (Green)
72024	65º (Black - soap)
72025	Set of 5

72010
PIVOTING QUICK COUPLER

- Pivoting coupler allows you to adjust nozzle angle at the end of your wand for easier access to hard to reach areas
- 90° pivot (45° in either direction)
- 1/4" quick connect plug and coupler
- For use with most pressure washers up to 4,500 PSI

72030
O RING KIT

- Water filter fits in place of normal gasket on inlet water connection
- O-rings fit most pressure washer couplers and quick disconnects

72027
2ND STORY SPRAY TIP SET

- Provides increased reach over standard spray tips
- Soap nozzle (pink) carries detergent farther than standard low pressure tip
- Flush nozzle (blue) provides high power rinse to remove debris
- 1/4" quick disconnect plug

72029
SOAP INJECTOR TUBE

- Chemical resistant poly strainer reduces injector clogging
- Use for replacement of factory hose and strainer
- Pressure washer accessory

72032
5 IN 1 NOZZLE

- 1 nozzle replaces 5 tips
- 5 settings: 0°, 15°, 25°, 40° and Soap
- Simple dial adjustment
- 1/4" quick disconnect plug
- Use with most gas pressure washers

72048
GUTTER CLEANER

- Use in conjunction with spray tips
- 1/4" quick disconnect plug attaches easily to most wands and extensions

72040
36" GUN AND WAND

- Max 4000 PSI
- 36" wand length
- Gun has 3/8 quick disconnect plug
- Wand has 1/4" quick disconnect coupler

72042
PRESSURE WASHER GUN KIT 4000 PSI

- Kit includes: Professional 4000psi spray gun, 20" wand and 5 tips
- Included tips: 0°, 15°, 25°, 40° and soap spray tips
- Gun has 3/8 quick disconnect plug
- Wand has 1/4" quick disconnect coupler

72045
18 FT TELESCOPING WAND WITH STRAP

- Max 4000 PSI
- Extends from 6 ft to 18 ft
- Comes with strap for supporting the wand
- Includes 15" extension with 1/4" quick disconnect coupler
- Gun comes with 3/8" quick disconnect plug



72050
HIGH PRESSURE WASHER HOSE WITH FITTINGS

- Steel and polyester-braided high pressure hose for cold water pressure washers
- Max pressure 4000 psi
- Includes quick disconnect fittings
- Bend restrictors provide smooth water flow and less kinking

FLEXINATOR®

FLEXINATOR® GARDEN HOSE

- Hybrid PVC material is lightweight and flexible.
- Stays flexible in cold weather up to -40°
- Kink resistant
- Easy to coil
- Spring ends with brass fittings for long life

Item No.	Size
72052	1/2" X 50ft
72053	5/8" X 50ft

SubZero -40°C

SEWER DRAIN CLEANING HOSE

- Allows you to clean sewer drain and drain tile with your pressure washer
- Includes jetter laser nozzle with 1 forward and 3 rear facing jets
- Excellent for forward cleaning, cuts through blockages, ice, grease and other debris.



Item No.	Size
72054	50 ft
72055	100 ft

72060
PRESSURE WASHER GUN & VARIABLE WAND

- Max pressure 2200psi
- Use with most electric pressure washers
- Adjustable spray nozzle – rotate to change spray pattern
- Gun has M22 x 1.5 male thread

72065
CAR BRUSH COMBO

- Great for cleaning cars and boats
- Extra soft bristles
- Includes 5 adapters to accommodate most electric pressure washers
- Not recommended for high pressure gas pressure washers

72036
TURBO NOZZLE 4000 PSI

- Up to 4000 PSI
- Includes 1/4" quick disconnect plug
- Rotating turbo nozzle combines the power of a 0° stream and a 25° wide angle spray pattern to improve cleaning efficiency up to 200%

72035
TURBO NOZZLE 3000 PSI

- Includes 1/4" quick disconnect plug
- Rotates at high speeds to increase intensity and cleaning area of the spray
- Great for breaking down tough dirt and grime

72037
3-TIP WATER BROOM

- Includes 1/4" quick disconnect plug
- 3 spray tips
- Use to clean flat surfaces like driveways, sidewalks, patios
- Quicker and easier than using wand alone

72072
18" SURFACE CLEANER 4000PSI

- Jets spin rapidly, breaking up dirt without streaking
- Great for cleaning garage floors, driveways, patios, sidewalks, decks and other flat surfaces
- Controls overs pray to protect walls and flower beds
- 18" with 4000 psi

72070
12" SURFACE CLEANER 3000 PSI

- Jets spin rapidly, breaking up dirt without streaking
- Great for cleaning garage floors, driveways, patios, sidewalks, decks and other flat surfaces
- Controls overs pray to protect walls and flower beds
- 12" with 3000psi

32392
ELECTRICAL TOOL CARRIER

- Box shape design prevents tipping
- 11 Exterior and 2 Interior pockets
- Electrical Tape Strap
- Made with 600-denier heavy duty polyeste for durability and water resistance
- Adjustable padded shoulder strap

32390
16" TOOL BAG

- 10 Exterior and 10 Interior pockets
- Made with 600-denier heavy duty polyester for durability and water resistance
- Adjustable shoulder strap

32113
HEAVY DUTY NYLON TOOL CARRIER

- Comes with padded shoulder strap
- Ideal for painters, contruction workers, and general contractors to store and transport tools and more
- 16" hand saw storage compartment, 12 pc drill bit compartment, Tape measure clip.
- Metal tubular handle with soft rubber grip
- Comes with padded shoulder strap

32434
INSULATED LUNCH BAG

- Keeps food and beverages cold for hours
- Large insulated compartment with zipper closure
- Opens wide for easy access
- Nylon shoulder strap

32410
MAINTENANCE TOOL POUCH

- Carry with plastic handle, wear with belt or use adjustable padded shoulder strap
- 3 Interior compartments
- 5 tool holders and 2 pockets on exterior of bag
- Made with 600 denier polyester fabric
- Belt included

32412
CONTRACTOR'S TOOL POUCH

- Carry with plastic handle, wear with belt or use adjustable padded shoulder strap
- Large open storage compartment
- 3 Interior pockets
- 5 tool holders and 2 pockets on exterior of bag
- Includes measuring tape holder
- Made with 600 denier polyester fabric

32418
MAINTENANCE TOOL CARRIER WITH RUBBER BASE

- Box shape design prevents tipping
- 10 Exterior and 4 Interior pockets
- Heavy duty rubber base for extra protection
- Large rubber handle for easy carrying
- Made with 600 denier polyester fabric
- Adjustable padded shoulder strap

32416
ELECTRICAL TOOL CARRIER

- Box shape design prevents tipping
- 11 Exterior and 2 Interior pockets
- Electrical Tape Strap
- Made with 600 denier polyester fabric
- Adjustable padded shoulder strap

32430
TOOL BAG WITH RUBBER BASE

- 9" wide opening allows easy access to tools and parts
- 10 Exterior and 10 Interior pockets
- Heavy duty rubber base for extra protection
- Made with 600 denier polyester fabric
- Adjustable padded shoulder strap

32424
18" OPEN - TOP TOOL CARRIER

- Open-Top Design for excellent visibility and access to tools and parts
- 15 Exterior and 18 Interior pockets
- Removable cover for extra protection of tools
- Padded bar handle and adjustable padded shoulder strap
- Made with 600 denier polyester fabric
- Base pads help protect the bottom of the carrier

32137
BUCKET ORGANIZER

- Fits standard 5-gallon bucket (not included)
- Tough ballistic nylon
- 27 Sewn outside pockets
- 9 Sewn inside pockets
- Snap link for attaching extension cords

32156
NAIL BAG

- Organize and carry parts and fasteners
- Can be stacked in 5 gallon bucket (Fasteners not included)

32440
TOOL CARRIER BUCKET

- Heavy duty bucket design, made with 1680 denier polyester fabric
- Large storage capacity
- 15 Exterior pockets
- Removable center divider holds frequently used tools
- Non-collapsing design, walls are integrated with plastic reinforcements
- Durable waterproof plastic base
- Large rubber handle for easy carrying
- Adjustable padded shoulder strap

32407
HEAVY DUTY BUCKET ORGANIZER

- Use with standard 5 Gal bucket (Not included)
- 36 Exterior and 26 Interior pockets
- Drill holster with quick-release snap
- Made with 600 denier polyester fabric

32436
ROUND TOP TOOL BAG

- Heavy duty design, made with 1680 denier polyester fabric
- Extra-large opening, 19" x 13"
- 10 Exterior and 10 Interior pockets
- Non-collapsing design, walls are integrated with plastic reinforcements
- Durable waterproof plastic base
- Tool slot on side for carrying longer items
- Adjustable padded shoulder strap

SUSPENDERS WITH SHOULDER PAD

- 1-1/2" wide heavy duty nylon straps
- Padded shoulder straps for extra comfort
- Steel clips
- Heavy duty cross brace



Item No.	Description
32450	Small 42" long
32451	Large 52" long

32147
HEAVY DUTY DRILL HOLSTER

- Use right or left
- Reinforced with rivets
- Safety strap with buckle
- 8 bit fold over bit pouch
- Long pouch for long bits

32400
DRILL HOLSTER

- Fits most cordless drills and impact drivers
- Heavy duty 600 denier fabric
- Pockets and elastic hoops hold drill bits and driver bits
- Adjustable strap holds tool securely in pouch
- Use with most belts

32455
TOOL POUCH WITH BELT

- 2" wide nylon belt with steel roller buckle and double hook loops
- Belt is reinforced to support weight of pouches
- 13 pockets and 12 tool slots
- Includes hammer holder and tape measure clip
- Made with 600 denier polyester fabric

32457
PROFESSIONAL TOOL POUCH WITH SUSPENDERS

- 18 pockets and 7 tool slots
- Suspenders have padded shoulder straps and steel clips, 52" long
- 2" wide nylon belt with steel roller buckle and double hook loops
- Belt is reinforced to support weight of pouches
- Includes 2 hammer holders, tape measure clip and tool loop
- Made with 600 denier polyester fabric

32460
ROK FRAMER – BALLISTIC GELFOAM SUSPENSION RIG

-9-Main pockets with 24-smaller pockets and sleeves for nails, parts, tools, nail sets, pencils, etc
-Heavy duty ballistic nylon material
-Detachable suspenders have gelfoam padding for maximum comfort
-Suspenders and belt feature moisture wicking mesh for maximum breathability
-6" padded support belt spreads load from back to hips
-2" heavy duty belt with steel grommets and roller buckle
-Pouches are hook and loop captured to belt for added stability
-Includes cell phone and framing square pocket



DRILL PRESS VISE

- Precision ground base and slide
- Oblong holes for easy mounting
- High tensile cast-iron construction for maximum durability
- Convenient pivot handle

Item No.	Size
58014	4"
58015	5"
58016	6"



CROSS SLIDE VISE

- Dual crank-type handles control movement of jaws in each direction
- Fast action threaded rod maintains accurate alignment
- Multi-directional movement without removing the vise from the drill
- Rugged cast iron construction providing durability

Item No.	Size
58020	4"
58021	5"
58022	6"

QUICK RELEASE WOODWORKING VISE

Item No.	Size
58032	7"
58034	9"



- Square body seating provides easy fit under workbench
- Toe-in feature provides even clamping pressure on work piece.
- Jaws include provisions to install wooden cheeks
- Adjustable Stop
- Single level quick release for easy operation

58030
7" WOODWORKING VISE

- Square body seating provides easy fit under workbench
- Toe-in feature provides even clamping pressure on work piece
- Jaws include provisions to install wooden cheeks
- Adjustable Stop



SWIVEL BENCH VISE

- Precision Cast Body with Swivel Base for greater versatility
- Fused Steel Handle
- Replaceable Jaws with firm grip
- Large Anvil

Item No.	Size
58040	4"
58042	5"



58045

5" MULTI PURPOSE BENCH VISE

- Precision Cast Body with Swivel Base for greater versatility
- Jaw Rotates 360° for precise positioning
- Fused Steel Handle
- Replaceable Jaws with firm grip
- Large Anvil
- Max Opening: 5" and Throat Depth: 2-5/8"
- Weight: 15 kg/33 lbs

MINI ANVIL

- Composed of forged steel with grey/silver hammered finish
- One horn and milled surface
- 4 mounting holes
- For jewelers, metalsmiths, or collectors

Item No.	Weight
44035	1 lb
44036	3 lb

ANVIL

- Precision cast iron build providing support
- Flat faces and smooth horn ideal for any metal forming application
- Smooth yet durable surface
- 4 base lugs for permanent fixing

58056

24LB ANVIL

58058

55 LB ANVIL

REDUCER

Item No.	Opening
60042	4" to 3"
60044	3" to 2"
60046	3" to 2-1/2"
60048	4" to 2-1/2"
60049	2-1/2" to 1-1/4"
60050	2-1/2" to 1-1/2"
60052	2-3/4" to 2-3/8"
60054	4" to 2"
60056	5" to 4"

THREADED QUICK ADAPTOR

- Thread end onto hose with Quick Connect for standard fittings.
- No hose clamps required.

Item No.	Opening
60058	3" (3" threaded)
60060	4" to 3" (3" threaded)
60062	5" to 4" (4" threaded)
60064	5" (5" threaded)
60066	4" (4" threaded)
60068	4" to 2-1/2" (2-1/2" threaded)

BLAST GATE

Item No.	Opening
60020	2 x 2-1/2"
60022	2-1/2"
60024	3"
60026	4"

60032
4" ALUMINUM BLAST GATE

60072
4" QUICK CONNECT ADAPTOR

- 4" port to port

ELBOW

Item No.	Opening
60112	3"
60114	4"

60117
45° ELBOW CONNECTOR

TEE

Item No.	Opening
60090	2-1/2"
60092	3"
60094	4"
60096	5"

Y

Item No.	Opening
60102	3"
60104	4"
60106	5"

60105
4" X 2-1/2" Y

60070
4" QUICK DISCONNECT

- Clamp into 4" hose for quick disconnect

60041
HOSE REDUCER 4 TO 1

SPLICE

Item No.	Opening
60120	2-1/2"
60122	3"
60124	4"

60039
2-1/2" TO 1" HOSE ADAPTOR

- Internal diameter fits: 1-1/4", 1-1/2", 2-1/2"
- External diameter fits: 1", 1-1/4", 1-1/2", 2"

60040
UNIVERSAL REDUCER

- 1" to 2", 2-1/2", 3", 4", 5", 6"
- 6 steps

JOINTER HOOD

Item No.	Opening	Outlet
60002	6-1/2"	4"
60004	8-1/2"	4"
60006	8-1/2" x 10-1/2"	4"

TABLE SAW HOOD

Item No.	Opening	Outlet
60008	12"	4"
60010	14"	4"

60007
4" FLANGE PORT

- 4" outlet

60015
2-1/2" FENCE PORT

- Right angle flange
- Great for router table fences
- 2-1/2" port

60012
MITER SAW DUST HOOD

- Use on machines not designed for dust collecting (miter saws, radial arm saws, planers without hoods, lathes, etc.)
- Lightweight and portable, can be positioned where needed
- 13" x 16" opening with 4" outlet.
- ABS plastic

60014
FLOOR SWEEP

- 24" x 7" x 3-1/2", 4" Outlet

60016
2-1/2" UNIVERSAL DUST HOOD

60017
4" UNIVERSAL DUST HOOD

60080
4" DUST COLLECTION PORT

- 4" port
- 9" tall
- 10 x 4-1/4" opening

60018
4-5/8" FLANGE MOUNT ELBOW

- 4" outlet
- Ideal to mount to jigs, tables and machinery

60210
17" STEEL DUST PAN

- 10" x 17" wide
- Double riveted tubular steel handle
- High visibility cushioned grip
- Durable electroplate finish resists rust and corrosion

60215
16" ALUMINUM DUST PAN

- 10" x 16" wide
- Double riveted tubular steel handle
- Lightweight

GREY DUST COLLECTION HOSE

Item No.	Size
60152	2" x 10 ft
60154	2-1/2" x 10 ft
60153	2-1/2" x 50 ft
60156	3" x 10 ft
60158	3" x 20 ft
60160	4" x 10 ft
60162	4" x 20 ft
60164	4" x 50 ft

CLEAR DUST COLLECTION HOSE

Item No.	Size
60170	2-1/2" x 50 ft
60172	4" x 50 ft

2 - STAGE CHIP SEPARATOR

- Essential component in a dust collection system
- Protects impeller blade from large chips

• Designed to create a cyclone effect to separate the heavy chips from dust particles



Item No.	Size	Inlet and outlet size
60130	5 gallon	2-1/2"
60132	32 gallon	4"

EXPANDABLE DUST HOSE

- Extends from 4-1/2 ft to 16 ft
- Special design allows hose to hold shape around corners

Item No.	Size
60174	2-1/2"
60176	4"

60198
HOSE HANGER

HOSE WALL CLAMP

- Use to mount dust collection to the wall

Item No.	Size
60192	2-1/2"
60194	4"

WIRE HOSE CLAMP

Item No.	Size
60180	2"
60182	2-1/2"
60184	3"
60186	4"
60188	5"
60190	6"

80110
AIR CLEANER 3 SPEED

- 1/3 HP motor, 120V
- Outer filter 5 micron, inner filter 1 micron
- 3 speeds: 750, 960, 1200 RPM
- Airflow: 556, 702, 1044 CFM
- Includes remote control and ceiling mount.

80095
PORTABLE DUST COLLECTOR

- 1 HP
- 600 CFM
- 120 V, 7.4 AMP
- One 4" port
- Comes with 9ft hose and 9" x 5" dust pickup chute and support

80101
1-1/2 HP DUST COLLECTOR

- 900 CFM
- 120V, 12.5 AMP
- Two 4" Ports
- 1 Micron felt top bag
- Clear plastic bottom ba

80102
2 HP DUST COLLECTOR

- 1790 CFM
- 240V, 7.8 AMP
- Two 4" Ports
- 1 Micron felt top bag
- Clear plastic bottom bag

80100
1 HP DUST COLLECTOR

- 600 CFM
- 120V, 7.4 AMP
- One 4" Ports
- 1 Micron felt top bag
- Clear plastic bottom bag

54530
4 POLE SWITCH

DUST COLLECTOR CLAMP BAG

Item No.	Size for
54308	80100 SMC120P
54310	80101 80102 80106 SMC240P SMC340P

DUST COLLECTOR CLOTH BAG

Item No.	Size for
54300	80100 SMC120P
54302	80101 80102 80106 SMC240P SMC340P

1 MICRON DUST COLLECTOR BAG

Item No.	Size for
54304	80100 SMC120P
54306	80101 80102 80106 SMC240P SMC340P

DUST COLLECTOR PLASTIC BAG

Item No.	Size for
54303	80100 SMC120P
54307	80101 80102 80106 SMC240P SMC340P

80620
HIGH VOLUME FAN BLOWER

- 2,500 CFM, great for cooling, drying and ventilation
- 3 speeds to help control air movement
- 6 operating positions allow for best possible positioning for job at hand

• Specifications:
- Motor: 1 HP
- Input: 120V / 60 Hz
- Max Airflow: 2,500 CFM
- Max speed: 1,600 RPM
- Weight: 12Kg

80120
3 HP VACUUM AND BLOWER

- Super suction
- High power blower
- All steel housing
- Wall mount for vacuum and 14 accessories
- Small accessories are included for hard to reach areas
- Comes with handy tote bag
- Great for cars, boats and RVs
- Not recommended for drywall

80112
REPLACEMENT BAG

80405
MINI WOOD LATHE

- Cast iron construction
- 1/3 HP Motor, 115V
- Variable Speed: 750-3200 RPM
- Distance Between Centres:12"
- Swing over bed: 8"
- Spindle Thread: 1"x 8 TPI
- Comes with 6" face plate



54070
CENTER FINDER

- Find the center of round, square, hexagonal and octagonal stock
- Quick, no calculations necessary
- Made of high quality impact resistant clear plastic
- Locate the center of up to 8" diameter circles, octagons

44045
CONTOUR GAUGE

- Great for tracing irregular shapes to make moulds
- Pins slide out to give the exact shape of measured object

80400
12" X 33-1/2" WOOD LATHE

- Motor unit swivels for outboard turning
- Articulated tool rest for outboard turning
- 10 speed variable speed
- Hollow head stock and tail stock
- 6" face plate included
- Live center, spur drive and stand included

- Specifications:
- Horse Power: 1/2 HP
- Swing: 12" x 33-1/2" (diameter x maximum length)
- Spindle nose: 1" x 8 T.P.I
- 120 V
- 60 Hz
- 4.6 AMP
- Variable speed (rpm): 600-2,400
- Motor 1,750 rpm

41500
PLANER BLADE SET

- 2pc. 82x5.5x1.1mm.
- Reversible/Double Sided.
- Fits most major brands. Makita, Bosch, Dewalt, Ryobi, Hitachi, Metabo, Skil, Black & Decker and others.

41545
BISCUIT JOINER BLADE

- 4" x 6 Teeth
- 22 mm arbor
- Fits most brands

80560
PROFESSIONAL HEAT GUN WITH LED TEMPERATURE CONTROL

- Powerful 1500 Watt motor
- Variable Temperature 50 - 550°C
- LED Display for precise temperature control
- 2 Airflow settings for optimum control

Specifications:
Motor: 1500 Watt, 120 Volt
Temperature Range / Airflow:

I.	50°C / 10.6 CFM
II.	70-550°C / 10.6 CFM
III.	70-550°C / 17.6 CFM

80525
100 PC 3.6V CORDLESS SCREWDRIVER

- 3.6 V lithium-ion rechargeable battery
- Powerful lithium battery - 25% more torque than nickle cadium
- Holds a charge up to 10 months on standby, always ready for use
- Charge indicator led
- Soft ergonomic body
- Forward / reverse switch
- Includes 100 Pc bits and case

80553
DETAIL SANDER

- Great for sanding in tight corners
- Comfortable ergonomic grip
- Dust proof switch for long life
- Built in dust extraction port
- Uses standard hook and loop sandpaper
- Includes 6 pc sandpaper

Specifications:
Motor: .8 Amps, 110 Volt
Speed: 12,000 opm
Pad Size: 140mm x 98mm

80555
5" RANDOM ORBIT SANDER

- Variable Speed: 5000-12000 OPM
- Powerful 2.4 Amp motor
- Through the pad dust extraction system
- Dust proof switch for long life
- Hook and Loop fastening system
- Dust Bag Included

Specifications:
Motor: 2.4 A, 120 V
Speed: 5000-12000 OPM
Pad Size: 5"
Pad Type: Hook & Loop with 8 holes

80590
GREYSTONE 4 1/2 " ANGLE GRINDER

- Motor: 4.0 Amp, 11,000 RPM
- Volts: 120 V
- Arbor: 5/8-11
- Cast aluminum gear housing
- Dual Position Auxiliary Handle
- Spindle lock for easy disc changes
- Adjustable Spark Guard
- Includes: Auxiliary Handle, Blade Guard and Spanner Wrench

80594
4 1/2 " ANGLE GRINDER

- Motor: 6.5 Amps, 10,500 RPM
- Volts: 120 V
- Arbor: 5/8 - 11
- Net Weight: 1.7 kg / 3.8 lbs
- Slim Body Design for Easy Handling
- Cast Aluminum Gear Housing
- Dual Position Auxiliary Handle
- Spindle Lock for Easy Disc Changes
- Adjustable Spark Guard

80585
POLISHER VARIABLE SPEED

- Variable Speed
- Rotating Handle
- 10.0 Amps
- 110 Volt - 60Hz
- Speed 600-3,000 RPM
- 5/8 - 11 Arbor Includes :
- 7" Backing Pad
- Wool Polishing Bonnet
- Top Handle

80280
10" BANDSAW WITH FENCE

- 10" Bandsaw features a cast iron table, balanced aluminum wheels, rack and pinion upper guide adjustment, and ball bearing guides. Comes with fence and miter gauge.
* Stand sold separately

- Specifications:
Motor: 1/3 HP, 4.5 amps, 110 Volt
Blade Length: 70-1/2"
Blade Widths: 1/8" to 1/2"
Blade Speed: 2780 ft/min
Cutting capacity:
Height: 3 3/8"
Width: 9 5/8"
Table Size: 11 13/16" x 11 13/16"
Left tilt: 1 degree
Right tilt: 45 degrees
Weight: 55lbs

80281
STAND FOR 10" BANDSAW

80284
14" DELUXE BANDSAW

- 14" Bandsaw features a cast iron table, balanced aluminum wheels, ball bearing guides, heavy trunnion and blade tension quick release. Comes with industrial fence and miter gauge.
* Mobility kit sold separately

- Specifications:
Motor: 1-1/2 HP, 14/7 amps, 110/220 Volt - Prewired for 110V
Blade Length: 103-1/2"
Blade Widths: 1/8" to 3/4"
Speeds: 2
Blade Speed: 1445/2950 ft/min
Cutting capacity:
Height: 9 1/4""
Width: 13 5/8"
Table Size: 16" x 21 1/2"
Left tilt: 5 degree
Right tilt: 45 degrees
Weight: 251lbs

80285
MOBILITY KIT FOR 14" BANDSAW

80222
16" VARIABLE SPEED SCROLL SAW

- Built in dust blower system
- Comes with clear guard for added safety
- Blade holder accepts standard 5" pin and pinless blades
- Table tilts to allow angle cutting up to 45°
- 3/4" Blade stroke
- Variable speed, 400 - 1600 SPM

BENCH GRINDER

- Long lasting direct drive motor with no brushes or belts to replace
- Permanently lubricated motor bearings
- Adjustable plastic eye shields
- Adjustable tool rests
- Includes 1 coarse and 1 fine grinding wheel

80302 - 6"
- 1/2 HP, 3.5 Amps
- 3400 RPM
- 1/2" arbor

80306 - 8"
- 3/4 HP, 5.2 Amps
- 3400 RPM
- 5/8" arbor

Item No.	Size
80302	6"
80306	8"

54017
DIAMOND GRINDING WHEEL DRESSER

- 1/2" x 1-3/4" Diamond impregnated dressing head
- Quickly trues and reconditions the face of worn grinding wheels
- Removes loading and surface glazing
- Sturdy knurled handle



80236
6" X 48" BELT 9" DISC SANDER

- 3/4 HP, 120V
- Belt size: 6" X 48", Disc size: 9"
- Adjustable belt unit operates vertically, horizontally, or at any angle in between
- 2 position table tilts from 0 - 45°
- Built in dust port for belt and disc

80226
1" X 30" BELT 5" DISC SANDER

- 2.5 amp motor
- Belt size: 1" x 30"
- Disc size: 5"
- Both belt and disc table adjust 0 - 45°
- Built in dust port for belt and disc sander
- Comes with miter gauge

80230
12" DISC SANDER

- Disc size: 12"
- 3/4 HP Motor, 1720RPM
- Table tilts 0-45°
- Built in dust extraction port
- Die cast aluminum table
- Comes with manual brake for stopping disc

54289
3/8" KEYLESS CHUCK WITH 1/4" HEX SHANK

- 1/4 Hex Shank
- All Steel Construction
- Click Lock
- 1/32" -3/8" Capacity
- Fits impact drivers

MOUNT CHUCK WITH KEY - JACOBS®

- Quick and easy change
- Upgrade your power drill
- Enhance your drill's performance
  Fits most major brands

Item No.	Cap. x Mount
54276	3/8" x 3/8"
54278	1/2" x 1/2"

CHUCK KEY - JACOBS®

Item No.	Size
54280	KG 10 mm (3/8")
54282	KK 13 mm (1/2")
54284	S2 10 mm (3/8") 13 mm (1/2")

54287
CHUCK ADAPTOR 3/8" THREAD

- 1/4" Hex Shank
- 3/8" - 24" UNF Thread
- Reverse Thread Screw to Lock Chuck for Reverse Mode

MOUNT KEYLESS CHUCK - JACOBS®

- Quick and easy change
- Upgrade your power drill
- Enhance your drill's performance
- Fits most major brands!
- Professional quality replacement chuck

Item No.	Cap. x Mount
54270	3/8" x 3/8"
54272	1/2" x 1/2"
54274	1/2" x 3/8"

54275
1/2" KEYLESS CHUCK JACOBS®

- Metal body
- 1/2" x 1/2" mount

26039
1/2" KEYLESS DRILL CHUCK WITH SDS ADAPTOR

- Use regular bits in drill mode of SDS® hammer drill

TAPER CHUCK WITH KEY

- For lathes, milling machines and drill presses.

Item No.	JT	size
54202	6	1/2"
54206	3	5/8"

KEYLESS TAPER CHUCK

- For lathes, milling machines and drill presses.

Item No.	JT	Size
54216	3	5/8"
54218	4	3/4"

CHUCK KEY

- For taper chuck

Item No.	Size
54208	1/2, 5/8"

CHUCK ARBOR

Item No.	MT	JT
54236	1	6
54238	2	3
54240	3	3

Item No.	MT	JT
54242	2	6
54244	2	4
54246	3	4
54248	4	4

REDUCER

Item No.	MT	MT
54252	2	1
54254	3	2

DRILL PRESS VISE-CLAMP

- Vise clamp works like an extra hand to hold work firmly to drilling table or other work surface
- Thumb screw adjustment
- Easy locking and unlocking
- Quick release handle
- Swivel pad on hold down
- Plated steel

Item No.	Size
50250	6"
50252	10"

70210

18" LED MAGNETIC BASE LIGHT

- 12-1/2" flexible gooseneck
- 18" total length
- LED
- Magnetic stand

80218

13" FLOOR DRILL PRESS

- 3/4 HP Motor, 16 speeds
- 5/8" capacity chuck
- 3-1/8" spindle travel
- Locking depth stop
- Table tilts 45º

80216

13" BENCH DRILL PRESS

- 3/4 HP Motor, 16 speeds
- 5/8" capacity chuck
- 3-1/8" spindle travel
- Locking depth stop
- Table tilts 45º

80210

8" DRILL PRESS

- 1/2" Capacity chuck
- 5 Speeds
- Positive depth stop for quick and easy adjustment

- 120v
- 60 Hz
- 2.5A
- 760 to 3070 RPM

80010
10" MEAT CUTTING BANDSAW

- Includes meat grinding attachment
- CUL approved.
- Specifications:
- Horse Power: 3/4 HP
- Sliding table: 18" x 24"
- Min. width of cut: 8-1/4"
- Max. width of cut: 9-1/2"
- Voltage: 120 V
- Wattage: 550 W
- Blade: 82"
- Use meat cutting bandsaw blade (80020 / SMB30-11)
- Grinder includes 3 blades:
- 5 mm 39 hole
- 8 mm 18 hole
- 12 mm 8 hole

80020
10" MEAT CUTTING BANDSAW BLADE

- 5/8" x 82"

80030
STAINLESS STEEL MEAT GRINDER

- Powerful 1HP motor, 8.3 Amp
- Capacity: 260 lbs/hour
- Stainless steel
- 6mm and 8mm discharge plates
- Quick and easy disassembly for cleaning
- 3 sizes of tubes for sausages
- Household use only
- 3 sizes of tubes for sausage stuffing
- Connector for sausage tubes
- Food pusher

54502
PUSH BLOCK



- 3" x 6"
- Molded plastic with non-slip base

44306
2 PC SAFE V STICK



- 2 pieces
- The "V" fits over the edge of the work-piece, giving pressure towards the fence
- Ideal for working with your table saw, router table, jointer and shaper
- Molded plastic

44300
PUSH STICK

- 11-3/8" long
- Plastic

44303
DELUXE PUSH STICK

- Protects Fingers from dangerous machine operation
- Curved handle for better grip
- 16-1/2" long

54050
HOLD DOWN CLAMP

- Use with Auxilary fence
- Hold stock down and against the fence
- Ideal for: Router tables, shaders, table saw with dado or moulding head



54046
PLASTIC FEATHER BOARD

- For table saw & router table
- Fits miter gauge slots: 3/16" x 5/8" and 3/8" x 3/4"
- Holds wood stock against fence as it is being ripped

54044
FEATHER BOARD

- Great for ripping long pieces of narrow stock or molding.
- Fits into your 3/4" mitre gauge slot, then locks easily into position with the twist of a butterfly nut
- Puts pressure on top and against stock, preventing kickback, rideup and inaccuracy

44310
5 PC WOODWORKERS SAFETY KIT

• Includes:
- 2 safe V sticks
- 1 Push stick
- 1 Push block
- 1 Feather board

54060
TAPERING JIG FOR TABLE SAWS

- Ideal for taper legs, magazine racks, planters, etc.
- Use on table saw or radial arm saw
- Adjusts from 0° to 15° (cuts up to 3" per foot)
- Easy to use scale
- Reversible handle and stop allows for both right or left hand tapers

44906
BLADE & BIT CLEANER

- 600 ml
- Removes resin, pitch, gum and grime from saw blades, power bits and planer knives
- Sold to dealers in packs of 12

44904
DRICOTE® BEARING LUBRICANT

- 5.5 oz. (156 g)
- Extends bearing life
- Withstands extreme loads and heat
- Frees frozen bearings
- Dries quickly and protects up to 288°C
- Sold to dealers in packs of 12

44901
BLADECOTE

- 10.75 oz. (305 g)
- Provides cleaner, truer cuts of wood, laminates, solid surface materials and metals
- Prohibits resin and pitch build-up
- Reduces cutting friction and heat
- Prolongs tool life
- Sold to dealers in multiples of 12

44903
GLIDECOTE

- 10.75 oz. (305 g)
- Reduces sliding friction and binding
- Inhibits corrosion and rust
- Repels dust and moisture
- Sold to dealers in multiples of 1

42040
ROUTER MAT

- No-slip and resilient surface for free hand work
- Washable
- Open weave surface allows sawdust to filter through, prevents loss of friction and grip



54080
2-IN-1 TABLE SAW STEP GAUGE & ROUTER DEPTH GAUGE

Table Saw Step Guide

- Aluminum gauge will not damage cutters
- 1/8" to 2-1/4" in increments of 1/8"
- Double-sided allows reading up or down
- Use to set up table saw, radial arm saw or rip fence

Router Depth Gauge

- Eliminate the guesswork: set your router to the correct depth quickly and easily
- Clearly marked from 1/8" through 1" in increments of 1/16"
- Aluminum gauge will not damage cutters

42030
BRASS INLAY TEMPLATE GUIDE SET

- 1/8" bit 1/4" shank
- Use same pattern for both pieces for a perfect fit
- Use same pattern to cut the hole and the patch

BRASS TEMPLATE GUIDE

- Works with any template, pattern or jig for perfect duplicate routing of edges or interior surfaces.
- Useful for stair routing, pattern routing, hinge routing, general routing and dovetailing.

FITS MOST ROUTER BRANDS AND MODELS

Item No.	Inside diam	Outside Diam
42010	1/4"	5/16"
42012	9/32"	3/8"
42014	11/32"	7/16"
42016	13/32"	1/2"
42018	17/32"	5/8"
42020	5/8"	51/64"
42022	21/32"	3/4"
42024	2 pc lock nuts	-
42026	Adaptor	-

42006
BRASS TEMPLATE GUIDE SET

- Includes: 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", & 51/64" (outside diam.) and 2 lock nuts

54520
JOINTER KNIFE SETTING JIG

- Set up jointer blades on jointers 4" to 12"
- Magnets hold jig to jointer bed and hold knife up for tightening

54525
PLANER KNIFE SETTING JIG

- Swivel magnets conform to the radius of the cutterhead
- Knife holding magnet is adjustable
- Suitable for cutter heads with a diameter of 3" to 5" with 2 to 4 knives

42132
9" X 12" ROUTER TABLE INSERT

- Plastic Plate
- Two snap out rings give you 3 openings
- 3-7/8" for large raised panel bits
- 2-5/8" for medium sized bits
- 1-1/4" for small bits has shoulder to hold universal template guides for pattern and jig work
- Magnetic plate hold-down

42100
11" X 13" UNIVERSAL ROUTER PLATE INSERT

- Aluminum Plate
- Plate has offset edge for mounting (1/4" thick x 1/2")
- Precision milled anodized finish
- 3-7/8" opening, 2-5/8" ring opening, 1-1/4" universal template hole
- Adjusting and leveling set-screws
- Rings are slightly proud of base to ensure they are higher than plate
- No sagging
- Hardware includes: brass starter pins, brass centering kit, mounting kit, allen wrench

42122
ROUTER TABLE TOP



- 24" x 27" x 1"
- Melamine 2 sides
- 3/8" x 3/4" aluminum miter track
- To fit 42132 insert 9" x 12"

38022
4 PC PLYWOOD BIT SET CARBIDE TIPPED

- Contains:
- 15/64", 31/64", 19/32", 23/32"



PowerSonic

38027
30 PC ROUTER BIT SET 1/2" SHANK

- Straight Bit: 3/16", 1/4", 5/16", 3/8", 1/2", 9/16", 5/8", 11/16", 13/16"
- Dovetail Bit: 1/2"
- 60°V Grooving Bit: 3/8"
- 90°V Grooving Bit: 1/2"
- Core Box Bit: 1/4", 1/2"
- Classical Bit: 3/4"
- Flush Trim Bit: 1/2"
- 45° Chamfer Bit: 1/2"
- 25° Chamfer Bit: 3/8"
- Roman Ogee Bit: 5/8"
- Rabbeting Bit: 9/16"×1-1/8"
- Cove Bit: 1/2", 3/4"
- Rounding Bit: 1/4", 1/2", 5/8", 3/4"
- Beading Bit: 1/4", 1/2", 5/8", 3/4"

38002
12 PC CARBIDE ROUTER BIT SET 1/4" SHANK

- 12 of the most popular profiles including 6 bearing bits.
- Everything you need to get started on a wide variety of projects.
- Contains all the most commonly used edge forming bits.

- 45° Chamfer
- 1/4" Cove
- 1/2" Core Box
- 14° Dovetail
- 1/2" Flush Trim
- 5/32" R Roman Ogee
- 1/4" Roundover
- 3/8" Roundover
- 1/4" Straight
- 1/2" Straight
- 5/8" Straight
- 1/2" V-Groove

38004
15 PC CARBIDE ROUTER BIT SET 1/4" SHANK

- Includes:
- 45° chamfer
- 1/2" cove
- 1/4" core box
- 1/2" dovetail
- 1/2" flush trim
- 1/4" panel pilot
- 3/8" rabbeting
- 5/32R roman ogee
- 3/8" roundover
- 1/8" straight
- 1/4" straight
- 1/2" x 1/2" straight
- 1/2" x 3/4" straight
- 3/4" x 3/4" straight
- 3/8" V-groove

38006
15 PC CARBIDE ROUTER BIT SET 1/2" SHANK

- Includes:
- 45° chamfer
- 1/2" cove
- 1/4" core box
- 1/2" dovetail
- 1/2" flush trim
- 1/4" panel pilot
- 3/8" rabbeting
- 5/32R roman ogee
- 3/8" roundover
- 1/8" straight
- 1/4" straight
- 1/2" x 1/2" straight
- 1/2" x 3/4" straight
- 3/4" x 3/4" straight
- 3/8" V-groove

PANEL PILOT



Item No.	Shank	Dia.	Len.
38170	1/4	1/4	3/4
38175	1/4	3/8	15/16
38179	1/2	1/2	3/4

TEMPLATE



Item No.	Shank	Dia.	Len.
38215	1/4	1/2	1
38217	1/4	5/8	1
38220	1/4	3/4	1
38222	1/2	3/4	1-1/4
38224	1/2	1-1/8	1-1/2

V-GROOVE 90°



Item No.	Shank	Dia.	Len.
38280	1/4	1/2	1/2
38283	1/2	3/4	11/16

V-GROOVE 60°



Item No.	Shank	Dia.	Len.
38290	1/4	1/2	7/16

DOVETAIL



Item No.	Shank	Angle	Dia.	Len.
38229	1/4	8°	3/8	13/32
38230	1/4	14°	1/2	1/2
38231	1/2	14°	1/2	1/2
38233	1/2	14°	5/8	5/8
38234	1/4	14°	3/4	25/32

ROUND NOSE



Item No.	Shank	Dia.	Len.
38270	1/4	1/4	1/2
38272	1/4	3/8	3/4
38274	1/4	1/2	3/4
38275	1/2	1/2	3/4

DISH CARVING



Item No.	Shank	Dia.	Len.
38720	1/4	1/2	1/2
38730	1/2	1	5/8
38735	1/2	1-1/4	5/8

KEYHOLE



Item No.	Shank	Dia.	Len.
38180	1/4	3/8	3/8
38182	1/4	1/2	

STRAIGHT



• ***Single Flute***

Item No.	Shank	Dia.	Len.
38090	1/4	3/32	3/8
38092	1/4	1/8	3/8
38094	1/4	5/32	1/2
38096	1/4	3/16	1/2

• ***Double Flute***

Item No.	Shank	Dia.	Len.
38100	1/4	1/4	3/4
38110	1/4	5/16	1-1/8
38112	1/2	5/16	1-1/8
38115	1/4	3/8	1-1/8
38125	1/4	1/2	1-1/8
38127	1/4	1/2	1-1/2
38128	1/2	1/2	2
38134	1/4	5/8	1-1/8
38139	1/4	3/4	1-1/8
38140	1/2	3/4	1-1/8
38142	1/2	3/4	1-1/8
38145	1/2	1	1-1/8
38146	1/2	1-1/4	1-1/8
38147	1/2	1-3/8	1-1/8
38148	1/2	1-1/2	1-1/8
38149	1/2	2	1-1/8
38150	1/2	1/2	1-1/2
38152	1/2	1/2	2-1/2

BOTTOM CLEANING



Item No.	Shank	Dia.	Len.
38080	1/4	3/8	1/2
38081	1/2	3/8	1/2
38082	1/4	1/2	1/2
38084	1/4	5/8	1/2
38085	1/2	5/8	1/2
38086	1/4	3/4	3/4

FLUSH TRIM



Item No.	Shank	Dia.	Len.
38193	1/4	1/4	3/4
38194	1/4	1/4	1-1/2
38195	1/4	3/8	1-1/8
38200	1/4	1/2	1-1/8
38205	1/2	1/2	1-1/8
38210	1/2	1/2	1-1/2

MORTISING



Item No.	Shank	Dia.	Len.
38070	1/4	1/2	1/2
38072	1/4	5/8	3/4
38074	1/4	3/4	3/4
38075	1/2	3/4	3/4
38077	1/2	7/8	3/4

45° CHAMFER



Item No.	Shank	Dia.	Len.
38239	1/4	7/8	1/4
38240	1/4	1-1/8	1/2
38241	1/2	1-7/32	1/2
38245	1/4	1-1/2	3/4
38249	1/2	2-9/32	1-1/4

RABBETING



Item No.	Shank	Dia.	Cut	Len.
38160	1/4	1-1/4	3/8	1/2
38165	1/2	1-1/4	3/8	1/2

ROUNDOVER



Item No.	Shank	Dia.	R	Len.
38300	1/4	7/8	3/16	3/8
38305	1/4	1	1/4	7/16
38310	1/2	1	1/4	7/16
38315	1/4	1-1/8	5/16	1/2
38320	1/4	1-1/4	3/8	9/16
38325	1/2	1-1/4	3/8	9/16
38340	1/4	1-1/2	1/2	11/16
38345	1/2	1-1/2	1/2	11/16
38350	1/2	2	3/4	1
38360	1/2	3	1-1/4	1-1/2

BEADING



Item No.	Shank	Dia.	R	Len.
38380	1/4	3/4	1/8	15/64
38384	1/4	1	1/4	13/32
38386	1/4	1-1/8	5/16	31/64

COVE



Item No.	Shank	Dia.	R	Len.
38405	1/4	5/8	1/8	1/4
38407	1/4	7/8	3/16	5/16
38410	1/4	1	1/4	3/8
38420	1/4	1-1/2	1/2	5/8
38430	1/2	1-3/4	5/8	3/4
38435	1/2	2	3/4	7/8
38437	1/2	2-1/4	7/8	1

BEAD PLUNGE



Item No.	Shank	Dia.	R	Len.
38590	1/4	3/8	1/8	3/8
38591	1/4	1/2	1/8	1/4
38595	1/4	1/2	1/4	13/32
38596	1/2	5/8	3/16	5/16
38600	1/4	5/8	5/16	7/16
38601	1/2	3/4	1/4	3/8
38602	1/2	7/8	5/16	7/16
38603	1/4	3/4	3/8	15/32
38604	1/2	1	3/8	1/2
38605	1/2	1-3/8	1/2	7/8
38606	1/2	1-3/4	5/8	1-1/8
38607	1/2	2	3/4	1-5/16

FLAT BOTTOM PLUNGE



Item No.	Shank	Dia.	R	Len.
38655	1/4	3/8	3/32	13/32
38660	1/4	1/2	3/32	13/32
38665	1/4	3/4	3/17	1/2
38670	1/2	1	3/16	1/2

CHAMFER PLUNGE



Item No.	Shank	Dia.	Len.
38675	1/2	33/64	1/4
38680	1/2	29/32	3/8
38685	1/2	1-1/8	1/2

FACE PLUNGE



Item No.	Shank	Dia.	Len.
38625	1/4	1-1/8	1/2
38630	1/4	1-1/4	9/16

ROUNDOVER PLUNGE



Item No.	Shank	Dia.	R	Len.
38635	1/4	1/4	1/8	9/32
38640	1/4	5/16	5/32	19/64
38645	1/4	3/8	3/16	5/16

CLASSICAL PLUNGE



Item No.	Shank	Dia.	R	Len.
38610	1/4	1/2	3/64	3/8
38615	1/4	3/4	7/16	7/16
38620	1/2	3/4	7/16	7/16

BEAD & COVE PLUNGE



Item No.	Shank	Dia.	Len.
38785	1/2	3/4	7/16
38795	1/2	1-1/2	5/16

ROMAN OGEE



Item No.	Shank	Dia.	R	Len.
38448	1/4	7/8	3/32	5/16
38449	1/4	1	1/8	25/64
38450	1/4	1-1/8	5/32	7/16

OGEE



Item No.	Shank	Dia.	R1	Height
38850	1/4	1-1/8	3/16	19/32
38855	1/2	1-1/8	3/16	19/32
38860	1/4	1-1/4	7/32	11/16
38865	1/2	1-1/4	7/32	11/16

CLASSICAL OGEE



Item No.	Shank	Dia.	R1	R2	H
38925	1/2	1-3/4	1/4	3/8	3/4

ROMAN OGEE PLUNGE



Item No.	Shank	Dia.	Len.
38797	1/4	1/2	5/16

OGEE PLUNGE



Item No.	Shank	Dia.	Len.
38690	1/4	3/8	3/8
38695	1/2	3/8	3/8
38700	1/4	1/2	3/8
38705	1/2	1/2	3/8

CLASSICAL ROMAN OGEE



Item No.	Shank	Dia.	Len.
38870	1/4	1	3/8
38875	1/4	1-3/8	9/16
38880	1/2	1-3/8	9/16
38885	1/2	1-5/8	11/16

CLASSICAL COVE



Item No.	Shank	Dia.	R	Height
38825	1/2	1	3/16	1/2
38830	1/2	1-1/4	5/16	39/64

COVE & FILLET



Item No.	Shank	Dia.	R1	Len.
38835	1/4	7/8	1/8	3/8
38840	1/4	1-7/32	1/4	9/16

BEAD & COVE



Item No.	Shank	Dia.	R1	R2	Len.
38890	1/4	7/8	-	-	7/16
38895	1/4	1-1/8	-	-	9/16
38900	1/2	1	-	-	1/2
38905	1/2	1-3/8	-	-	11/16
38930	1/4	1-1/16	3/32	1/8	3/8

CLASSICAL COVE & ROUND



Item No.	Shank	Dia.	R	Len.
38910	1/2	1	1/8	1/2
38915	1/2	1-1/4	3/16	5/8

MULTI PROFILE



Item No.	Shank	Dia.	Len.
38470	1/4	1-1/4	1
38475	1/2	2-1/4	1-7/8



38480	1/4	1	3/4
38485	1/2	1	3/4
38490	1/2	1-1/4	13/16



38495	1/2	1-3/4	1-1/8

CANOE

38185

38190

Item No.	Type	Shank	Dia.	Len.
38185	Bead	1/4	1-1/2	1/2
38190	Groove	1/4	1-1/2	1/4

3 WING SLOT CUTTER



Item No.	Shank	Dia.	Len.
39220	1/4	1-37/64	1/8
39225	1/2	1-37/64	1/8
39230	1/4	1-37/64	5/32
39235	1/2	1-37/64	5/32
39240	1/4	1-37/64	1/4
39245	1/2	1-37/64	1/4

TONGUE & GROOVE ASSEMBLY

- One bit can cut two wood profiles by changing the movable cutter.



Item No.	Shank	Dia.	Len.
39200	1/4	1-5/8	1/4

LOCK MITER



Item No.	Shank	Dia.	Len.
39015	1/4	1-1/2	43/64
39020	1/2	1-1/2	43/64
39025	1/2	1-3/4	3/4
39030	1/2	2-3/4	1-3/16

REV GLUE JOINT



Item No.	Shank	Dia.	Len.
39000	1/4	1	1/2
39005	1/2	1-1/8	3/4
39010	1/2	1-7/8	1-3/32

FACE MOULDING



Item No.	Shank	Dia.	R1	Len.
38520	1/2	11/16	1/8	1
38525	1/2	1	1/8	1-5/8



38530	1/2	15/16	5/32	1-3/8
38535	1/2	7/8	1/8	1-1/2



38540	1/2	1-1/16		1-5/8



38560	1/2	7/8		1-5/8



38570	1/2	1-1/2	1/8	1-1/2

MULTI FLUTE



Item No.	Shank	R1	Height
38935	1/2	1/8	1

MULTI BEAD



Item No.	Shank	R1	Height
38940	1/2	1/8	1

EDGE BEADING



Item No.	Shank	Dia.	R1	R2	H
38500	1/2	1-5/16	5/32	7/32	5/8
38505	1/2	1-3/8	3/8	7/16	1-7/16

EDGE MOULDING



Item No.	Shank	Dia.	R1	R2	Len.
38945	1/2	2			1



38950	1/2	2-1/8	9/32	1/4	7/8

DOUBLE BEAD



Item No.	Shank	Dia.	Height
38845	1/4	1/16	1/4

COMBO ROUNDOVER



Item No.	Shank	Dia.	R1	R2
38515	1/2	1-1/2	1/4	1/2

HALF ROUND



Item No.	Shank	Dia.	R	Len.
38802	1/2	59/64	1/8	1/4
38804	1/2	1-1/24	3/16	3/8
38806	1/2	1-5/32	1/4	1/2

HALF ROUND WITH BEARING



38809	1/2	1-11/32	3/8	3/4
38812	1/2	2	11/16	1-3/8
38815	1/2	2-3/8	7/8	1-3/4
38820	1/2	3-1/8	1-1/4	2-1/2

DOUBLE ROUNDOVER



Item No.	Shank	Dia.	R1
38942	1/2	1-1/2	3/16

RAISED PANEL COVE



Item No.	Shank	Dia.	Height
39100	1/2	2-1/2	1/2
39105	1/2	3-1/2	5/8

RAISED PANEL OGEE



Item No.	Shank	Dia.	Height
39120	1/2	2-3/4	5/8
39125	1/2	3-1/2	5/8

COVE PANEL WITH BACK CUTTER



Item No.	Shank	Dia.
39135	1/2	3-1/2

RAISED PANEL CHAMFER



Item No.	Shank	Dia.	Height
39110	1/2	2-1/2	3/8
39115	1/2	3-1/2	9/16

OGEE PANEL WITH BACK CUTTER



Item No.	Shank	Dia.
39130	1/2	3-1/8

HANDRAIL



Item No.	Shank	Dia.	R1	Len.
39055	1/2	1-3/8	1/8	1-1/2

RAIL & STILE OGEE

Item No.	Shank	Dia.	H
39140	1/2	1-5/8	1

RAIL & STILE THUMBNAIL



Item No.	Shank	Dia.	H
39145	1/2	1-5/8	1

39060	1/2	1-1/4		1-1/2

RAIL & STILE BEAD



Item No.	Shank	Dia.	H
39150	1/2	1-5/8	1

RAIL & STILE CHAMFER (1 PC)



Item No.	Shank	Dia.	H
39155	1/2	1-5/8	15/16

TABLE EDGE HANDRAIL



Item No.	Shank	Dia.	Len.
39045	1/2	2-7/16	9/16

SAMONA PROFESSIONAL ROUTER BITS

WHAT MAKES OUR ROUTER BITS UNIQUE?

Made from high quality carbon steel and tipped with tungsten carbide. The carbide is precision ground to give consistent clean cuts while maintaining a sharp edge.
Majority of bits are chip-limiting style that offers more safety than regular bits, and provides a better balance.

STRAIGHT



- Two flutes
- Solid carbide tip soldered into steel shank

Item No.	A	B	C	D
AD107011	3/32	1/2	1/4	1-1/4
AD107021	1/8	1/2	1/4	1-1/4
AD107031	5/32	1/2	1/4	1-1/4
AD107041	3/16	5/8	1/4	1-1/4

STRAIGHT



Item No.	A	B	C	D
AD103013	1/4	1	1/4	1-1/4
AD103023	5/16	1	1/4	1-1/4
AD103033	3/8	1	1/4	1-1/4
AD103043	7/16	1	1/4	1-1/4
AD103053	1/2	1	1/4	1-1/4
AD103073	5/8	1	1/4	1-1/4
AD103083	3/4	1	1/4	1-1/4

- Two flutes
- 1/4" shank

STRAIGHT



- Two flutes
- 1/2" shank

Item No.	A	B	C	D
AD104411	1/4	3/4	1/2	1-1/2
AD104421	5/16	1	1/2	1-1/2
AD104431	3/8	1	1/2	1-1/2
AD104441	7/16	1	1/2	1-1/2
AD104451	1/2	1	1/2	1-1/2
AD104455	1/2	1-1/2	1/2	1-1/2
AD104457	1/2	2	1/2	1-1/2
AD104459	1/2	2-1/2	1/2	1-1/2
AD104473	5/8	1-1/4	1/2	1-1/2
AD104487	3/4	1-1/2	1/2	1-1/2
AD104493	7/8	1-1/4	1/2	1-1/2
AD1044105	1	1-1/2	1/2	1-1/2

STRAIGHT - BOTTOM CUTTER



- Two flutes
- Bottom cutter insert for plunge cutting

Item No.	A	B	C	D
AD106413	3/8	1	1/2	1-1/2
AD106434	1/2	1-1/4	1/2	1-1/2

FLUSH TRIM BITS

- Two flutes
- Ball bearing guide for fast smooth, accruate trim cuts
- Use for pattern or template cutting

Item No.	A	B	C	D	Bearing
AD151006	1/4	3/4	1/4	1-1/4	1/4
AD151010	3/8	1	1/4	1-1/4	3/8
AD151011	1/2	1/2	1/4	1-1/4	1/2
AD151021	1/2	1	1/4	1-1/4	1/2
AD151421	1/2	1	1/2	1-1/2	1/2 —
AD151451	1/2	1-1/2	1/2	1-1/2	1/2
AD151461	1/2	2	1/2	1-1/2	1/2

BEVEL TRIM



- Two flutes
- 1/2" bearing

Item No.	A	B	C	D	Angle
AD156011	1/2	3/8	1/4	1-1/4	7°
AD156021	1/2	3/8	1/4	1-1/4	15°
AD156031	1/2	3/8	1/4	1-1/4	22°
AD156041	1/2	3/8	1/4	1-1/4	25°
AD156051	1/2	3/8	1/4	1-1/4	30°

HINGE MORTISING





- Two flutes
- For cutting hinges, stair treads and general routing of larger areas

Item No.	A	B	C	D
AD108011	1/2	1/2	1/4	1-1/4
AD108021	5/8	3/4	1/4	1-1/4
AD108031	3/4	3/4	1/4	1-1/4
AD108411	1/2	1/2	1/2	1-1/2
AD108421	5/8	3/4	1/2	1-1/2

TEMPLATE

- Two flutes
- Use for pattern or template cutting

Item No.	A	B	C	D	Bearing
AD152007	1/2	1	1/4	1-1/4	1/2
AD152009	5/8	1	1/4	1-1/4	5/8
AD152411	3/4	1	1/2	1-1/2	3/4
AD152421	3/4	1-1/4	1/2	1-1/2	3/4
AD152441	1-1/8	1-1/2	1/2	1-1/2	1-1/8

PANEL PILOT



- One flute

Item No.	A	B	C	D
AD154007	1/4	3/4	1/4	1
AD154411	1/2	1	1/2	1-1/4

90° V-GROOVE





- Two flutes
- 90° angle

Item No.	A	B	C	D
AD201021	1/2	7/16	1/4	1-1/4
AD201041	3/4	5/8	1/4	1-1/4
AD201441	3/4	5/8	1/2	1-1/2

60° V-GROOVE



- Two flutes
- 60° angle

Item No.	A	B	C	D
AD202011	1/2	5/8	1/4	1-1/4

CORE BOX



Item No.	A	B	C	D	Bearing	Flutes
AD204011	1/8	5/16	1/4	1-1/4	1/16	1
AD204021	3/16	5/16	1/4	1-1/4	3/32	1
AD204031	1/4	5/16	1/4	1-1/4	1/8	2
AD204041	3/8	1/2	1/4	1-1/4	3/16	2
AD204051	1/2	5/8	1/4	1-1/4	1/4	2
AD204061	5/8	5/8	1/4	1-1/4	5/16	2
AD204071	3/4	3/4	1/4	1-1/4	3/8	2
AD204411	3/8	3/4	1/2	1-1/2	3/16	2
AD204421	1/2	1	1/2	1-1/2	1/4	2
AD204441	3/4	1-1/4	1/2	1-1/2	3/8	2
AD204451	1	1-1/4	1/2	1-1/2	1/2	2

DOVETAIL





- Two flutes

Item No.	A	B	C	D	E
AD206006	1/4	5/16	1/4	1-1/4	7-1/2°
AD206008	5/16	3/8	1/4	1-1/4	7-1/2°
AD206011	3/8	3/8	1/4	1-1/4	9°
AD206021	1/2	1/2	1/4	1-1/4	14°
AD206061	3/4	3/4	1/4	1-1/4	14°
AD206071	3/4	7/8	1/4	1-1/4	7°

BOTTOM CLEANING

- Two flutes

Item No.	A	B	C	D
AD214011	3/4	15/32	1/4	1-1/4

PLUNGE BALL



• Two flutes

Item No.	A	B	C	D
AD208011	3/8	3/8	1/4	1-1/4
AD208021	1/2	1/2	1/4	1-1/4
AD208031	5/8	5/8	1/4	1-1/4
AD208041	3/4	3/4	1/4	1-1/4
AD208421	1/2	1/2	1/2	1-1/2
AD208431	5/8	5/8	1/2	1-1/2
AD208441	3/4	3/4	1/2	1-1/2

OGEE PLUNGE



• Two flutes
• Plunge cutting

Item No.	A	B	C	D	R	E
AD210011	3/8	3/8	1/4	1-1/4	1/16	1/8
AD210021	1/2	3/8	1/4	1-1/4	5/64	3/16
AD210411	3/8	3/8	1/2	1-1/2	1/16	1/8
AD210431	3/4	7/16	1/2	1-1/2	1/8	1/4
AD210451	1	7/16	1/2	1-1/2	1/8	3/8

CLASSICAL PLUNGE



• Two flutes
• Plunge cutting with round bottom cutter

Item No.	A	B	C	D	R
AD211011	1/2	3/8	1/4	1-1/4	3/32
AD211411	1/2	3/8	1/2	1-1/2	3/32
AD211431	1	5/8	1/2	1-1/2	7/32
AD211441	1-1/2	7/8	1/2	1-1/2	11/32

ROUNDOVER



• Two flutes
• Ball bearing guide
• 1/2" bearing

Item No.	A	B	C	D	R
*AD301008	5/8	1/2	1/4	1-1/4	1/16
AD301011	3/4	3/8	1/4	1-1/4	1/8
*AD301018	13/16	1/2	1/4	1-1/4	5/32
AD301021	7/8	3/8	1/4	1-1/4	3/16
AD301031	1	7/16	1/4	1-1/4	1/4
AD301041	1-1/8	1/2	1/4	1-1/4	5/16
AD301051	1-1/4	5/8	1/4	1-1/4	3/8
AD301061	1-1/2	3/4	1/4	1-1/4	1/2
AD301411	3/4	3/8	1/2	1-1/2	1/8
AD301431	1	7/16	1/2	1-1/2	1/4
AD301451	1-1/4	5/8	1/2	1-1/2	3/8
AD301461	1-1/2	3/4	1/2	1-1/2	1/2
*AD301471	1-3/4	7/8	1/2	1-1/2	5/8
AD301481	2	1	1/2	1-1/2	3/4
*AD301491	2-1/4	1-1/8	1/2	1-1/2	7/8
AD301501	2-1/2	1-1/4	1/2	1-3/4	1

BEADING



• Two flutes
• Ball bearing guide
• 3/8" bearing

Item No.	A	B	C	D	R
AD302011	3/4	3/8	1/4	1-1/4	1/8
AD302021	7/8	3/8	1/4	1-1/4	3/16
AD302031	1	7/16	1/4	1-1/4	1/4
AD302041	1-1/8	1/2	1/4	1-1/4	5/16
AD302051	1-1/4	5/8	1/4	1-1/4	3/8
AD302061	1-1/2	3/4	1/4	1-1/4	1/2
AD302431	1	7/16	1/2	1-1/2	1/4
AD302451	1-1/4	5/8	1/2	1-1/2	3/8
AD302461	1-1/2	3/4	1/2	1-1/2	1/2
AD302481	2	1	1/2	1-1/2	3/4
AD302491	2-1/4	1-1/8	1/2	1-1/2	7/8
AD302501	2-1/2	1-1/4	1/2	1-3/4	1
AD302521	3	1-1/2	1/2	1-3/4	1-1/4

CORNER BEAD



• Two flutes
• Ball bearing guide
• 3/8" bearing

Item No.	A	B	C	D	R1	R2
AD304411	1-1/2	1	1/2	1-1/2	1/4	1/2

RABBETING





- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D
AD307151	1-1/4	1/2	1/4	1-1/4
AD307551	1-1/4	1/2	1/2	1-1/4

RABBETING





- Two flutes
- Ball bearing guide

Item No.	A	B	C	D	Bearing
AD307161	1-3/8	1/2	1/4	1-1/4	3/8,1/2,5/8,3/4
AD307171	1-3/8	1/2	1/4	1-1/4	3/8,1/2,5/8,3/4, 7/8,1
AD307571	1-3/8	1/2	1/2	1-1/2	3/8,1/2,5/8,3/4, 7/8,1

45° CHAMFER





- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D
AD306021	1-3/16	1/2	1/4	1-1/4
AD306421	1-3/16	1/2	1/2	1-1/2
AD306431	1-7/8	5/8	1/2	1-1/2
AD306441	1-5/8	3/4	1/2	1-1/2
AD306471	2-1/4	1-1/4	1/2	1-1/2

COVE



- Two flutes
- Ball bearing guide
- 3/8" bearing

Item No.	A	B	C	D	R
AD305021	7/8	3/8	1/4	1-1/4	1/4
AD305031	1-1/8	1/2	1/4	1-1/4	3/8
AD305041	1-3/8	5/8	1/4	1-1/4	1/2
AD305411	5/8	3/8	1/2	1-1/2	1/8
AD305451	1-5/8	3/4	1/2	1-1/2	5/8
AD305461	1-7/8	7/8	1/2	1-1/2	3/4

DISH CARVING



- Two flutes

Item No.	A	B	C	D	R
AD215011	1	1/2	1/4	1-1/4	1/4
AD215411	1-1/4	1/2	1/2	1-1/2	1/4

TRADITIONAL PLUNGE





- Two flutes
- Plunge cutting with wide flat bottom cutter

Item No.	A	B	C	D	R
AD212011	1/2	3/8	1/4	1-1/4	5/64
AD212021	3/4	7/16	1/4	1-1/4	1/8

PLUNGE ROUNDOVER





- Two flutes

Item No.	A	B	C	D	R
AD213021	1	1/2	1/4	1-1/4	3/8
AD213411	3/4	3/8	1/2	1-1/2	1/4
AD213421	1	1/2	1/2	1-1/2	3/8

ROMAN OGEE



- Two flutes
- Ball bearing guide
- 3/8" bearing

Item No.	A	B	C	D	R
AD308011	1-1/16	15/32	1/4	1-1/4	5/32
AD308021	1-3/8	21/32	1/4	1-1/4	1/4

OGEE



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	R
AD309011	1-1/4	1/2	1/4	1-1/4	3/16
AD309021	1-1/2	11/16	1/4	1-1/4	1/4

OGEE FILLET



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	R
AD310011	1-3/8	9/16	1/4	1-1/4	3/16
AD310021	1-5/8	11/16	1/4	1-1/4	1/4
AD310411	1-3/8	9/16	1/2	1-1/2	3/16
AD310421	1-5/8	11/16	1/2	1-1/2	1/4

CLASSICAL OGEE



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	R
AD311011	1	1/2	1/4	1-1/4	1/8
AD311021	1-1/4	9/16	1/4	1-1/4	3/16

CLASSICAL ROMAN OGEE





- Two flutes
- Ball bearing guide
- 3/8" bearing

Item No.	A	B	C	D	R
AD312031	1-1/2	3/4	1/4	1-1/4	1/4
AD312431	1-1/2	3/4	1/2	1-1/2	1/4

CLASSICAL COVE





- Two flutes
- Ball bearing guide
- 3/8" bearing

Item No.	A	B	C	D	R
AD313011	1	1/2	1/4	1-1/4	3/16
AD313031	1-1/4	5/8	1/4	1-1/4	5/16

WAVY MOULD



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	R
AD314011	1-1/4	9/16	1/4	1-1/4	1/8

FRENCH TRADITIONAL



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D
AD315011	1-1/2	5/8	1/4	1-1/4
AD315411	1-1/2	5/8	1/2	1-1/2

FULL BEAD



- Two flutes
- Double ball bearing guide
- 5/8" bearing

Item No.	A	B	C	D	R
AD316021	1	1/2	1/4	1-1/4	3/16
AD316031	1-1/8	5/8	1/4	1-1/4	1/4

FLUTE



- Two flutes
- Double ball bearing guide
- 5/8" bearing

Item No.	A	B	C	D	R
AD317011	7/8	1/4	1/4	1-1/4	1/8
AD317021	1	3/8	1/4	1-1/4	3/16

CANOE



AD318011



- Two flutes with 1-1/2" outside diameter



AD318012

Item No.	A	B	C	D	R
AD318011	1-1/2	1/4	1/4	1-1/4	1/8
AD318012	1-1/2	1/4	1/4	1-1/4	1/8

EDGE BEADING





- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	R
AD319021	7/8	9/16	1/4	1-1/4	1/8
AD319411	13/16	1/2	1/2	1-1/2	3/32
AD319421	7/8	9/16	1/2	1-1/2	1/8
AD319471	1-3/8	1	1/2	1-1/2	3/8

LARGE BEAD & COVE



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	R
AD321411	1-1/4	1-7/16	1/2	1-3/4	3/8

TRIPLE BEAD



- Two flutes
- Ball bearing guide
- 5/8" bearing

Item No.	A	B	C	D	R
AD323011	7/8	1	1/4	1-1/4	1/8
AD323411	7/8	1	1/2	1-1/2	1/8

TRIPLE FLUTE



- Two flutes
- Ball bearing guide
- 5/8" bearing

Item No.	A	B	C	D	R
AD324011	7/8	1	1/4	1-1/4	1/8
AD324411	7/8	1	1/2	1-1/2	1/8

INTERNAL BULL NOSE



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	E
AD328011	3/4	3/8	1/4	1-1/4	1/8
AD328021	3/4	1/2	1/4	1-1/4	1/8
AD328031	13/16	5/8	1/4	1-1/4	5/32
AD328041	7/8	3/4	1/4	1-1/4	3/16
AD328411	3/4	3/8	1/2	1-1/2	1/8
AD328431	13/16	5/8	1/2	1-1/2	5/32
AD328451	7/8	7/8	1/2	1-1/2	3/16
AD328461	7/8	1	1/2	1-1/2	3/16

DOUBLE ROUNDOVER



- Three flutes
- Ball bearing guide
- 32 mm bearing

Item No.	A	B	C	D	R
AD355411	1-3/4	3/8 ~1-1/8	1/2	1-1/2	3/16

BULL NOSE - FULL RADIUS



- Two flutes

Item No.	A	B	C	D	R
AD330011	1/4	5/8	1/4	1-1/4	1/8
AD330021	3/8	11/16	1/4	1-1/4	3/16
AD330031	1/2	7/8	1/4	1-1/4	1/4
AD330411	1/4	5/8	1/2	1-1/2	1/8
AD330421	3/8	11/16	1/2	1-1/2	3/16
AD330431	1/2	7/8	1/2	1-1/2	1/4
AD330451	3/4	1-3/32	1/2	1-1/2	3/8

EXTERNAL BULL NOSE 1/2 RADIUS



- Two flutes

Item No.	A	B	C	D	E
AD329006	13/16	1/4	1/4	1-1/4	3/32
AD329008	7/8	3/8	1/4	1-1/4	1/8
AD329471	1-1/8	1-1/4	1/2	1-1/2	1/4

SMALL BEAD & RADIUS



- Two flutes
- Ball bearing guide

Item No.	A	B	C	D	R
AD361411	1	5/8	1/2	1-1/2	1/8
AD361421	1-1/4	1	1/2	1-1/2	3/16

MOULDING



- Two flutes
- Ball bearing guide for crown moulding, window casing and sills, baseboards, picture frames, & chair rails

Item No.	A	B	C	D	R	Bearing
AD351011	11/16	1	1/4	1-1/4	1/8	3/8
AD351411	15/16	1	1/2	1-1/2	1/8	1/2

CLASSICAL





- Two flutes

Item No.	A	B	C	D	R
AD352421	1	7/8	1/2	1-1/2	5/32

MOULDING



- Two flutes
- Ball bearing guide for crown moulding, window casing and sills, baseboards, picture frames, & chair rails

Item No.	A	B	C	D	R	Bearing
AD351431	1-1/16	1-5/8	1/2	1-1/2	1/8	1/2

MULTI-PROFILE



- Two flutes
- Ball bearing guide

Item No.	A	B	C	D	Bearing
AD353011	1-1/4	1	1/4	1-1/4	3/8
AD353411	2-1/4	1-7/8	1/2	1-3/4	1/2

MOULDING



- Two flutes
- Ball bearing guide for crown moulding, window casing and sills, baseboards, picture frames, & chair rails

Item No.	A	B	C	D	R	Bearing
AD351441	1	1-3/8	1/2	1-1/2	5/32	1/2

MOULDING



- Two flutes
- Ball bearing guide for crown moulding, window casing and sills, baseboards, picture frames, & chair rails

Item No.	A	B	C	D	R
AD359471	2	1	1/2	1-1/2	1/4

MOULDING



- Two flutes
- Ball bearing guide for crown moulding, window casing and sills, baseboards, picture frames, & chair rails

Item No.	A	B	C	D	R	Bearing
AD351451	1	1-11/16	1/2	1-1/2	1/8	1/2

TABLE TOP EDGE



- Two flutes
- Ball bearing guide

Item No.	A	B	C	D	Bearing
AD357011	1-3/16	3/8	1/4	1-1/4	3/8
AD357411	2-1/2	3/4	1/2	1-3/4	1/2

TABLE TOP EDGE - THUMBNAIL WITH BEAD



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D
AD357421	2-1/2	3/4	1/2	1-1/2

HAND RAIL



- Two flutes
- Ball bearing guide

Item No.	A	B	C	D	R1	R2
AD358421	1-1/4	1-1/2	1/2	1-1/2	3/8	1

TABLE TOP EDGE - FRENCH BAROQUE



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	R
AD357431	2-1/4	7/8	1/2	1-1/2	1/4

OGEE RAISED PANEL



- Two flutes
- Ball bearing guide

Item No.	A	B	C	D	R
AD404441	2-3/4	5/8	1/2	2	5/8
AD404451	3-1/2	3/4	1/2	2	5/8

TABLE TOP EDGE - CLASSICAL OGEE



- Two flutes
- Ball bearing guide
- 1/2" bearing

Item No.	A	B	C	D	R1	R2
AD357451	2-1/2	25/32	1/2	1-1/2	1/4	3/8

COVE RAISED PANEL



- Two flutes
- 1/2" bearing

Item No.	A	B	C	D
AD406421	2-1/2	1/2	1/2	1-3/4
AD406431	3-1/2	5/8	1/2	2

HAND RAIL



- Two flutes
- Ball bearing guide

Item No.	A	B	C	D	R
AD358411	1-3/8	1-1/2	1/2	1-1/2	1/8

RAISED PANEL WITH BACK CUTTER



Item No.	A	B	C	D	E
AD403411B	3-1/8	1-1/8	1/2	1-3/4	1/4

OGEE RAIL & STILE (REVERSIBLE)



- Two flutes
- Ball bearing guide
- 22 mm bearing

Item No.	A	B	C	D
AD409011	3/8	15/16	1/4	1-1/4
AD409411	3/8	15/16	1/2	1-37/64

TRADITIONAL RAIL & STILE (REVERSIBLE)



- Two flutes
- Ball bearing guide
- 22 mm bearing

Item No.	A	B	C	D
AD409031	3/8	15/16	1/4	1-1/4
AD409431	3/8	15/16	1/2	1-37/64

DOUBLE OGEE STILE & RAIL ASSEMBLY (REVERSIBLE)



- Two flutes
- Ball bearing guide
- 22 mm bearing

Item No.	A	B	C	D
AD412411	3/8	15/16	1/2	1-1/2

DOUBLE CHAMFER STILE & RAIL ASSEMBLY (REVERSIBLE)





- Two flutes
- Ball bearing guide
- 22 mm bearing

Item No.	A	B	C	D
AD412412	3/8	15/16	1/2	1-1/2

OGEE RAIL & STILE SET (2 PC SET)



- Two flutes
- Ball bearing guide
- 22 mm bearing

Item No.	A	B	C	D
AD409471	3/8	1	1/2	1-1/2

OGEE RAIL & STILE SET



- Two flutes
- Ball bearing guide
- 5/8" bearing

Item No.	A	B	C	D
AD410011	1-3/8	1	1/4	1-1/4
AD410411	1-3/8	1	1/2	1-1/2

BEAD RAIL & STILE SET



- Two flutes
- Ball bearing guide
- 5/8" bearing

Item No.	A	B	C	D
AD410431	1-3/8	1	1/2	1-1/2

CLASSICAL RAIL & STILE SET



- Two flutes
- Ball bearing guide
- 5/8" bearing

Item No.	A	B	C	D
AD410071	1-3/8	1	1/4	1-1/4
AD410471	1-3/8	1	1/2	1-1/2

KEYHOLE



Item No.	A	B	C	D	E
AD501011	3/8	1/8	1/4	1-1/4	1/4
AD501021	1/2	3/16	1/4	1-1/4	1/4

DRAWER PULL



Item No.	A	B	C	D	R1	R2
AD502011	3/4	11/16	1/4	1-1/4	3/16	3/32

DRAWER PULL



Item No.	A	B	C	D	R1	R2
AD502421	1-3/8	7/8	1/2	1-1/2	23/64	3/32

DRAWER PULL



Item No.	A	B	C	D	R1	R2
AD502431	1-1/2	7/8	1/2	1-1/2	15/32	1/16

FINGER JOINT



Item No.	A	B	C	D	Bearing
AD601411	1-3/8	1-1/2	1/2	1-1/2	3/4

FINGER JOINT





Item No.	A	B	C	D
AD602411	2-1/2	15/16	1/2	1-3/4

45° LOCK MITRE



Item No.	A	B	C	D
AD603011	1-1/2	1/2	1/4	1-1/4
AD603421	1-3/4	3/4	1/2	1-1/2
AD603431	2-3/4	1-3/16	1/2	1-3/4

OGEE VERTICAL RAISED PANEL



Item No.	A	B	C	D
AD403411A	1-1/4	1-5/8	1/2	1-1/2

GLUE JOINT





• Sold separately

Item No.	A	B	C	D
AD604411	1-1/2	1-1/8	1/2	1-1/2
AD604421	1-1/2	1-1/8	1/2	1-1/2

DRAWER LOCK





Item No.	A	B	C	D
AD605011	1-1/16	3/4	1/4	1-1/4
AD605411	1-1/16	3/4	1/2	1-1/2

TONGUE & GROOVE PARALLEL



Item No.	A	B	C	D
AD606011	1-3/16	1	1/4	1-1/4
AD606411	1-5/8	1	1/2	2

TONGUE & GROOVE V-NOTCH



• 5/8" bearing

Item No.	A	B	C	D
AD611411	1-3/8	1	1/2	1-1/2
AD611421	2	1	1/2	1-1/2

"T" SLOTTING



• Two flutes
• Ball bearing guide
• 1/2" bearing

Item No.	A	B	C	D
AD307031	1-1/4	1/4	1/4	1-1/2
AD307431	1-1/4	1/4	1/2	1-1/2

TONGUE & GROOVE ASSEMBLY ECONOMY



Item No.	A	B	C	D
AD609011	3/8	1/4	1/4	1-1/4
AD609411	3/8	1/4	1/2	1-1/2

SLOT CUTTER ASSEMBLY



• Complete assemblies
• 22 mm bearing

Item No.	A	B	C	D
AD704411	1-7/8	3/32	1/2	1-1/2
AD704421	1-7/8	1/8	1/2	1-1/2
AD704431	1-7/8	5/32	1/2	1-1/2
AD704441	1-7/8	3/16	1/2	1-1/2

SLOT CUTTERS



• Cutters only

Item No.	A	B	C
AD704811	1-7/8	3/32	5/16
AD704821	1-7/8	1/8	5/16
AD704831	1-7/8	5/32	5/16
AD704841	1-7/8	3/16	5/16
AD704851	1-7/8	1/4	5/16

ADGW1009
10 PC CARBIDE ROUTER BIT SET

- 1/4" shank
- 1-1/4" shank height
- Comes in a gorgeous wooden case with a drawer for extra storage.

Includes:
- 1/4" straight
- 1/2" straight
- 1/2" dovetail 14°
- 1/2" 90° V-groove
- 1/2" core box
- 1/2" flush trim
- 1/4"R roundover
- 1/4"R cove
- 5/32" roman ogee
- 7/8" rabbeting

ADGW1204
12 PC CARBIDE ROUTER BIT SET

- 1/4" shank

- Includes:
- 1/4" Straight Bit
- 1/2" Straight Bit
- 3/4" Straight Bit
- 1/2" Dovetail Bit 14°
- 1/2" Corebox Bit
- 1/4" Roman Ogee Bit
- 1/2" Flush Trim Bit
- 3/4" V Groove Bit,
- 1/2" Roundover Bit
- 1/2" Cove Bit
- 45° Chamfer Bit
- Rabbeting Bit,

ADGW1803
18 PC CARBIDE ROUTER BIT SET

- 1/4" shank
- 1-1/4" shank height
- Comes in a gorgeous wooden case with a drawer for extra storage.

- Includes:
- 1/4" straight
- 1/2" straight
- 5/8" straight
- 1/8"R roundover
- 1/4"R roundover
- 3/8"R roundover
- 1/2" flush trim
- 3/8" dovetail 9°
- 1/2" dovetail 14°
- 1/8"R cove
- 1/4"R cove
- 3/8"R cove
- 7° bevel trim
- 1/2" core box
- 1/2" V-groove 90°
- 5/32" roman ogee
- 1-1/4" chamfer 45°
- 1-1/4" rabbeting

ARBORS



- 22 mm bearing

Item No.	A	B	C	D
AD707011	5/16	15/16	1/4	1-1/4
AD707411	5/16	15/16	1/2	1-1/2

BEARINGS



Item No.	A	B	C
AD706011	1/4	1/8	3/32
AD706021	3/8	1/8	5/32
AD706031	3/8	3/16	1/8
AD706041	3/8	1/4	1/8
AD706051	1/2	3/16	3/16
AD706061	1/2	1/4	3/16
AD706071	5/8	1/4	3/16
AD706081	3/4	1/4	9/32
AD706091	3/4	1/2	3/16
AD706101	1-1/8	1/2	5/16
AD706111	22 mm	8 mm	7 mm

STRAIGHT



Item No.	A	B	C	Bore
AD801030	2-5/8	3/8	1/2	3/4
AD801040	2-5/8	1/2	1/2	3/4

90° V-GROOVE



Item No.	A	B	C	Bore
AD820010	2-5/8	1	1/2	3/4

TRIPLE FLUTE



Item No.	A	B	C	R	Bore
AD823010	2-5/8	1	1/2	5/64	3/4

FLUTE / COVE



Item No.	A	B	C	R	Bore
AD802030	2-5/8	3/8	1/2	3/16	3/4
AD802040	2-5/8	1/2	1/2	1/4	3/4
AD802060	2-5/8	3/4	1/2	3/8	3/4

ROMAN OGEE



Item No.	A	B	C	R	Bore
AD806010	2-5/8	3/4	1/2	1/4	3/4

TRIPLE BEAD



Item No.	A	B	C	R	Bore
AD824010	2-5/8	1	1/2	5/64	3/4

HALF ROUND



Item No.	A	B	C	R	Bore
AD803040	2-5/8	13/16	1/2	1/4	3/4

CLASSIC BEAD



Item No.	A	B	C	R1	R2	Bore
AD808010	2-5/8	1	1/2	5/32	3/16	3/4

GLUE JOINT



Item No.	A	B	C	Bore
AD825010	2-5/8	1-3/16	1/2	3/4

QUARTER ROUND



Item No.	A	B	C	R	Bore
AD804040	2-3/4	3/4	1/2	1/2	3/4

FEMALE SASH



Item No.	A	B	C	R	Bore
AD817010	2-5/8	19/32	1/2	1/8	3/4

WEDGE TONGUE



Item No.	A	B	C	Bore
AD829010	2-5/8	1	1/2	3/4

1/4 & 1/2 ROUND



Item No.	A	B	C	R1	R2	Bore
AD805010	2-5/8	1	1/2	1/4	1/2	3/4

MALE SASH



Item No.	A	B	C	R	Bore
AD818010	2-5/8	5/8	1/2	1/8	3/4

WEDGE GROOVE



Item No.	A	B	C	Bore
AD830010	2-5/8	1	1/2	3/4

OGEE



Item No.	A	B	C	R	Bore
AD831010	3-1/4	3/4	1/2	1/2	3/4

CONCAVE RAIL & STILE SET

Item No.	Diametre	Height
AD854010	3-1/8	1-3/8

Bushing	Bore
1/2	3/4

OGEE RAISED PANEL



Item No.	A	B	C	D	Bore
AD863060	5	5/8	1/2	1-1/2	3/4
AD863120	5-1/2	5/8	1	1-1/2	1-1/4

LOCK MITRE



Item No.	A	B	C	Bore
AD828010	3-5/8	1-1/32	1/2	3/4

BUSHING

AD89905
- For cutter head 3/4" -1"

CONCAVE RAISED PANEL



Item No.	A	B	C	D	Bore
AD865060	5	5/8	1/2	1-1/2	3/4
AD865120	5-1/2	5/8	1	1-1/2	1-1/4

AD89000
1-1/4" UNIVERSAL SHAPER CUTTERHEAD

- Designed to fit 1-1/4" shaper spindles
- 13 interchargable profile cutter sets
- 2 positioning pins and wedge block ensure accurate and secure cutter placement

Item No.	Page
10011	26
10925	27
10930	26
10934	26
10940	26
10955	27
12010	23
12016	23
12017	23
12019	23
12020	24
12021	25
12023	24
12025	24
12028	25
12033	25
12040	23
12044	24
12046	24
12050	24
12054	25
12057	25
12060	22
12061	22
12062	22
12063	22
12064	22
12066	22
12067	22
12068	22
12070	22
12072	22
12400	22
12401	22
12402	22
12403	22
12404	22
12405	22
12406	22
12407	22
12408	22
12409	22
12420	22
12421	22
12422	22
12423	22
12424	22
12425	22
12426	22
12427	22
12430	22
12431	22
12432	22
12433	22
12434	22
12435	22
12436	22
12450	22
12451	22
12453	22
12454	22
12600	22
12601	22
12602	22
12603	22
12604	22
12605	22
12606	22
12607	22
13905	39
13907	39
13910	38
13912	39
13914	39
13915	39
13921	38
13923	38
13924	38
13926	38
13927	38
13928	38
13929	38
13932	38
13934	38
13935	38
13937	38
13944	38
13960	39
13962	39
13964	39
13990	35
13992	35
14001	39
14005	39
14020	37
14022	37
14025	39
14028	37
14031	34
14032	35
14033	35
14034	34
14035	34
14036	34
14037	35
14038	34
14040	33
14041	32
14042	33
14043	32
14044	33
14046	33
14048	33
14052	120
14056	120
14070	32
14072	32
14074	33
14075	32
14076	32
14078	34
14079	35
14080	34
14081	32
14082	33
14084	33
14085	32
14087	31
14090	29
14091	29
14106	29
14107	29
14114	28
14115	28
14116	28
14128	28
14130	28
14132	28
14133	28
14134	28
14140	120
14170	29
14172	29
14181	29
14182	29
14184	29
14191	29
14231	37
14237	37
14238	37
14239	37
14240	36
14242	36
14243	36
14244	36
14246	36
14248	36
14250	36
14252	36
14254	36
14256	36
14258	36
14260	36
14262	36
14264	36
14266	36
14268	36
14270	36
14272	36
14274	36
14276	36
14278	36
14280	36
14282	36
14284	36
14286	36
14288	36
14290	36
14291	36
14292	36
14293	36
14294	36
14295	36
14297	36
14298	36
14299	37
14301	39
14302	19
14303	19
14440	119
14888	35
14892	35
14893	35
14894	35
14898	34
14905	30
14906	30
14907	30
14908	30
14910	30
14911	30
14912	30
14915	30
14916	30
14917	30
14920	31
14921	31
14923	31
14925	31
14928	37
14929	37
14930	30
14931	30
14932	30
14933	30
14935	30
14936	30
14937	30
14938	30
14940	31
14950	30
14951	30
14952	30
14960	30
14961	30
14962	30
14970	30
15000	120
15004	120
15006	120
15008	120
15020	120
17005	117
17008	117
17010	117
17012	116
17015	117
17016	117
17018	117
17020	115
17022	115
17025	115
17027	115
17030	115
17035	114
17040	116
17042	116
17045	116
17050	115
17052	115
17060	116
17063	116
17065	116
17080	114
17080	114
17082	114
17082	114
17108	118
17112	118
17120	118
17122	118
17125	118
17130	118
17135	118
17137	114
17140	114
18018	114
18030	114
18032	114
18036	114
18728	114
18903	119
18906	119
18912	119
18921	119
18936	119
18941	119
18947	119
18948	119
19100	45
19110	45
20010	121
20012	121
21002	125
21005	125
21007	125
21008	125
21010	125
21012	125
21013	125
21014	125
21020	125
21022	125
21023	125
21030	125
21031	125
21032	125
21034	125
21041	125
21043	125
21046	125
21048	125
22011	123
22013	123
22014	123
22016	123
22030	123
22032	123
22034	123
22036	123
22040	122
22042	122
22044	122
22046	122
22050	122
22052	122
22054	122
22057	122
22059	122
22062	123
22072	122
22078	122
22080	122
22124	124
22126	124
22128	124
22160	124
22170	124
22182	124
22186	124
22320	120
22322	120
22329	121
22355	10
22360	10
22400	112
22402	112
22406	112
22418	112
22420	112
22425	112
22426	112
22510	126
22515	126
22517	126
22520	126
22522	126
22530	126
22535	126
22540	126
22545	126
22550	45
22552	45
22554	45
22560	45
22561	45
24010	121
24013	121
24018	121
24020	121
24100	126
24102	126
24103	126
24104	126
24110	126
24112	126
24113	126
24114	126
24121	126
24122	126
24124	126
24131	126
24132	126
24134	126
24140	126
24142	126
24144	126
24150	126
24152	126
24154	126
25601	89
25602	89
25603	89
25604	89
25606	89
25608	89
25609	89
25611	89
25612	89
25614	89
25618	89
25620	89
25625	89
25626	89
25628	89
25629	89
25638	89
25640	89
25642	89
25644	89
25651	89
25653	89
25656	89
25701	88
25703	88
25704	88
25705	88
25706	88
25711	88
25713	88
25714	88
25715	88
25716	88
25718	88
25720	88
25730	88
25731	88
25732	88
25733	88
25734	88
25740	88
25741	88
25742	88
25743	88
25744	88
25800	88
25802	88
25804	88
26039	89,146
26154	81
26155	81
26164	81

Item No.	Page
26165	81
26174	81
26175	81
26177	81
26179	81
26192	80
26196	80
26204	79
26205	79
26207	79
26208	79
26210	79
26223	79
26224	79
26225	79
26227	79
26228	79
26230	79
26232	79
26234	79
26243	79
26244	79
26245	79
26247	79
26248	79
26250	79
26264	79
26265	79
26267	79
26270	79
26274	81
26276	81
26277	81
26278	81
26279	81
26283	79
26284	79
26287	79
26290	79
26298	80
26299	80
26402	83
26403	83
26404	83
26406	83
26412	83
26413	83
26414	83
26416	83
26422	83
26423	83
26424	83
26426	83
26432	83
26434	83
26440	82
26452	82
26456	82
26458	82
26460	82
26462	82
26704	84
26706	84
26708	84
26710	84
26714	84
26716	84
26718	84
26720	84
26724	84
26726	84
26728	84
26730	84
26734	84
26738	84
26800	85
26805	85
26902	80
26911	80
26912	80
26913	80
26914	80
26915	80
26916	80
26917	80
26918	80
26919	80
28002	43
28003	43
28010	44
28044	43
28046	43
28121	43
28123	43
28130	44
28150	44
28152	44
28160	44
28162	44
28166	44
28169	44
28172	44
28174	44
28176	44
28177	44
28189	44
28192	44
28194	44
28196	44
28225	44
28230	42
28235	43
28300	42
28302	42
28304	42
28306	42
28312	42
28314	42
28334	42
28342	42
28346	42
28349	40
28352	41
28354	41
28356	41
28361	42
28370	42
28374	42
28380	42
28383	42
28385	40
28386	40
28394	42
28396	42
28403	41
28404	41
28410	41
28412	41
28414	41
28416	41
28418	41
28427	43
28531	40
28535	40
28538	40
28539	40
28543	40
28544	40
30910	48
31001	49
31002	49
31004	49
31005	49
31006	49
31007	49
31010	49
31011	49
31015	49
31017	49
31020	50
31022	50
31026	50
31030	48
31040	48
31041	51
31042	51
31044	51
31045	51
31047	17
31049	17
31050	50
31060	48
31062	48
31070	50
31305	51
31310	51
31315	51
31320	51
31325	51
32113	132
32137	134
32147	135
32156	134
32390	132
32392	132
32400	135
32407	134
32410	133
32412	133
32416	133
32418	133
32424	133
32430	133
32434	133
32436	134
32440	134
32450	135
32451	135
32455	135
32457	135
32460	135
34010	15
34020	15
34024	15
34047	14
34060	15
34072	14
34078	15
34080	16
34082	16
34092	14
34093	14
34096	16
34105	16
34200	12
34210	12
34215	13
34220	13
36015	59
36016	59
36018	56
36019	87
36022	59
36024	59
36030	60
36032	60
36035	64
36037	64
36040	60
36072	60
36075	55
36077	55
36080	55
36090	59
36092	59
36100	58
36102	58
36104	58
36106	58
36108	58
36110	58
36112	58
36114	58
36116	58
36118	58
36120	58
36122	58
36124	58
36126	58
36128	58
36130	58
36132	58
36134	58
36136	58
36138	58
36140	58
36142	58
36144	58
36146	58
36148	58
36150	58
36152	58
36154	58
36156	58
36158	58
36160	58
36162	58
36164	58
36170	58
36173	58
36200	56
36202	56
36204	56
36206	56
36210	56
36214	56
36216	56
36218	56
36219	61
36220	56
36222	56
36224	56
36226	56
36228	56
36230	56
36232	56
36240	56
36242	56
36244	56
36246	56
36249	56
36260	98
36262	98
36270	54
36272	54
36274	54
36276	54
36285	53
36310	61
36325	57
36328	57
36330	57
36340	65
36342	65
36360	64
36361	64
36362	64
36363	64
36364	64
36365	64
36367	64
36368	64
36369	64
36370	64
36371	64
36372	64
36373	64
36374	64
36380	64
36382	64
36383	64
36384	64
36385	64
36386	64
36387	64
36388	64
36389	64
36390	64
36391	64
36392	64
36400	63
36400	63
36402	63
36402	63
36406	63
36406	63
36408	63
36408	63
36420	63
36520	87
36521	87
36522	87
36524	87
36526	87
36528	87
36530	87
36614	65
36616	65
36618	65
36620	65
36622	65
36624	65
36625	65
36626	65
36636	65
36638	65
36640	65
36900	56
37002	55
37005	55
37015	53
37100	53
37105	53
37110	53
37115	53
37155	52
37160	52
37160	104
37165	104
37170	52
37175	52
37180	52
37185	52
37190	52
37195	53
37205	53
37210	54
37302	54
37321	54
37322	54
37323	54
37341	54
37342	54
37343	54
37361	54
37362	54
37363	54
37422	54
37440	54
37462	54
37488	55
37491	55
37492	55
37493	55
37495	55
37497	55
37498	55
38002	151
38004	152
38006	152
38022	151
38027	151
38070	153
38072	153
38074	153
38075	153
38077	153
38080	153
38081	153
38082	153
38084	153
38085	153
38086	153
38090	153
38092	153
38094	153
38096	153
38100	153
38110	153
38112	153
38115	153
38125	153
38127	153
38128	153
38134	153
38139	153
38140	153
38142	153
38145	153
38146	153
38147	153
38148	153

Item No.	Page
38149	153
38150	153
38152	153
38160	153
38165	153
38170	152
38175	152
38179	152
38180	152
38182	152
38185	155
38185	155
38190	155
38190	155
38193	153
38194	153
38195	153
38200	153
38205	153
38210	153
38215	152
38217	152
38220	152
38222	152
38224	152
38229	152
38230	152
38231	152
38233	152
38234	152
38239	153
38240	153
38241	153
38245	153
38249	153
38270	152
38272	152
38274	152
38275	152
38280	152
38283	152
38290	152
38300	153
38305	153
38310	153
38315	153
38320	153
38325	153
38340	153
38345	153
38350	153
38360	153
38380	153
38384	153
38386	153
38405	153
38407	153
38410	153
38420	153
38430	153
38435	153
38437	153
38448	154
38449	154
38450	154
38470	155
38475	155
38480	155
38485	155
38490	155
38495	155
38500	156

Item No.	Page
38505	156
38515	156
38520	156
38525	156
38530	156
38535	156
38540	156
38560	156
38570	156
38590	154
38591	154
38595	154
38596	154
38600	154
38601	154
38602	154
38603	154
38604	154
38605	154
38606	154
38607	154
38610	154
38615	154
38620	154
38625	154
38630	154
38635	154
38640	154
38645	154
38655	154
38660	154
38665	154
38670	154
38675	154
38680	154
38685	154
38690	154
38695	154
38700	154
38705	154
38720	152
38730	152
38735	152
38785	154
38795	154
38797	154
38802	156
38804	156
38806	156
38809	156
38812	156
38815	156
38820	156
38825	155
38830	155
38835	155
38840	155
38845	156
38850	154
38855	154
38860	154
38865	154
38870	155
38875	155
38880	155
38885	155
38890	155
38895	155
38900	155
38905	155
38910	155
38915	155

Item No.	Page
38925	154
38930	155
38935	156
38940	156
38942	156
38945	156
38950	156
39000	155
39005	155
39010	155
39015	155
39020	155
39025	155
39030	155
39045	157
39055	157
39060	157
39100	157
39105	157
39110	157
39115	157
39120	157
39125	157
39130	157
39135	157
39140	157
39145	157
39150	157
39155	157
39200	155
39220	155
39225	155
39230	155
39235	155
39240	155
39245	155
40002	71
40005	71
40013	70
40014	70
40015	72
40017	72
40028	71
40031	70
40032	70
40033	72
40034	70
40035	71
40043	72
40053	72
40060	71
40064	71
40070	72
40210	72
40212	72
40215	72
40216	72
40220	72
40222	72
40224	72
40227	72
40316	70
40318	70
40322	71
40335	70
40419	76
40429	76
40430	76
40431	76
40432	76
40433	76
40434	76

Item No.	Page
40435	76
40440	75
40442	75
40443	75
40444	76
40446	75
40447	75
40448	76
40449	75
40450	73
40452	73
40453	74
40456	73
40457	74
40458	73
40460	73
40462	74
40480	73
40482	74
40715	77
40726	77
40727	77
40804	65
40806	65
40807	61
40808	61
40809	61
40884	63
40910	62
40912	62
40914	62
40916	62
40918	62
40922	63
40925	63
40927	63
40929	63
40931	63
40933	63
40935	63
40937	63
40939	63
40941	63
40943	63
40944	63
40946	63
40947	63
40949	63
40950	63
40951	63
40952	63
40954	63
40956	63
40957	63
40958	63
40959	63
40960	63
40961	63
40962	63
40964	63
40966	63
40968	63
40970	63
40972	63
40976	63
40978	63
40980	63
40982	63
40986	63
40988	63
40989	63
41010	68

Item No.	Page
41012	68
41014	69
41015	69
41016	69
41020	69
41110	68
41111	68
41112	68
41113	68
41114	68
41115	68
41116	68
41117	68
41118	68
41119	68
41125	68
41130	68
41131	68
41132	68
41133	68
41134	68
41135	68
41136	68
41137	68
41138	68
41139	68
41145	68
41500	142
41545	142
42006	150
42010	150
42012	150
42014	150
42016	150
42018	150
42020	150
42022	150
42024	150
42026	150
42030	150
42040	150
42100	151
42122	151
42132	151
43952	11
43960	11
43962	11
44000	11
44013	19
44014	19
44016	98
44021	98
44023	98
44024	98
44025	98
44035	137
44036	137
44045	142
44100	100
44104	100
44106	100
44108	100
44110	100
44114	100
44116	100
44118	100
44120	100
44122	100
44126	100
44128	100
44134	100
44136	100

Item No.	Page
44142	100
44162	100
44166	100
44172	100
44208	98
44300	149
44303	149
44306	149
44310	149
44400	96
44402	96
44406	96
44408	96
44410	96
44412	96
44425	95
44427	95
44430	95
44516	90
44517	90
44560	95
44561	95
44600	93
44610	93
44615	93
44620	93
44625	93
44630	93
44635	93
44640	93
44645	93
44650	93
44652	93
44654	93
44656	93
44658	93
44660	93
44670	93
44680	93
44701	97
44702	97
44703	97
44704	97
44705	97
44707	97
44708	97
44711	97
44712	97
44713	97
44714	97
44715	97
44717	97
44718	97
44742	97
44743	97
44744	97
44746	97
44747	97
44780	97
44782	97
44784	97
44786	97
44788	97
44801	97
44802	97
44803	97
44804	97
44806	97
44811	97
44812	97
44813	97
44814	97

Item No.	Page
44821	97
44822	97
44823	97
44824	97
44850	97
44851	97
44852	97
44853	97
44854	97
44860	97
44861	97
44862	97
44863	97
44864	97
44870	97
44871	97
44872	97
44873	97
44880	97
44881	97
44882	97
44883	97
44891	97
44893	97
44896	97
44898	97
44901	149
44903	149
44904	149
44906	149
45100	91
45102	91
45106	91
45108	91
45110	91
45112	91
45117	91
45118	91
45121	91
45122	90
45124	90
45125	90
45134	90
45136	90
45138	90
45140	90
45142	90
45144	90
45146	90
45148	90
45150	90
45152	90
45154	90
45156	90
45162	90
45164	92
45166	92
45170	92
45172	92
45174	92
45176	92
45178	92
45180	92
45182	92
45184	92
45186	92
45188	92
45190	92
45192	92
45194	92
45196	92
45198	92

Item No.	Page
45202	91
45207	91
45210	91
45212	91
45218	49
45220	90
46837	67
46838	67
46840	67
46863	67
46865	67
46900	67
46902	67
46906	67
46907	67
46908	67
46909	67
46912	67
46913	67
46914	67
46915	67
46918	67
46919	67
46920	67
46921	67
46924	67
46930	67
46932	67
46934	67
46936	67
46938	67
46940	67
46944	67
46946	66
46948	66
47362	107
47400	107
48010	106
48011	106
48012	106
48013	106
48014	106
48015	106
48016	106
48020	106
48021	106
48022	106
48025	106
48030	106
48031	106
48032	106
48035	106
48036	106
48037	106
48040	106
48041	106
48042	106
48043	106
48046	107
48047	107
48048	107
48050	106
48051	106
48052	106
48053	106
48054	106
48055	106
48057	106
48059	106
48060	107
48061	107
48062	107

Item No.	Page
48063	107
48064	107
48065	107
48066	107
48067	107
48068	107
48069	107
48071	107
48072	107
48073	107
48075	107
48080	107
48081	107
48083	107
48084	107
48086	107
48087	107
48090	106
48092	106
48200	105
48215	105
48218	105
48233	10
48302	21
48304	21
48307	21
48310	21
48312	21
48316	21
48320	21
48320	107
48326	21
48340	21
48345	87
48350	87
48351	87
48352	87
48353	87
48354	87
48356	87
48357	87
48358	87
48359	87
48360	87
48362	87
48363	87
48364	87
48365	87
48366	87
48367	87
48368	87
48380	86
48381	86
48382	86
48383	86
48384	86
48385	86
48386	86
48387	86
48388	86
48389	86
48390	86
48391	86
48401	86
48402	86
48404	86
48406	86
49020	19
49030	19
49990	9
49995	9
50001	9

Item No.	Page
50002	9
50003	9
50004	9
50005	9
50006	9
50008	9
50009	9
50020	9
50022	9
50024	6
50029	6
50030	6
50040	6
50042	6
50044	6
50046	6
50048	6
50061	6
50100	5
50102	5
50103	5
50106	5
50108	5
50109	5
50112	5
50116	5
50118	5
50120	5
50122	5
50123	5
50124	5
50125	5
50126	5
50127	5
50128	5
50129	5
50131	2
50132	2
50148	7
50150	7
50151	7
50172	7
50174	7
50176	7
50178	7
50200	4
50202	4
50208	4
50210	4
50212	4
50214	4
50216	4
50218	4
50220	4
50222	4
50224	4
50230	4
50232	4
50234	4
50236	4
50238	4
50240	4
50242	4
50244	4
50246	4
50248	4
50250	147
50252	147
50302	2
50304	2
50306	2
50308	2

Item No.	Page
50310	2
50329	4
50330	4
50332	4
50334	4
50336	4
50338	4
50339	4
50341	4
50342	4
50380	9
50382	9
50386	9
50388	9
50421	2
50440	2
50441	2
50442	2
50443	2
50444	2
50445	2
50471	3
50472	3
50473	3
50474	3
50475	3
50476	3
50477	3
50479	3
50490	6
50820	8
50825	8
50827	8
50828	8
50829	8
50835	8
50837	8
50839	8
50844	8
50845	8
50847	8
50850	8
50853	8
50855	8
53002	95
53004	95
53005	95
53010	95
53012	95
53020	95
53021	95
53022	95
53030	94
53034	94
53040	94
53042	94
53044	94
54017	145
54023	77
54024	77
54044	149
54046	149
54050	149
54060	149
54070	142
54080	150
54202	146
54206	146
54208	146
54216	146
54218	146
54236	146

Item No.	Page
54238	146
54240	146
54242	146
54244	146
54246	146
54248	146
54252	146
54254	146
54270	146
54272	146
54274	146
54275	146
54276	146
54278	146
54280	146
54282	146
54284	146
54287	146
54289	53
54289	146
54300	141
54302	141
54303	141
54304	141
54306	141
54307	141
54308	141
54310	141
54502	149
54520	150
54525	150
54530	141
56004	99
56006	99
56008	99
56012	99
56018	99
56020	99
56026	99
56030	101
56034	101
56036	101
56060	101
56065	101
56067	101
56070	103
56072	103
56074	103
56077	103
56078	103
56080	102
56081	102
56084	102
56085	102
56087	102
56090	102
56092	102
56094	102
56096	102
56098	102
56100	98
56102	98
56104	98
56108	98
56110	98
56112	98
58014	136
58015	136
58016	136
58020	136
58021	136
58022	136

Item No.	Page
58030	136
58032	136
58034	136
58040	137
58042	137
58045	137
58056	137
58058	137
60002	139
60004	139
60006	139
60007	139
60008	139
60010	139
60012	139
60014	139
60015	139
60016	139
60017	139
60018	139
60020	138
60022	138
60024	138
60026	138
60032	138
60039	138
60040	138
60041	138
60042	138
60044	138
60046	138
60048	138
60049	138
60050	138
60052	138
60054	138
60056	138
60058	138
60060	138
60062	138
60064	138
60066	138
60068	138
60070	138
60072	138
60080	139
60090	138
60092	138
60094	138
60096	138
60102	138
60104	138
60105	138
60106	138
60112	138
60114	138
60117	138
60120	138
60122	138
60124	138
60130	140
60132	140
60152	140
60153	140
60154	140
60156	140
60158	140
60160	140
60162	140
60164	140
60170	140
60172	140

Item No.	Page
60174	140
60176	140
60180	140
60182	140
60184	140
60186	140
60188	140
60190	140
60192	140
60194	140
60198	140
60210	140
60215	140
70004	20
70006	20
70007	20
70015	20
70020	17
70032	53
70046	43
70070	10
70090	17
70095	17
70099	17
70100	17
70101	108
70102	104
70110	104
70112	104
70116	104
70140	104
70142	104
70150	104
70210	147
70211	111
70212	111
70213	110
70214	110
70215	110
70227	111
70230	108
70231	108
70232	108
70233	108
70235	108
70236	108
70237	108
70238	108
70239	108
70240	108
70241	108
70242	108
70243	108
70244	108
70246	108
70247	108
70248	108
70249	108
70250	108
70251	108
70255	113
70258	108
70260	112
70264	111
70265	111
70266	111
70267	111
70268	111
70269	111
70270	111
70272	111
70273	110

Item No.	Page
70275	113
70276	113
70277	113
70278	113
70280	112
70281	112
70282	112
70284	109
70286	109
70288	109
70289	110
70290	110
70291	110
70292	110
70293	110
70294	113
70296	113
70297	113
70299	113
70300	18
70302	18
70304	18
70310	18
70320	18
70323	18
70324	18
70380	18
70425	19
70430	18
70435	18
70440	19
70442	19
70444	19
70446	19
70448	19
70450	19
70452	19
70454	19
70460	19
70500	46
70502	46
70503	46
70504	46
70505	46
70506	46
70508	46
70510	46
70514	46
70516	46
70522	46
70530	46
70600	47
70601	47
70604	47
70605	47
70610	47
70614	47
70615	47
70630	47
70634	47
70636	47
70650	46
72005	128
72006	128
72008	128
72010	128
72015	128
72016	128
72018	128
72020	128
72021	128
72022	128

Item No.	Page
72023	128
72024	128
72025	128
72027	128
72029	128
72030	128
72032	128
72035	131
72036	131
72037	131
72040	129
72042	129
72045	129
72048	128
72050	130
72052	130
72053	130
72054	130
72055	130
72060	130
72065	130
72070	131
72072	131
80010	148
80020	148
80030	148
80095	141
80100	141
80101	141
80102	141
80110	141
80112	142
80120	142
80210	147
80216	147
80218	147
80222	145
80226	145
80230	145
80236	145
80280	144
80281	144
80284	144
80285	144
80302	145
80306	145
80400	142
80405	142
80501	105
80525	143
80550	66
80552	66
80553	143
80555	143
80560	143
80585	143
80590	143
80594	143
80620	142
80700	103
80702	103
80710	103
92170	127
92172	127
92174	127
92176	127
92179	127
AD301008	161
AD301018	161
AD301471	161
AD301491	161
AD103013	159

Item No.	Page
AD103023	159
AD103033	159
AD103043	159
AD103053	159
AD103073	159
AD103083	159
AD1044105	159
AD104411	159
AD104421	159
AD104431	159
AD104441	159
AD104451	159
AD104455	159
AD104457	159
AD104459	159
AD104473	159
AD104487	159
AD104493	159
AD106413	159
AD106434	159
AD107011	159
AD107021	159
AD107031	159
AD107041	159
AD108011	159
AD108021	159
AD108031	159
AD108411	159
AD108421	159
AD151006	159
AD151010	159
AD151011	159
AD151021	159
AD151421	159
AD151451	159
AD151461	159
AD152007	160
AD152009	160
AD152411	160
AD152421	160
AD152441	160
AD154007	160
AD154411	160
AD156011	159
AD156021	159
AD156031	159
AD156041	159
AD156051	159
AD201021	160
AD201041	160
AD201441	160
AD202011	160
AD204011	160
AD204021	160
AD204031	160
AD204041	160
AD204051	160
AD204061	160
AD204071	160
AD204411	160
AD204421	160
AD204441	160
AD204451	160
AD206006	160
AD206008	160
AD206011	160
AD206021	160
AD206061	160
AD206071	160
AD208011	161
AD208021	161
AD208031	161

Item No.	Page
AD208041	161
AD208421	161
AD208431	161
AD208441	161
AD210011	161
AD210021	161
AD210411	161
AD210431	161
AD210451	161
AD211011	161
AD211411	161
AD211431	161
AD211441	161
AD212011	162
AD212021	162
AD213021	162
AD213411	162
AD213421	162
AD214011	160
AD215011	162
AD215411	162
AD301011	161
AD301021	161
AD301031	161
AD301041	161
AD301051	161
AD301061	161
AD301411	161
AD301431	161
AD301451	161
AD301461	161
AD301481	161
AD301501	161
AD302011	161
AD302021	161
AD302031	161
AD302041	161
AD302051	161
AD302061	161
AD302431	161
AD302451	161
AD302461	161
AD302481	161
AD302491	161
AD302501	161
AD302521	161
AD304411	161
AD305021	162
AD305031	162
AD305041	162
AD305411	162
AD305451	162
AD305461	162
AD306021	162
AD306421	162
AD306431	162
AD306441	162
AD306471	162
AD307031	170
AD307151	162
AD307161	162
AD307171	162
AD307431	170
AD307551	162
AD307571	162
AD308011	163
AD308021	163
AD309011	163
AD309021	163
AD310011	163
AD310021	163
AD310411	163

Item No.	Page
AD310421	163
AD311011	163
AD311021	163
AD312031	163
AD312431	163
AD313011	163
AD313031	163
AD314011	163
AD315011	163
AD315411	163
AD316021	164
AD316031	164
AD317011	164
AD317021	164
AD318011	164
AD318012	164
AD319021	164
AD319411	164
AD319421	164
AD319471	164
AD321411	164
AD323011	164
AD323411	164
AD324011	165
AD324411	165
AD328011	165
AD328021	165
AD328031	165
AD328041	165
AD328411	165
AD328431	165
AD328451	165
AD328461	165
AD329006	165
AD329008	165
AD329471	165
AD330011	165
AD330021	165
AD330031	165
AD330411	165
AD330421	165
AD330431	165
AD330451	165
AD351011	166
AD351411	166
AD351431	166
AD351441	166
AD351451	166
AD352421	166
AD353011	166
AD353411	166
AD355411	165
AD357011	166
AD357411	166
AD357421	167
AD357431	167
AD357451	167
AD358411	167
AD358421	167
AD359471	166
AD361411	165
AD361421	165
AD403411A	169
AD403411B	167
AD404441	167
AD404451	167
AD406421	167
AD406431	167
AD409011	168
AD409031	168
AD409411	168
AD409431	168
AD409471	168
AD410011	168
AD410071	168
AD410411	168
AD410431	168
AD410471	168
AD412411	168
AD412412	168
AD501011	169
AD501021	169
AD502011	169
AD502421	169
AD502431	169
AD601411	169
AD602411	169
AD603011	169
AD603421	169
AD603431	169
AD604411	170
AD604421	170
AD605011	170
AD605411	170
AD606011	170
AD606411	170
AD609011	170
AD609411	170
AD611411	170
AD611421	170
AD704411	170
AD704421	170
AD704431	170
AD704441	170
AD704811	170
AD704821	170
AD704831	170
AD704841	170
AD704851	170
AD706011	171
AD706021	171
AD706031	171
AD706041	171
AD706051	171
AD706061	171
AD706071	171
AD706081	171
AD706091	171
AD706101	171
AD706111	171
AD707011	171
AD707411	171
AD801030	172
AD801040	172
AD802030	172
AD802040	172
AD802060	172
AD803040	172
AD804040	172
AD805010	172
AD806010	172
AD808010	172
AD817010	172
AD818010	172
AD820010	172
AD823010	172
AD824010	172
AD825010	172
AD828010	173
AD829010	172
AD830010	172
AD831010	173
AD854010	173
AD863060	173
AD863120	173
AD865060	173
AD865120	173
AD89000	173
AD89905	173
ADGW1009	171
ADGW1204	171
ADGW1803	171
W000800	92
W000802	92
W000804	92
W000806	92
W000808	92
W000810	92