



# ***LOAD SECUREMENT***

*ROPES*

*TIE DOWNS/BUNGEE CORDS*



# ROPES



## POLYPROPYLENE DIAMOND BRAIDED ROPE

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating diamond braided for extra strength
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Floats in water
- Sold in 24 PC display box (assorted colors)

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001560-50	1/4"	50'	146 lbs (66 kg)	440 lbs (200 kg)
R001560DSP	1/4"	50'	146 lbs (66 kg)	440 lbs (200 kg)
R001570-100	1/4"	100'	146 lbs (66 kg)	440 lbs (200 kg)
R001570DSP	1/4"	100'	146 lbs (66 kg)	440 lbs (200 kg)
R001575-50	3/8"	50'	146 lbs (66 kg)	440 lbs (200 kg)
R001575DSP	3/8"	50'	146 lbs (66 kg)	440 lbs (200 kg)
R001580-100	3/8"	100'	146 lbs (66 kg)	440 lbs (200 kg)
R001580DSP	3/8"	100'	146 lbs (66 kg)	440 lbs (200 kg)
R001585-50	1/2"	50'	220 lbs (100 kg)	660 lbs (299 kg)
R001585DSP	1/2"	50'	220 lbs (100 kg)	660 lbs (299 kg)



## POLYPROPYLENE DIAMOND BRAIDED ROPE - CAMOUFLAGE

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Floats in water
- Stored in handy reel
- Sold in 12 PC display box

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001515DSP	1/4"	50'	50 lbs (23 kg)	150 lbs (68 kg)
R001518-50	3/8"	50'	150 lbs (68 kg)	450 lbs (204 kg)
R001518DSP	3/8"	50'	150 lbs (68 kg)	450 lbs (204 kg)



### 5/32" X 66' POLYPROPYLENE DIAMOND BRAIDED ROPE

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating diamond braided for extra strength
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Floats in water
- On a handy reel
- Sold in 24 PC display box (assorted colors)

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001550DSP	5/32"	66'	73 lbs (33 kg)	220 lbs (100 kg)



### 1/4" X 50' POLYPROPYLENE DIAMOND BRAIDED ROPE

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating diamond braided for extra strength
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Floats in water
- On a handy reel
- Sold in 24 PC display box (assorted colors)

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001555DSP	1/4"	50'	73 lbs (33 kg)	220 lbs (100 kg)



### 1/4" X 50' POLYPROPYLENE DIAMOND BRAIDED ROPE - REFLECTIVE

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating diamond braided for extra strength
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Floats in water
- Reflective
- Sold in 12 PC display box (assorted colors)

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001520DSP	1/4"	50'	100 lbs (45 kg)	300 lbs (136 kg)





### 3/8" X 100' POLYPROPYLENE DIAMOND BRAIDED ROPE WITH 2 CARABINERS

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Comes with a carabiner on each end

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001583-100	3/8"	100'	220 lbs (100 kg)	1100 lbs (499 kg)



### 3/16" X 100' POLYPROPYLENE DIAMOND BRAIDED CLOTHESLINE

- Cotton/synthetic fibers
- Soft to handle and holds knots well

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001495A	3/16"	100'	158 lbs (72 kg)	475 lbs (216 kg)



### POLYPROPYLENE PARACORD

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating
- Lightweight and strong. Maximum durability
- R001620DSP sold in 24 PC display box (6 PC of blue, red yellow, camouflage)

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001620-50	5/32"	50'	183 lbs (83 kg)	550 lbs (250 kg)
R001620DSP	5/32"	50'	183 lbs (83 kg)	550 lbs (250 kg)





## POLYPROPYLENE HOLLOW BRAIDED ROPE

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Floats in water

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001961-50	3/8"	50'	416 lbs (189 kg)	1250 lbs (568 kg)



## NYLON DIAMOND BRAIDED ROPE

- Nylon/polypropylene superior strength
- Resist to rot and mildew, acid, oil, gas, abrasion, and weather

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001465-50	3/16"	50'	158 lbs (72 kg)	474 lbs (215 kg)
R001466-50	1/4"	50'	333 lbs (151 kg)	1000 lbs (454 kg)
R001467-50	5/16"	50'	400 lbs (181 kg)	1200 lbs (544 kg)



## COTTON TWINE

- Ideal for bundling

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001462	#18	655'	6 lbs (2.5 kg)	18 lbs (8 kg)



## POLYPROPYLENE TWISTED ROPE - POLY BAG

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating
- 3-Strand twisted style
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Floats in water

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001951-50	3/16"	50'	166 lbs (75 kg)	500 lbs (226 kg)
R001951-100	3/16"	100'	166 lbs (75 kg)	500 lbs (226 kg)
R001952-50	1/4"	50'	265 lbs (120 kg)	796 lbs (361 kg)
R001952-100	1/4"	100'	265 lbs (120 kg)	796 lbs (361 kg)
R001953-50	5/16"	50'	283 lbs (128 kg)	850 lbs (385 kg)
R001953-100	5/16"	100'	283 lbs (128 kg)	850 lbs (385 kg)
R001954-50	3/8"	50'	283 lbs (128 kg)	850 lbs (385 kg)



## POLYPROPYLENE TWISTED ROPE - REEL

- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating
- 3-Strand twisted style
- Resist to rot, mildew, acid, oil, gas, abrasion, and weather
- Floats in water

Item #	Dia	Length	Working Load Limit	Breaking Strength
R001656	3/16"	870'	166 lbs (75 kg)	500 lbs (226 kg)
R001650	3/16"	2125'	166 lbs (75 kg)	500 lbs (226 kg)
R001706	1/4"	600'	265 lbs (120 kg)	796 lbs (361 kg)
R001700	1/4"	1500'	265 lbs (120 kg)	796 lbs (361 kg)
R001756	5/16"	330'	283 lbs (128 kg)	850 lbs (385 kg)
R001750	5/16"	975'	283 lbs (128 kg)	850 lbs (385 kg)
R001806	3/8"	255'	283 lbs (128 kg)	850 lbs (385 kg)
R001800	3/8"	630'	283 lbs (128 kg)	850 lbs (385 kg)
R001856	1/2"	155'	533 lbs (241 kg)	1,600 lbs (725 kg)
R001850	1/2"	335'	533 lbs (241 kg)	1600 lbs (725 kg)
R001900	5/8"	200'	900 lbs (409 kg)	500 lbs (227 kg)
R001950	3/4"	135'	2166 lbs (982 kg)	6500 lbs (227 kg)



# TIE DOWNS/BUNGEE CORDS



## RATCHET TIE DOWNS

- Quick automatic release

Item #	Color	Dia	Length	Working Load Limit	Breaking Strength
R000906	Orange	1"	15'	500 lbs (227 kg)	1500 lbs (680 kg)
R000905	Camouflage	1"	15'	500 lbs (227 kg)	1500 lbs (680 kg)
L003162	Orange	2"	20'	1000 lbs (454 kg)	3000 lbs (1360 kg)
L003165	Orange	2"	27'	1700 lbs (771 kg)	5000 lbs (2268 kg)
R000780	Yellow	2"	27'	1700 lbs (771 kg)	5000 lbs (2268 kg)



## 2 PC RATCHET TIE DOWN SET

- Quick automatic lock & release trigger
- Safe, secure & tight
- Ratchet does all the tightening work
- Cushioned thumb release

Item #	Color	Dia	Length	Working Load Limit	Breaking Strength
R000750	Orange	1"	15'	400 lbs (181 kg)	1200 lbs (544 kg)
R000760	Orange	2"	20'	1700 lbs (771 kg)	5000 lbs (2268 kg)



#### 4 PC 1" X 15' RATCHET TIE DOWN SET

- Quick automatic lock & release trigger
- Safe, secure & tight
- Ratchet does all the tightening work
- Cushioned thumb release
- Adjustable 4' to 15'

Item #	Color	Dia	Length	Working Load Limit	Breaking Strength
R000901	Orange	1"	15'	500 lbs (227 kg)	1500 lbs (680 kg)
R000800	Camouflage	1"	15'	500 lbs (227 kg)	1500 lbs (680 kg)



#### 4 PC 1" X 15' RATCHET TIE DOWN SET

- Quick automatic lock & release trigger
- Safe, secure & tight
- Ratchet does all the tightening work

Item #	Color	Dia	Length	Working Load Limit	Breaking Strength
R000902	Orange	1"	15'	500 lbs (227 kg)	1500 lbs (680 kg)
R000903	Camouflage	1"	15'	500 lbs (227 kg)	1500 lbs (680 kg)



#### 2 PC 1" X 6' BUCKLE TIE DOWN

- 1" Nylon webbing holds any size or shape securely
- 1' to 6' Adjustment easy thumb-release & automatic locking buckle
- Vinyl coated hooks resist scratching surfaces
- Steel buckle with die-cast cam lock

Item #	Color	Dia	Length	Working Load Limit	Breaking Strength
T004395	Orange	1"	6'	333 lbs (151 kg)	1000 lbs (455 kg)




#### 4 PC 1" X 6' BUCKLE TIE DOWN

- Nylon webbing
- Automatic locking buckle
- Vinyl coated steel hooks
- Easy thumb release
- Adjust from 1 to 6 feet

Item #	Color	Dia	Length	Working Load Limit	Breaking Strength
T004405	Orange	1"	16'	367 lbs (167 kg)	1100 lbs (499 kg)





## BUNGEE CORDS

- Stretches to nearly twice their length
- Holds firmly and securely
- Holds almost any size or shaped item
- High quality rubber strands covered with double braid
- Keeps its tension in all kinds of weather

Item #	Length
S012350	24"
S012401	36"
S012410	48"

## 12 PC BUNGEE CORDS

- Size: 2 PC each of 3/8" x 48", 3/8" x 30", 3/8" x 24", 3 PC each of 3/8" x 20", 3/8" x 16"
- Stretches to nearly twice their length
- Holds firmly and securely
- Holds almost any size or shaped item
- High quality rubber strands covered with double braid
- Keeps its tension in all kinds of weather

Item #
S012412



## 14 PC BUNGEE CORDS

- Sizes: 4 PC each of 5/32" x 10", 5/16" x 18", 5/16" x 24", 2 PC of 5/16" x 32"
- Sold in 8 PC display box

Item #
S012413DSP



## 20 PC ASSORTED BUNGEE CORDS

- Sizes: 4 PC each of 3/8" x 18", 3/8" x 24", 3/8" x 30", 5/16" x 24", 5/16" x 36"
- Blue, red, green, yellow straps

Item #
S012414