


CLAMPS AND VISES

RATCHETING CLAMPS C-CLAMPS SPRING CLAMPS PIPE CLAMPS BAR CLAMPS TOGGLE CLAMPS METAL WORKING CLAMPS SPECIALTY CLAMPS VISES/ANVILS WOODWORKING VISES DRILL PRESS VISES

CLAMPS AND VISES



RATCHETING CLAMP AND SPREADER

- Easy one handed operation
- Non-marring pads protect your material
- Jaw is 30% fiberglass for added strength
- Quick change knob allows for easy conversion to spreader

ltem #	Size	ltem #	Size
50473	6"	50476	24"
50474	12"	50477	36"
50475	18"		







RATCHETING CLAMP AND SPREADER

- Spring loaded quick ratchet with push-button release
- Reversing jaw with non-marring pad converts to spreader

	-		
Item #	Size	ltem #	Size
50302	6"	50308	24"
50304	12"	50310	36"
50306	18"		



4 PC RATCHETING CLAMP AND SPREADER SET

- Easy one handed operation
- Non-marring pads protect your material
- Jaw is 30% fiberglass for added strength
- Quick change knob allows for easy conversion to spreader
- \bullet Includes: 2 x 4" mini bar clamp and 2 x 6" bar clamp

ltem # 50479



4" MINI RATCHETING CLAMP

- Easy one handed operation
- Non-marring pads protect your material
- Jaw is 30% fiberglass for added strength
- Quick change knob allows for easy conversion to spreader
- Sold in 16 PC display box

Item

50472

2 PC 6-1/4" RATCHETING CLAMP

- 2-1/2" throat depth
- Metal ratchet mechanism to secure clamp
- Adjustable padsQuick release lever

ltem

50131



2 PC 4" MINI RATCHETING CLAMP

- Easy one handed operation
- Non-marring pads protect your material
- Jaw is 30% fiberglass for added strength
- Quick change knob allows for easy conversion to spreader

ltem # 50471



6" MINI RATCHETING CLAMP

Spring loaded quick ratchet with push-button release
 Reversing jaw with non-marring pad converts to spreader

ltem # 50421





RATCHETING CLAMP

Ratcheting action for high clamping force

- Fiberglass reinforced nylon for added strength
- ${\scriptstyle \bullet}$ Sold in 12 PC display box

ltem #	Size	Opening
50137	5"	1"
50138	7"	2"
50139	9"	3"



6 PC MINI SPRING CLAMP

High strength nylon

Pivoting V-groove pads for clamping oddly shaped pieces



50108



METAL SPRING CLAMP

- Steel construction for durability
 Powerful steel spring for stronger
 - clamping pressure
 - Vinyl coated handles and tips

Item #	Size	Opening x Depth
50100	4"	1-1/8" x 1-1/4"
50102	6"	2-1/8" × 2-1/8"
50103	9"	3" x 3"



NYLON SPRING CLAMP

High-strength nylon

- High-strength nylon
- Powerful steel spring for stronger clamping pressure
- Pivoting V-groove pads for clamping oddly shaped pieces

Item #	Size	Opening x Depth
50112	2"	1-1/16" x 7/8"
50116	3"	1-3/16" x 1-1/8"
50118	4"	1-1/2" × 1-1/2"
50120	6"	2-3/8" x 2-1/2"
50122	9"	3-1/4" x 3-1/2"



COMFORT GRIP SPRING CLAMP

- Ergonomic rubber grips for greater comfort
- High-strength nylon
- Powerful steel spring for stronger clamping pressure
- Pivoting V-groove pads for clamping oddly shaped pieces

ltem #	Size	Opening x Depth
50123	3"	1-1/4" × 1-1/4"
50124	4"	1-1/2" x 1-3/4"
50126	6"	2-1/2" x 2-5/8"
50128	9"	3.5" x 3"






30 PC MINI SPRING CLAMP

- High-strength nylon
- Pivoting V-groove pads for clamping oddly shaped pieces
- Plastic storage case
- Includes: 26 PC 1" mini spring clamp, 4 PC 2" mini spring clamp
 Sold in 12 PC display box

Sola	In	12	PC	a
Item	#			

50107





4 PC SPRING CLAMP SET

- Includes: 2×4 " and 2×6 " spring clamps
- High-strength nylon
- Powerful steel spring for stronger clamping pressure
- Swivel pads
- Sold in 8 PC display box

Item #


50106



COMFORT GRIP SPRING CLAMP DISPLAY BOX

- Ergonomic rubber grips for greater comfort
- High-strength nylon
- Powerful steel spring for stronger clamping pressure
- Pivoting V-groove pads for clamping oddly shaped pieces
- Sold in 48 PC display box assorted colors

ltem #	Size	Opening x Depth
50125	4"	1-1/2" x 1-3/4"
50127	6"	2-1/2" x 2-5/8"







90° CORNER CLAMP

Use to clamp mitered corners for glueing

Aluminum alloy body3" Opening

ltem # 50029



WOODEN HANDSCREW CLAMP

- Clamps irregular shaped objects
- Hardwood jaws distribute pressure evenly

Non-marring

Heavy duty steel ferrules

Item #	Size	Opening x Depth
50040	4"	2-1/4" x 2"
50042	6"	3" x 2-3/4"
50044	8"	4-1/8" × 4"
50046	10"	5-7/8" x 5"
50048	12"	8" x 6"







PIPE CLAMPS

Multiple hardened disc clutch for easy adjustments

• 3 leaf spring

 Soft jaw 	pads	are	non-marring
------------------------------	------	-----	-------------

Item #	Size
50149	1/2" (Use with 1/2" steel pipe to create any size clamp)
50150	3/4" (Use with 3/4" steel pipe to create any size clamp)





3/4" H-STYLE PIPE CLAMP

- Use with 3/4" steel pipe to create any size clamp
- Unique foot design elevates clamp from work surface and provides greater stability
- Multiple hardened disc clutch for easy adjustments
- 3 leaf spring Soft jaw pads are non-marring





ALUMINUM BAR CLAMP

- Torsion box design combines rigidity with light weight
- Spring loaded quick action clamp head fits in positive detents
 Item # Size Opening

		- I - J
50240	24"	19-3/4"
50242	36"	31-3/4"
50244	48"	43-3/4"
50246	60"	55-3/4"
50248	72"	67-3/4"

PIPE FOR 3/4" PIPE CLAMPS

• Use with 3/4" pipe clamps

Mild steel

Ihreaded one end				
ltem #	Size			
50172	3/4" x 3'			
50174	3/4" x 4'			
50176	3/4" x 5'			
50178	3/4" x 6'			





- Spring-loaded quick releasePositive locking serration
- Cast jaws
- Non-marring cap and swivel pad
- Soft grip non-slip handle
- 2-1/2" Throat depth

Item #	Size		
50230	6"		
50232	12"		
50234	24"		
50236	36"		
50238	48"		





F-BAR CLAMP

- Reinforced cast jaws
- Serrated edges on bar to prevent slipping
- I-Beam bar design to prevent buckling
- Non-marring cap and swivel pad
- Wooden handle

Item #	Size	ltem #	Size
50200	2" x 4"	50212	3" x 16"
50222	4-1/2" x 48"	50214	3" x 20"
50224	4-1/2" x 60"	50216	4-1/2" x 24"
50202	2" x 6"	50218	4-1/2" x 32"
50208	3" x 8"	50220	4-1/2" x 40"
50210	3" x 12"		

HEAVY DUTY F-BAR CLAMP

- Meets German DIN standards
- Malleable cast iron jaws
- Serrated edges on bar to prevent slipping
- I-Beam bar design to prevent buckling
- Non-marring cap and swivel pad
- Soft grip non-slip handle

Item #	Size	ltem #	Size
50329	2" x 6"	50338	3" x 24"
50330	2" x 8"	50339	4-1/2" x 24"
50332	3" x 8"	50341	4-1/2" x 36"
50334	3" x 12"	50342	4-1/2" x 48"
50336	3" x 16"		



2" X 8" F-BAR CLAMP

 Great for woodworking and general construction applications

Plastic handle

Item # 50196



200 LB T-HANDLE **VERTICAL TOGGLE CLAMPS**

- All steel construction with an oil and stain resistant rubberized handle
- Rubberized hold-down foot secures your work piece without
- marring the surface
- Ideal for use in shop jigs • Overall height: 3.1"
- Overall length: 2.6"
- Bar height: 1.38"
- Bar length: 2.28"
- Hold down bolt: small

lt	er	n :	#		
-	~ .	~ ~	_		

50820

resistant rubberized handle

work piece without marring the surface

300 LB PUSH-PULL CLAMP

- · All steel construction with an oil and stain resistant rubberized handle
- Ideal for use in shop jigs
- Overall height: 3.3" • Overall length: 5.46"
- Bar height: 1.14"
- Bar length: 3.3"

Item #

50844

500 LB PUSH-PULL CLAMP

- All steel construction with an oil and stain
- resistant rubberized handle
- Ideal for use in shop jigs
- Overall height: 4"
- Overall length: 4.49"
- Bar height: 1.25"
- Bar length: 2.8"
- Item #
- 50845



VERTICAL TOGGLE CLAMPS All steel construction with an oil and stain Rubberized hold-down foot secures your · Ideal for use in shop jigs



Item #	Overall Height	Overall Length	Bar Height	Bar Length	Hold Down Bolt
50825	3.75"	2.6"	1.38"	2.28"	Small
50827	5.5"	4.6"	1.8"	4.5"	Medium
50828	5.5"	5.5"	1.92"	5.33"	Medium
50829	8"	5.5"	2.3"	5.4"	Large

700 LB LATCH CLAMP

• All steel construction with an oil and stain resistant rubberized handle

Fits

50820, 50825, 50835

50827, 50828, 50837

50829, 50839

- Ideal for use in shop jigs
- Overall height: 1.6"
- Overall length: adjustable

HOLD-DOWN BOLTS

Complete with flanged washers and nuts

Size

Small

Large

Medium

Flat cushion tip

Item #

50850

50853

50855

• Bar length: adjustable

Item #

50847



HORIZONTAL TOGGLE CLAMPS

- All steel construction with an oil and stain resistant rubberized handle Rubberized hold-down foot secures your work piece without marring the surface
- · Ideal for use in shop jigs

ltem #	Overall Height	Overall Length	Bar Height	Bar Length	Hold Down Bolt
50835	1.5"	5.5"	1.5"	2.6"	Small
50837	1.85"	7"	1.85"	3.3"	Medium
50839	2.56"	10.25"	2.56"	4.73"	Large





2-1/2" 3-WAY C-CLAMP

- 2-1/2" opening and 2-1/2" depth of throat
- Cast iron construction
- Swivel pads
- Use for right angle clamping
- Excellent for applying edging

50020



2-1/2" DEEP THROAT C-CLAMP

- Deep 4-1/2" throat with 2-1/2" opening
- · Ideal for metal working and woodworking applications
- Cast iron construction for added durability
- · Large swivel pad reduces marring on work surfaces and increases stability

Item #

50022	





C-CLAMPS

- Ideal for metal working and woodworking applications
- Cast iron construction for added durability
- · Large swivel pad reduces marring on work surfaces and increases stability

Item #	Size	Opening x Depth
50001	1"	1" × 1"
50002	2"	2" × 1-1/4"
50003	3"	3" x 2"
50004	4"	4" × 2-1/2"
50005	5"	5" x 2-5/8"
50006	6"	6" x 2-3/4"
50008	8"	8" x 3-1/2"
50009	10"	10" x 3-1/2"



3 PC C-CLAMP SET

· Ideal tool for wood and metal clamping applications Swivel pad design

• Includes 1". 2" & 3"

• Includes 1, Z	a J
Item #	
50032	




1-5/32" Heavier bar and larger throat depth 9/16"

HEAVY DUTY METAL WORKING CLAMP

- Drop forged steel body
- Swivel pad
- I-beam construction
- H

Heavy duty bar 9/16" x 1-5/32"			
Item #	Size		
50386	4-3/4" X 8"		
50388	4-3/4" X 12"		






METAL WORKING CLAMP

- Drop forged steel body
- Swivel pad
- I-beam construction

3/8" x 3/4" bar	
Item #	Size

ittoini #	0.20
50380	4" × 8"
50382	4" × 12"



WOODWORKING VISE - QUICK RELEASE

- Single level quick release for easy operation
- Square body seating provides easy fit under workbench
- Toe-in feature provides even clamping pressure on work piece
- Jaws include provisions to install wooden cheeks

Adjustable stop

Item #	Size
58032	7"
58034	9"





2 PC MAGNETIC VISE JAW PAD

- Grip objects in vise without marring or scratching
- Embedded magnets allow you to quickly add or remove jaws
- Made from non-marring TPU material
- Great for jewelry makers, gunsmiths and hobbyists

Item #	Size
58050	4-1/2"
58052	6"



4" SWIVEL BENCH VISE

- Precision cast body
- Swivel base
- Replaceable jaws
- Large anvil
- Max opening: 3"
- Throat depth: 2"
- Weight: 5.5 kg / 12 lb





SWIVEL BENCH VISE

- Precision cast iron build for maximum durability
- Swivel base
- Fused steel handle
- Replaceable jaws with firm grip
- Large anvil

Item #	Size	Max Opening	Throat Depth	Weight
58040	4"	3"	2"	7 kg / 15.5 lb
58042	5"	3-7/8"	2-1/2"	13 kg / 28.5 lb
58044	6"	4-7/8"	3"	17 kg / 37.5 lb

HOLLAND IMPORTS



HEAVY DUTY SWIVEL BENCH VISE

- Unbreakable steel construction
- 360° Swivel base
- Large polished anvil
- Steel pipe jaws

Item #	Size	Max Opening	Throat Depth
V001820	4"	7-1/4"	3-3/8"
V001880	5"	6-1/2"	3"
V001920	6"	4-3/4"	2-3/8"



5" MULTI PURPOSE BENCH VISE

- Precision cast iron build for maximum durability
- Jaw Rotates 360° for precise positioning and greater versatility
- Fused Steel Handle
- Replaceable Jaws with firm grip
- Large Anvil
- Max opening: 5"
- Throat depth: 2-5/8"
- Weight: 15 kg/33 lb

Item #
58045



ANVILS

- Precision cast iron build for maximum durability
- ${\boldsymbol{\cdot}}$ Flat face and smooth horn ideal for any metal forming application
- Smooth yet durable surface
- 4 base lugs for permanent fixing

Item #	Size	Face Size
58056	24 LB	3-1/2" x 6-1/2"
58058	55 LB	4" × 8-1/2"



MINI ANVILS

- Composed of forged steel with grey/silver hammered finish
- One horn and milled surface
- 4 mounting holes
- Great for jewelers, metalsmiths, and hobbyists

,	
Item #	Size
44035	1 lb
44036	3 lb