


## CORD GAUGE VS AMPERAGE

- Uniquely designed for job sites and homes
- Wide range of lengths, gauges and temperature ratings for indoor or outdoor use

**YOUR POWER, OUR PROMISE:  
UNMATCHED QUALITY IN EVERY CORD.**



**16** GAUGE  
CALIBRE

**14** GAUGE  
CALIBRE

**12** GAUGE  
CALIBRE

LIGHT DUTY

MEDIUM DUTY

HEAVY DUTY

**25ft**

**13** MAX AMPS  
AMPÈRESMAX

**15** MAX AMPS  
AMPÈRESMAX

**15** MAX AMPS  
AMPÈRESMAX

**50ft**

**13** MAX AMPS  
AMPÈRESMAX

**15** MAX AMPS  
AMPÈRESMAX

**15** MAX AMPS  
AMPÈRESMAX

**100ft**

**10** MAX AMPS  
AMPÈRESMAX

**13** MAX AMPS  
AMPÈRESMAX

**15** MAX AMPS  
AMPÈRESMAX

TYPICAL  
USAGE



### EXTENSION CORD CLASSIFICATIONS

#### SJEOW / SJTW

Classified as a highly durable extension cord made of thermoplastic TPE rubber (thermoplastic elastomer). This material combines rubber and plastic, making it resistant to damage without losing flexibility. Abrasion and moisture resistant. Rated -40°C

#### SPT-3

Medium and Light duty cord, commonly used for household appliances and power supply applications.

#### SPT-2

Light Duty cords are commonly used for indoor applications such as powering floor lamps, charging laptops and phones, holiday decorations and running portable fans.

#### PXWT

Light Duty - Suitable for connecting indoor appliances such as lamps, fans, table lamps, floor lamps, phone chargers, and small power tools like drills, sanders, or jigsaws indoors. Rated -40°C



# INDOOR EXTENSION CORDS



## 16/2 SPT-2 INDOOR

- **Electrical Rating:** 13A-125V-1625W Safety-Covered: Prevent accidental contact with live terminals.
- **Polarized Connectors:** Reduces the risk of electrical hazards. Insulation: Enhanced insulation for a wider indoor application range.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010780DSP	6'	Brown	Standard	3	No	0/24
P010781DSP	12'	Brown	Standard	3	No	0/20
P010784DSP	6'	White	Standard	3	No	0/24
P010789DSP	12'	White	Standard	3	No	0/20
P010790DSP	6'	White	Flat	3	No	0/24
P010791DSP	12'	White	Flat	3	No	0/20



## 16/3 SPT-3 INDOOR

- **Electrical Rating:** 13A-125V-1625W
- **Flat Plug:** Ideal choice for tight spaces and hard-to-reach areas.
- **Polarized Connectors:** Reduces the risk of electrical hazards.
- **SPT-3 Insulation:** Resilient to wear and tear, adding safety and durability

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010691DSP	6'	White	Flat	3	No	0/24
P010695	10'	White	Flat	3	No	0/12
P010697	15'	White	Flat	3	No	0/12



## 16/2 SPT-2 INDOOR FOOT SWITCH GREEN

- **Electrical Rating:** 13A-125V-1625W
- **Convenient Design:** Easily extend reach for devices throughout your home
- **Versatile Usage:** Ideal for lamps, appliances, and electronics
- **Flexible Positioning:** Long 12' cord allows for placement in various locations within your home

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010788DSP	12'	Green	Standard	1	No	0/12



## 14/3 SPT-3 AIR CONDITIONER & APPLIANCE

- Electrical Rating: 15A-125V-1875W
- Flat Plug: Ideal for outlets behind furniture or appliances.
- Indoor Use: Designed for smaller appliances and electronics.
- Flexible and Durable: Resistant to kinks and tangles

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P011135</b>	9'	Grey	Flat	1	No	0/12
<b>P011136</b>	15'	Grey	Flat	1	No	0/9



## 16/2 PXWT OUTDOOR

- Electrical Rating: 13A-125V-1625W
- Safety-Covered: Prevent accidental contact with live terminals.
- Polarized Connectors: Reduces the risk of electrical hazards.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P010800DSP</b>	10'	Green	Standard	3	No	0/24
<b>P010799DSP</b>	15'	Green	Standard	3	No	0/15
<b>P010785DSP</b>	10'	White	Standard	3	No	0/24
<b>P010786DSP</b>	15'	White	Standard	3	No	0/15



## 16/3 SJTW OUTDOOR

- Electrical Rating: 13A-125V-1625W
- Durable: Highly resistant to abrasion and moisture for longlasting performance.
- Polarized Connectors: Designed to reduce the risk of electrical hazards and ensure safe connections.
- Flexible and Durable: Resist kinks and tangles, providing hassle-free use.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P010812</b>	15'	Green	Standard	1	No	0/24
<b>P010813-25</b>	25'	Green	Standard	1	No	0/12
<b>P010814</b>	50'	Green	Standard	1	No	0/6



## 16/3 SJTW OUTDOOR

- Electrical Rating: 13A-125V-1625W
- Durable: Highly resistant to abrasion and moisture for long-lasting performance.
- Polarized Connectors: Designed to reduce the risk of electrical hazards and ensure safe connections.
- Flexible and Durable: Resist kinks and tangles, providing hassle-free use.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P010802</b>	15'	Orange	Standard	1	No	0/20
<b>P010803-25</b>	25'	Orange	Standard	1	No	0/12
<b>P010804-50</b>	50'	Orange	Standard	1	No	0/6
<b>P010806-100</b>	100'	Orange	Standard	1	Yes	0/6
<b>P010808</b>	10'	Orange	Standard	3	No	0/24
<b>P010809</b>	30'	Orange	Standard	3	No	0/12
<b>P010811</b>	50'	Orange	Standard	3	No	0/6



### 14/3 SJTW 25' EXTENSION CORD - YELLOW

- **Electrical Rating:** 15A-125V-1875W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Flexible and Durable:** Resistant to kinks and tangles.
- **Abrasion & Moisture Resistant:** Built tough to withstand rugged outdoor conditions.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P010817-25</b>	25'	Yellow	Standard	1	No	1/12
<b>P010818</b>	50'	Yellow	Standard	1	No	1/4



### 14/3 SJTW 50' LIT END OUTDOOR EXTENSION CORD RED

- **Electrical Rating:** 15A-125V-1875W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Lighted End:** Amber indicator not only enhance safety but also provide convenient power status checks.
- **Abrasion & Moisture Resistant:** Built tough to withstand rugged outdoor conditions.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P010868</b>	25'	Red	Standard	1	Yes	1/12
<b>P010862</b>	50'	Red	Standard	1	Yes	1/4
<b>P010863</b>	100'	Red	Standard	1	Yes	1/4
<b>P010866</b>	25'	Red	Standard	3	Yes	0/12
<b>P010869</b>	50'	Red	Standard	3	Yes	1/4



### 14/3 SJTW HI-VIS OUTDOOR

**HI-VIS**  
INDICATOR LIGHT

- **Electrical Rating:** 15A-125V-1875W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Lighted End:** Amber indicator not only enhance safety but also provide convenient power status checks.
- **Abrasion & Moisture Resistant:** Built tough to withstand rugged outdoor conditions.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P010900RD</b>	25'	Red	Standard	1	Yes	1/12
<b>P010901GN</b>	25'	Green	Standard	1	Yes	1/12
<b>P010902BL</b>	25'	Blue	Standard	1	Yes	1/12
<b>P010903PK</b>	25'	Pink	Standard	1	Yes	1/12
<b>P010890RD</b>	50'	Red	Standard	1	Yes	1/4
<b>P010891GN</b>	50'	Green	Standard	1	Yes	1/4
<b>P010892BL</b>	50'	Blue	Standard	1	Yes	1/4
<b>P010893PK</b>	50'	Pink	Standard	1	Yes	1/4



## 12/3 SJTW OUTDOOR

- **Electrical Rating:** 15A-125V-1875W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Flexible and Durable:** Resistant to kinks and tangles.
- **Abrasion & Moisture Resistant:** Built tough to withstand rugged outdoor conditions.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010822-25	25'	Yellow	Standard	1	No	1/6
P010824	50'	Yellow	Standard	1	No	1/6



## 12/3 SJTW OUTDOOR - LIT END

- **Electrical Rating:** 15A-125V-1875W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Lighted End:** Amber indicator not only enhance safety but also provide convenient power status checks.
- **Abrasion & Moisture Resistant:** Built tough to withstand rugged outdoor conditions.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010825-50	50'	Yellow	Standard	1	Yes	1/6
P010870	50'	Yellow	Standard	3	Yes	1/6
P010826-100	100'	Yellow	Standard	1	Yes	1/4
P010867	100'	Yellow	Standard	3	Yes	1/4



## 12/3 SJTW HI-VIS

**HI-VIS**  
INDICATOR LIGHT

- **Electrical Rating:** 15A-125V-1875W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Lighted End:** Amber indicator not only enhance safety but also provide convenient power status checks.
- **Abrasion & Moisture Resistant:** Built tough to withstand rugged outdoor conditions.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010910RD	50'	Red	Standard	1	Yes	1/6
P010911GN	50'	Green	Standard	1	Yes	1/6
P010912BL	50'	Blue	Standard	1	Yes	1/6
P010913PK	50'	Pink	Standard	1	Yes	1/6



### 16/3 SJTW BLOCK HEATER

- **Electrical Rating:** 13A-125V-1625W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Lighted End:** Amber indicator not only enhance safety but also provide convenient power status checks.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P011000</b>	10'	Blue	Standard	3	Yes	1/24
<b>P011010</b>	15'	Blue	Standard	3	Yes	1/20



### 10/3 SJTW OUTDOOR

- **Electrical Rating:** 15A-125V-1875W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P010875</b>	50'	Blue	Standard	1	Yes	1/4
<b>P010878</b>	100'	Blue	Standard	1	Yes	1/2



### SJEOW CHEMICAL AND OIL RESISTANT

- **Electrical Rating:** 15A-125V-1875W supports high-power tools, equipment, and outdoor devices.
- **Heavy-Duty 14/3 SJEOW Cord:** Durable, flexible construction designed for demanding outdoor and jobsite use.
- **Lighted Locking End:** Illuminated indicator shows power status while the locking connector helps prevent accidental unplugging.
- **Outdoor-Rated Design:** cETL approved with high-visibility blue and red jacket for safer use on jobsites and outdoor areas.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
<b>P011059 - 14/3</b>	50'	Blue/Red	Standard	1	Yes	1/4
<b>P011061 - 12/3</b>	50'	Blue/Red	Standard	1	Yes	1/6



## SJTW TOUGH WEATHER

## TOUGH WEATHER

- **Electrical Rating:** 15A-125V-1875W
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Lighted End:** Amber indicator provide convenient power status checks.
- **Severe Weather Rated:** Built to withstand severe temperatures from -50 to 60°C (-58 to 140°F).

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P011050 - 14/3	50'	Blue	Standard	1	Yes	1/4
P011052 - 14/3	100'	Blue	Standard	1	Yes	1/4
P011060 - 12/3	50'	Blue	Standard	1	Yes	1/6
P011062 - 12/3	100'	Blue	Standard	1	Yes	1/4



## SJOOW GLACI FLEX

## GLACI FLEX

- **Electrical Rating:** 13A-125V-1625W (16/3), 15A-125V-1875W (14/3)
- **Heavy-Duty Construction:** Engineered with robust materials to handle heavy loads and frequent use
- **Tough Shield:** Boasts chemical and oil resistance, ensuring reliability in tough outdoor conditions
- **Extreme Weather Rated:** Designed to endure extreme conditions from -60 to 60°C (-76 to 140°F)

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P011070 - 16/3	15'	Blue	Standard	1	Yes	1/20
P011072 - 16/3	25'	Blue	Standard	1	Yes	1/12
P011074 - 16/3	50'	Blue	Standard	1	Yes	1/6
P011080 - 14/3	25'	Blue	Standard	1	Yes	1/12
P011082 - 14/3	50'	Blue	Standard	1	Yes	1/4
P011084 - 14/3	100'	Blue	Standard	1	Yes	1/4
P011086 - 12/3	25'	Blue	Standard	1	Yes	1/6
P011088 - 12/3	50'	Blue	Standard	1	Yes	1/6



## 14/3 SJTW 50' OUTDOOR EXTENSION CORD REEL

- **50 ft Retractable Cord:** Provides extended reach for powering tools and equipment while keeping the cord organized and tangle-free.
- **Heavy-Duty 14/3 SJTW Cord:** Durable outdoor-rated construction designed for demanding jobsite and workshop use.
- **4 Grounded Outlets with Power Switch:** Multiple outlets with on/off control allow convenient power distribution from one reel.
- **Built-In Circuit Breaker Protection:** 13A breaker helps protect connected equipment from overload and electrical damage.

ITEM	COLOR	CORD LENGTH	CASE
P011102	Red	50FT	1/2



### 12/3 SJTW 3' INLINE GFCI

- **Built-In GFCI Protection:** Helps prevent ground faults for safer operation in wet or hazardous environments.
- **Heavy-Duty 12AWG Cord:** Durable construction supports high-power tools and demanding applications.
- **15A / 125V / 1800W Rating:** Provides reliable power for equipment and jobsite tools
- **Outdoor-Rated Visibility Jacket:** Bright yellow cord improves visibility to help reduce tripping hazards.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010850GFI	2'	Yellow	3	3	No	1/18
P010852GFI	3'	Yellow	1	1	No	1/16



### 14/3 SJTW 3-OUTLET ADAPTER CORD - MIX COLORS

- **Heavy-Duty SJTW T-Block:** Durable outdoor-rated construction for extension cord and jobsite use.
- **15A / 125V / 1875W Rating:** Supports tools, equipment, and general power applications.
- **Amber Light Indicator:** Illuminates when powered for quick power status visibility.
- **Wide Temperature Range:** Weather rated from -40°C to 60°C (-40°F to 140°F) for reliable outdoor performance.
- **Assorted Display Pack:** Includes 18 pieces in display box, with 3 each of red, green, blue, pink, yellow, and orange.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010861DSP	2'	Red, Green, Blue, Pink, Yellow, Orange	Yes	3	Yes	1/18



### 12/3 SJTW 3-OUTLET ADAPTER CORD

- **Heavy-Duty SJTW Y-Block:** Durable outdoor-rated construction for extension cord and jobsite use.
- **15A / 125V / 1875W Rating:** Supports tools, equipment, and general power applications.
- **Amber Light Indicator:** Illuminates when powered for quick power status visibility.

ITEM	LENGTH	COLOR	PLUG	OUTLET	LIT END	CASE
P010864	2'	Yellow	Yes	1	Yes	1/18

### H-FRAME EXTENSION CORD WRAP WITH HANDLES

- **H-Frame Cord Wrap Design:** Open-frame structure with integrated handles for easy winding and transport.
- **High Capacity Storage:** Holds SJTW 16AWG up to 100 ft, SJTW 14AWG up to 80 ft, or SJTW 12AWG up to 50 ft.
- **Tangle-Free Cord Management:** Keeps extension cords neatly organized and ready for quick use.
- **Portable Carry Handles:** Dual handles provide comfortable grip for easy movement between jobsites or storage areas.

Item	Color	Cord Lengths	Case
P011160DSP	Orange	100FT, 80FT, 50FT	1/24



## 5 IN 1 JUMP STARTER INFLATOR



- **Multifunction Jump Starter:** Combines jump starter, air compressor, power bank, tire pressure monitor, and SOS flashlight in one portable unit.
- **800A Peak Jump Power:** 8800mAh Li-Polymer battery suitable for starting up to 5.0L gasoline or 3.0L diesel engines.
- **Integrated Air Compressor:** Inflates tires up to 150 PSI with 31.4 L/min airflow; inflates a 225 tire in approximately 6 minutes.
- **4 Intelligent Inflation Modes:** Preset modes for car, motorcycle, bicycle, and ball with automatic shut-off and deflation support.
- **Dual Power Operation:** Works from the internal battery or by direct connection to a vehicle power source.
- **PD Fast Charging (20W):** Quick recharge capability through Type-C input.
- **Power Bank Function:** USB-A output allows charging of phones, tablets, and other devices.
- **Dual Display Screens:** Clear digital displays for battery status, pressure readings, and operating modes.

**C000313** 1/10  
CASE



## 10 G BOOSTER CABLE-12'

- Tangle-free copper-coated aluminum cables with durable PVC jacket
- Flexible in cold weather to -40°C for reliable winter starting
- 120 A clamps fit top and side-post batteries
- Zinc-plated steel clamps with PVC grips

**C000292** 1/15  
CASE



## 8 G BOOSTER CABLES-12'

- Tangle-free copper-coated aluminum cables with durable PVC jacket
- Flexible in cold weather to -40°C for reliable winter starting
- 200 A insulated clamps fit top and side-post batteries
- Zinc-plated steel clamps with PVC grips for secure handling

**C000295** 1/6  
CASE



## 4 G BOOSTER CABLE - 12'

- Tangle-free copper coated aluminum cables with TPR jacket
- Flexible in extreme cold to -40°C
- 380 A clamps fit top and side post batteries
- PP grips on zinc plated steel clamps

**C000285** 1/6  
CASE





### 4 G BOOSTER CABLE - 20'

- Tangle-free copper wire cables with TPR jacket
- Flexible in extreme cold to -40°C
- 450 A insulated clamps fit top and side post batteries
- PVC grips on zinc plated steel clamps

**C000308** 1/4  
CASE



### 2 G BOOSTER CABLES - 25'

- Tangle-free copper wire cables with TPR jacket
- Flexible in extreme cold to -40°C
- 500 A insulated clamps fit top and side post batteries
- PVC grips on zinc plated steel clamps

**C000304** 1/2  
CASE



### 1 G BOOSTER CABLE - 20'

- Tangle-free copper coated aluminum cables with TPR jacket
- Flexible in extreme cold to -40°C
- 480 A clamps fit top and side post batteries
- PVC grips on zinc plated steel clamps

**C000275** 1/2  
CASE



### 2 G BOOSTER CABLE - 20'

- Tangle-free copper coated aluminum cables with TPR jacket
- Flexible in extreme cold to -40°C
- 390 A clamps fit top and side post batteries
- PVC grips on zinc plated steel clamps

**C000282** 1/2  
CASE



### 2 G BOOSTER CABLES- 20'

- Tangle-free copper wire cables with TPR jacket
- Flexible in extreme cold to -40°C
- 500 A insulated clamps fit top and side post batteries
- PVC grips on zinc plated steel clamps

**C000302** 1/2  
CASE



### BOOSTER CABLE CLAMPS


2 Pieces per bag 500 A 72V 4GA to 6GA Steel with vinyl insulated handle Copper inserted in jaws

**C004020** 8/48  
CASE



POWER BARS / OUTLETS





Designed for worksites, garages, workshops, and maintenance environments, this all-in-one PowerStation combines power distribution, lighting, and device charging in a single compact unit. Dual adjustable LED worklights provide focused illumination while six power outlets support multiple tools and equipment simultaneously. With integrated USB charging, durable jobsite construction, and flexible placement options, it delivers convenient power and lighting wherever work needs to get done.

**NEW**

### **6- OUTLET POWERSTATION AND DUAL LED WORKLIGHT - 1,000LM**

- **6 Power Outlets:** Six NEMA 5-15 outlets allow multiple tools and devices to operate from one power source.
- **High Power Capacity:** 125V / 15A / 1875W rating supports demanding tools and jobsite equipment.
- **Dual LED Worklights:** Two integrated LED lights deliver 500 lumens each (1,000 lumens total) for added workspace illumination.
- **90° Rotatable Lights:** Pivoting light heads direct illumination exactly where it is needed.
- **Dual USB Charging Ports:** Two USB-A ports provide convenient charging for phones and jobsite electronics.
- **4ft - Heavy-Duty 14 AWG Power Cord:** Durable cable ensures reliable power delivery in demanding environments.
- **Dual On/Off Switches:** Independent switches allow separate control of power outlets and lighting.
- **ETL / CETL Certified:** Meets recognized electrical safety standards for dependable performance.



**P010718** 1/4  
CASE





NEW

#### 4- OUTLET MAGNETIC POWERHUB WITH LED LIGHT

- **4 Grounded Power Outlets:** Four 5-15R outlets provide convenient power for tools and equipment.
- **High Power Capacity:** 125V / 15A / 1875W rating supports demanding applications and devices.
- **Integrated LED Work Light:** Built-in SMD LED provides 400 lumens of task lighting for work areas.
- **USB Device Charging:** Two USB-A and two USB-C ports allow charging of phones and electronics.
- **Magnetic Mounting Base:** Strong central magnet allows secure hands-free mounting on metal surfaces.
- **Built-In GFCI Protection:** Integrated GFCI helps improve safety in workshops and jobsite environments.
- **5.6ft - Heavy-Duty 14/3 Power Cord:** Durable cable construction ensures long service life and reliable power delivery.
- **ETL / UL / CSA Certified:** Complies with recognized electrical safety standards.

P010722

2/20  
CASE



NEW

#### 5-OUTLET HD SURGEHUB POWER ADAPTER

- **All-in-One Power Expansion:** Converts a single outlet into 5 AC outlets and 2 USB charging ports for powering multiple devices.
- **Integrated Surge Protection:** Helps protect connected electronics from voltage spikes and power surges.
- **Smart Device Charging:** Dual USB ports provide 3.4A total output for convenient charging of phones and small electronics.
- **Compact Space-Saving Design:** Multi-direction outlet layout and flat plug help fit behind furniture and in tight spaces.
- **Quick Power Control:** Built-in On/Off switch with reset allows easy power management and surge reset.
- **Visual Safety Indicators:** LED indicators confirm surge protection and grounding status for added confidence.

P010756

6/24  
CASE





RESETTABLE  
CIRCUIT  
BREAKER




**NEW**

### 12-OUTLET HD WORKSHOP METAL POWER BAR

- **12 Grounded Outlets (NEMA 5-15):** Provides high outlet capacity for tools, chargers, and workstation equipment.
- **Heavy-Duty Metal Housing:** Steel construction built for workshops, garages, and industrial environments.
- **125V / 15A Power Rating:** Supports up to 1875W for shop tools and electrical equipment.
- **6ft - Heavy-Duty 14/3 SJT Power Cord:** Durable cord construction for reliable everyday jobsite use.
- **Lighted On/Off Switch:** Illuminated switch provides clear power status and easy control.
- **Integrated Surge Protection (90J):** Helps protect connected equipment from voltage spikes.

**P010726** 2/6  
CASE




**NEW**

### 7-OUTLET HD POWER BAR WITH SURGE PROTECTOR

- **7 Grounded Outlets (NEMA 5-15):** Expands a single outlet to power multiple tools, electronics, and workstations.
- **1530 Joules Surge Protection:** Helps protect connected devices from power spikes and voltage fluctuations.
- **125V / 15A Capacity:** Rated up to 1875W for shop tools, computers, and equipment.
- **Heavy-Duty 14/3 SJT Power Cord:** Durable cord construction for reliable everyday use.
- **Dual USB Charging Ports:** 1 USB-A + 1 USB-C (3.1A) for phones, tablets, and portable devices.
- **6 ft Power Cord:** Provides flexible reach and fits easily behind furniture or equipment.
- **Resettable Circuit Breaker:** On/off switch with built-in overload protection.
- **LED Protection Indicators:** Shows grounded and surge protection status.

**P010730** 6/24  
CASE





## 4-OUTLET QUICK CLAMP POWER BAR

- 15A / 125V / 1875W
- 6' 14/3 SJT 4-Outlet quick clamp power bar
- 2-1/2" Jaw opening and 2-1/2" throat depth
- Quickly and securely clamps onto ladders, tables, work benches, and much more
- Durable ABS housing and pivoting rubber pad

**P010510** 6/12  
CASE



## OUTLET HD SURGE PROTECT POWER BARS

- Metal housing
- Surge protector 1050 Joules
- Power indicator switch
- 15A / 125V / 1875W
- 15A Circuit breaker

### 6-OUTLET HD SURGE PROTECT POWER BAR

**P010712** 6/24  
CASE

### 8-OUTLET HD SURGE PROTECT POWER BAR

**P010717** 6/24  
CASE



## OUTLET HD SURGE PROTECT POWER BARS

- Metal housing
- Power indicator switch
- 14/3 SJT
- 15A-125V-1875W
- 15A circuit breaker

### 6-OUTLET HD POWER BAR

**P010710** 6/24  
CASE

### 8-OUTLET HD POWER BAR

**P010715** 6/24  
CASE



**NEW**

### 6-OUTLET MECHANICAL OUTDOOR POWER STAKE

- **6 Grounded Outlets:** Provides multiple power connections from a single outdoor stake.
- **125V / 15A Power Rating:** Supports up to 1875W for lighting, tools, and outdoor equipment.
- **Mechanical Timer Control:** Automatic daily on/off operation for scheduled lighting or equipment.
- **Weather-Resistant Outlet Covers:** Self-closing covers help protect outlets from rain and debris.
- **LED Power Indicators:** Shows active power status for quick visibility.
- **Heavy-Duty Ground Stake:** Push-in design installs directly into soil with no mounting required.
- **6 ft Power Cord:** Provides flexible reach for outdoor setup
- **ETL / cETL Certified:** Meets North American electrical safety standards.

**P010882** 2/12  
CASE



**NEW**

### 5-OUTLET POWER BLOCK ADAPTER

- **5 Grounded Outlets:** Expands a single wall outlet into five power connections for tools, chargers, and electronics.
- **15A / 125V Power Rating:** Supports up to 1875W for common shop equipment and household devices.
- **Direct Plug-In Design:** Installs directly into a standard wall outlet with no cord required.
- **Compact Power Block:** Low-profile design helps keep surrounding outlets accessible in tight spaces.
- **Durable Housing:** Impact-resistant construction for everyday workshop, garage, and jobsite use.
- **Common Applications:** Workshops, garages, offices, temporary power setups, and holiday lighting.

**P010758** 4/40  
CASE



### TRIPLE TAP OUTLET ADAPTOR

- 15A-125V-1875W
- All rubber assembly for heavy duty application
- 25 PC display box

ITEM	DESCRIPTION	CASE
<b>P010750DSP</b>	Triple Tap Outlet Adaptor - Green	1/25
<b>P010752DSP</b>	Triple Tap Outlet Adaptor - Orange	1/25
<b>P010754DSP</b>	Triple Tap Outlet Adaptor - Clear	1/25

NEW

### 10-OUTLET INDOOR POWER BAR WITH SURGE PROTECTOR



- **10 Grounded Outlets:** Expands a single outlet to power multiple tools, electronics, and devices.
- **1530 Joules Surge Protection:** Protects connected equipment from voltage spikes and power surges.
- **15A / 125V / 1875W Rating:** Supports common jobsite tools and electronic equipment.
- **Heavy-Duty 14/3 SJT Power Cord:** 6 ft cord with reliable power delivery for tight-space installation.
- **3 USB Charging Ports:** 2 USB-A + 1 USB-C (3.1A total output) for phones, tablets, and accessories.

P010734 6/24  
CASE

### 6-OUTLET SURGE PROTECT INDOOR POWER BAR



- **Multiple Grounded Outlets:** Expands a single outlet to power multiple devices in homes, offices, and workshops.
- **15A / 125V / 1875W Rating:** Supports common electronics, tools, and office equipment.
- **Integrated Circuit Breaker:** Built-in 15A breaker helps protect against overload and excessive current.
- **300 Joules Surge Protection:** Helps safeguard connected equipment from voltage spikes.
- **Heavy-Duty 14/3 SJT Cord:** 3 ft power cord for reliable power delivery and everyday use.

P010772SL 6/24  
CASE



### 8-OUTLET INDOOR POWER BAR



- **Multiple Grounded Outlets:** Expands a single outlet to power multiple devices in homes, offices, and workshops.
- **15A / 125V / 1875W Rating:** Supports common electronics, tools, and office equipment.
- **Integrated 15A Circuit Breaker:** Built-in overload protection helps prevent damage from excessive current.
- **Power Indicator Light:** LED indicator shows active power status.
- **Heavy-Duty 14/3 SJT Cord:** 2.5 ft white power cord for reliable power delivery and flexible placement.

P010774 6/24  
CASE





**NEW**

### 3- OUTLET 3' POWER BAR

- **3 Grounded Outlets:** Provides convenient power access for electronics and small appliances.
- **4 USB Charging Ports:** Allows simultaneous charging of phones, tablets, and other devices.
- **15A / 125V / 1875W Rating:** Supports common household electronics and accessories.
- **USB-C Charging Port:** 5V, 4.8A total output for fast device charging
- **3 ft Power Cord:** Provides flexible placement for desks, workstations, and bedside use.

**P010724** 4/24  
CASE



### 3-OUTLET INDOOR POWER BAR

- **Heavy-Duty ABS Housing:** Durable construction for everyday use in homes, offices, and workshops.
- **13A / 125V / 1625W Rating:** Supports common household electronics and small appliances.
- **Integrated 13A Circuit Breaker:** Built-in overload protection helps prevent damage from excessive current.
- **16/3 SJT Power Cord:** Reliable cord construction with 2 ft white cable for flexible placement.

**P010770** 12/48  
CASE



### 4-OUTLET INDOOR 2 USB-A POWER BAR

- **4 Grounded Outlets + 2 USB Ports:** Power electronics and charge devices simultaneously (5V / 2.1A USB output).
- **15A / 125V / 1875W Rating:** Supports common household electronics, tools, and accessories.
- **Integrated 15A Circuit Breaker:** Built-in overload protection helps prevent damage from excessive current.
- **Heavy-Duty 14/3 SJT Cord:** Durable power cord designed for reliable everyday use.

**P010694** 6/24  
CASE



### 6-OUTLET INDOOR POWER WALL TAP

- **6 Grounded Outlets:** Converts a standard duplex wall outlet into six grounded power connections.
- **15A / 125V / 1875W Rating:** Block-style adapter designed for indoor dry locations.

**P010760W** 12/72  
CASE



### 6-OUTLET INDOOR SURGE PROTECT SWIVEL TAP

- **6 Surge-Protected Outlets:** 1200 Joules surge protection helps safeguard connected electronics.
- **15A / 125V / 1875W Rating:** Supports common household and office electronics.
- **Swivel Outlet Design:** Rotating outlets allow flexible cord placement and easier cable management.

**P010698** 6/48  
CASE

