




DURABLE • VERSATILE • WEATHER-READY








GSM (GRAMS PER SQUARE METER)

- Indicates fabric weight and thickness.
- Higher GSM = Thicker and stronger tarp.
- Light-duty: ~70-100 GSM | Heavy-duty: 150+ GSM






WEAVE COUNT

- Refers to how tightly the fabric is woven (e.g. 10x10 or 14x14).
- A higher weave count means better tear resistance and durability.

	MIL	GRADE	USES
 EconoShield	3 MIL	UTILITY	Light-duty tarp for temporary coverage and everyday protection
 DuraTuff	4 MIL	STANDARD	Versatile mid-weight tarp designed for general-purpose use
 StormShield	6 MIL	HEAVY DUTY	Heavy-duty weather-resistant tarp built for rugged conditions
 UltraTough	8 MIL	SUPER HEAVY DUTY	Extra-durable, reinforced tarp for all-season protection
 TitanGuard	10 MIL	CONSTRUCTION	High-strength tarp built for demanding applications and long-term use
 ArmorMax	12 MIL	INDUSTRIAL	Industrial-grade tarp offering extreme durability and protection
 ThermaShield	INSULATED	INSULATED	Advanced insulated tarp for temperature control and thermal protection



EconoShield



3 MIL UTILITY TARPS

- Provides light, versatile protection for furniture, tools, plants— ideal for indoor use, storage, painting, events, and garden coverage.
- Waterproof polyethylene coating
- High density polyethylene weave - 8 x 8
- All 4 sides heat sealed and reinforced with P.P. rope in hem
- 100% Virgin HDPE woven fabric with both sides coated by LDPE
- Four corner PVC patch bars with aluminum grommets at every 3' interval
- 80 GSM
- 2.4 oz./sq. Yard

Item	Color	Size
T002500B-3	Blue	5' x 7'
T002550B-3	Blue	6' x 8'
T002600B-3	Blue	8' x 10'
T002700B-3	Blue	10' x 12'
T002750B-3	Blue	10' x 15'
T002850B-3	Blue	10' x 20'
T003000B-3	Blue	12' x 16'
T003100B-3	Blue	12' x 20'
T003350B-3	Blue	15' x 20'




DuraTuff



4 MIL STANDARD TARPS


- Ideal for light construction, patio or camping rain protection, covering firewood and gear, or as a floor liner during renovations.
- Waterproof polyethylene coating
- High density polyethylene weave - 10 x 10
- All 4 sides heat sealed and reinforced with P.P. rope in hem
- 100% Virgin HDPE woven fabric with both sides coated by LDPE
- Four corner PVC patch bars with aluminum grommets at every 3' interval
- 100 GSM
- 3 oz./sq. Yard



ITEM	COLOR	SIZE	INNER
T002550B	Blue	6' x 8'	1/40
T002600B	Blue	8' x 10'	1/25
T002610B	Blue	8' x 12'	1/20
T002650B	Blue	9' x 12'	1/15
T002660B	Blue	10' x 10'	1/18
T002700B	Blue	10' x 12'	1/18
T002705B	Blue	10' x 14'	1/14
T002750B	Blue	10' x 15'	1/12
T002800B	Blue	10' x 16'	1/10
T002850B	Blue	10' x 20'	1/10
T003000B	Blue	12' x 14'	1/12
T003100B	Blue	12' x 20'	1/7
T003150B	Blue	12' X 24'	1/5
T003350B	Blue	15' x 20'	1/5
T003360B	Blue	16' x 20'	1/6
T003700B	Blue	18' x 24'	1/4
T003800B	Blue	20' x 24'	1/3
T003850B	Blue	20' x 30'	1/2
T003870B	Blue	20' x 40'	1/1
T003900B	Blue	24' x 30'	1/1
T003950B	Blue	24' x 40'	1/2
T004050B	Blue	30' x 50'	1/1
T004070B	Blue	30' x 40'	1/2
T004091B	Blue	40' x 60'	1/1
T004092B	Blue	50' x 50'	1/1
T004093	White	10' x 12'	1/18
T004094	White	12' x 16'	1/12
T004095	White	15' x 20'	1/5
T004096	White	12' x 20'	1/7
T004097	White	20' x 30'	1/2
T004098	White	20' x 24'	1/2
T004103	White	30' x 50'	1/1
T004104	White	8' x 10'	1/25
T004105	White	24' x 30'	1/1
T004108	White	30' x 40'	1/1
T004115	White	40' x 60'	1/1
T004145	Camouflage	8' x 10'	1/25
T004147	Camouflage	10' x 12'	1/18
T004310	Clear	8 x 10'	1/25
T004312	Clear	10 x 15'	1/12
T004313	Clear	15 X 20	1/5
T004314	Clear	20 x 30'	1/2
T004316	Clear	30 x 50'	1/1




StormShield



6 MIL HD TARPS

- Great for covering vehicles, protecting construction materials
- Waterproof polyethylene coating
- High density polyethylene weave - 14 x 14
- All 4 sides heat sealed and reinforced with P.P. rope in hem
- 100% Virgin HDPE woven fabric with both sides coated by LDPE
- Four corner PVC patch bars with aluminum grommets at every 3' interval
- 170 GSM
- 5 oz./sq. Yard

ITEM	COLOR	SIZE	INNER
T004116	Black	9' x 12'	1/12
T004116-68	Black	6' x 8'	1/20
T004116-810	Black	8' x 10'	1/12
T004118	Black	12' x 16'	1/6
T004119	Black	10' x 20'	1/6
T004119-1016	Black	10' x 16'	1/8
T004122	Black	12' x 24'	1/4
T004123	Black	15' x 20'	1/4
T004131	Black	20' x 24'	1/2
T004141	Black	30' x 50'	1/1
T004156	Blue/Silver	8' x 10'	1/12
T004157	Blue/Silver	6' x 8'	1/20
T004158	Blue/Silver	10' x 12'	1/12
T004159	Blue/Silver	12' x 16'	1/6
T004162	Blue/Silver	12' x 24'	1/4
T004163	Blue/Silver	15' x 20'	1/4
T004166	Blue/Silver	20' x 24'	1/2
T004170	Blue/Silver	20' x 30'	1/2




8 MIL SUPER HD TARPS

- Heavy-duty coverage for trucks, boats, machinery and industrial floor protection.
- Waterproof polyethylene coating
- High density polyethylene weave - 14 x 14
- All 4 sides heat sealed and reinforced with P.P. rope in hem
- 100% Virgin HDPE woven fabric with both sides coated by LDPE
- Four corner PVC patch bars with aluminum grommets at every 3' interval
- 190 GSM



UltraTough

ITEM	COLOR	SIZE	INNER
T004322	Black/Silver	12' x 16'	1/5
T004324	Black/Silver	15' x 20'	1/2
T004326	Black/Silver	20' x 24'	1/2
T004328	Black/Silver	24' x 30'	1/1
T004330	Black/Silver	30' x 50'	1/1




10 MIL CONSTRUCTION TARPS

- Durable covers for trucks, warehouses, agriculture, and harsh weather protection.
- Waterproof polyethylene coating
- High density polyethylene weave - 14 x 14
- All 4 sides heat sealed and reinforced with P.P. rope in hem
- 100% Virgin HDPE woven fabric with both sides coated by LDPE
- Four corner PVC patch bars with aluminum grommets at every 3' interval
- 210 GSM



TitanGuard

ITEM	COLOR	SIZE	INNER
T004332	Brown/Silver	15' x 20'	1/2
T004334	Brown/Silver	20' x 24'	1/2
T004336	Brown/Silver	24' x 30'	1/1
T004338	Brown/Silver	30' x 50'	1/1




12 MIL INDUSTRIAL TARPS

- Durable covers for trucks, warehouses, agriculture, and harsh weather protection.
- Waterproof polyethylene coating
- High density polyethylene weave - 14 x 14
- All 4 sides heat sealed and reinforced with P.P. rope in hem
- 100% Virgin HDPE woven fabric with both sides coated by LDPE
- Four corner PVC patch bars with aluminum grommets at every 3' interval
- 250 GSM



ArmorMax

ITEM	COLOR	SIZE	INNER
T004340	Dark Green/Silver	15' x 20'	1/2
T004342	Dark Green/Silver	20' x 24'	1/1
T004344	Dark Green/Silver	24' x 30'	1/1



INSULATED TARPS

- High density polyethylene weave - 7 x 7
- 100% Virgin HDPE woven fabric with both sides waterproof LDPE coating
- 1/8" PE Closed cell foam
- R Value 2.26
- All 4 sides heat sealed and reinforced with PP rope in hem
- Four corner PVC patch bars with aluminum grommets
- Aluminum grommets at every 3' interval
- 160 GSM



ThermaShield

ITEM	COLOR	SIZE	INNER
T002422	Orange	6' X 24'	0/3
T002432	Orange	8' x 25'	1/3
T002424	Orange	12' x 20'	1/3
T002429	Orange	12' x 24'	1/3



COLD WEATHER TIE DOWN

- **All-Weather Durability:** Non-cracking, UV-resistant formula designed for reliable use in any weather condition.
- **Maximum Safety Stretch:** Capable of stretching 1.5 times their original length for secure and flexible use.
- **Cold Weather Performance:** Withstands temperatures as low as -40°C, ensuring reliable performance even in extreme cold.
- **Hardened Steel Hooks:** Strong, durable hooks provide secure attachment for maximum safety during use.



SnappiHookers

Item	Size	Case
HR-SH09COLDB	9"	1/50
HR-SH15COLDB	15"	1/50
HR-SH20COLDB	20"	1/50
HR-SH30COLDB	30"	1/50



RUBBER TIE DOWN

- Made in Canada of 100% EDPM virgin rubber Maximum safety stretch is 2.5 times their original length and return to original length plus 5% Hardened steel hooks attached SWL (safety working limit) = 50lbs

ITEM	DESCRIPTION	INNER
HR-SH30BH	30 Rubber Tie Down	10/100
HR-SH15BH	15 Rubber Tie Down	1/150
HR-SH09BH	9 Rubber Tie Down	1/200
HR-SH20BH	20 Rubber Tie Down	1/150



CANOPY TIES

- **Durable Construction:** 4 mm braided polypropylene wrapped around a rubber bungee for long-lasting strength.
- **Flexible & Elastic:** Stretches easily to accommodate air movement without tearing or breaking.
- **Secure Attachment:** Features a hardened yellow poly bungee ball to hold canopies or tarps firmly in place.

Item	Size	Case
B001310	12PC - 6"	24/48
B001320	6PC - 12"	12/48



BUNGEE WITH CARABINER

- **Durable Construction:** 8mm braided polypropylene wrapped around a rubber bungee for enhanced strength and longevity.
- **Secure Carabiner Hooks:** Equipped with 2 metal carabiners fused to the bungee with a poly clasp for added durability.
- **Elastic & Flexible:** Provides the perfect amount of stretch for a secure and reliable hold.

Item	Size	Case
B001220	2PC 36"	12/48



FLAT BUNGEE CORDS

- **Flat Design:** Provides a secure hold with minimal movement, ideal for tight applications.
- **Durable Construction:** 16 mm braided polypropylene wrapped around a rubber core for strength and longevity.
- **Reliable Elasticity:** Offers consistent stretch and flexibility for secure fastening in various conditions

Item	Size	Case
B001010	30PC 24" Green	30/60
B001020	24PC 36" Red	24/48
B001030	18PC 48" Blue	18/36



ROUND BUNGEE CORDS

- **Durable Construction:** 8 mm braided polypropylene wrapped around a rubber bungee for enhanced strength and longevity.
- **Hardened Poly Hooks:** Fused to the bungee for added durability and secure attachment.
- **Reliable Elasticity:** Provides consistent stretch for a firm hold in a variety of applications.

Item	Size	Case
B001100	30PC 24" Green	30/60
B001120	24PC 36" Red	24/48
B001130	18PC 48" Blue	18/36



12PC ASSORTED BUNGEE CORDS

- **Durable Construction:** Braided polypropylene wrapped around a rubber bungee for long-lasting strength and flexibility.
- **Strong Poly Hooks:** Fused to the bungee for added strength and secure fastening.
- **Versatile Assortment:** Includes 4PC x 10" White, 4PC x 18" Orange, 2PC x 24" Green, and 2PC x 36" Red for a range of uses.

Item	Case
B001210	6/24



RATCHET TIE DOWN



RATCHET TIE DOWN

- Working load 500 lb max
- Breaking strength 1500 lb max
- Orange strap, PES webbing with PVC comfort grip
- Quick automatic lock and release trigger
- Non marring vinyl S hooks

ITEM	DESCRIPTION	CASE
R000901	4 PC 1x15' Ratchet Tie Down - Orange	3/6
R000800	4 PC 1 x 15' Ratchet Tie Down - Camouflage	3/6



RATCHET TIE DOWN

- Working load 500 lb max
- Breaking strength 1500 lb max
- Camouflage strap, PES webbing with PVC comfort grip
- Quick automatic lock and release trigger
- Non marring vinyl S hooks

ITEM	DESCRIPTION	CASE
R000906	1 x 15' Ratchet Tie Down - Orange	12/24
R000905	1 x 15' Ratchet Tie Down - Camouflage	12/24



RATCHET TIE DOWN SET

- Working load 500 lb max
- Breaking strength 1500 lb max
- Camouflage strap, PES webbing
- Quick automatic lock and release trigger
- Non marring vinyl S hooks

ITEM	DESCRIPTION	CASE
R000903	4 PC 1 x 15' Ratchet Tie Down Set - Orange	3/6
R000902	4 PC Ratchet Tie Down Set - Camouflage	3/6



2 PC 1 X 15' RATCHET TIE DOWN - ORANGE

- Working load 400 lb max
- Breaking strength 1200 lb max
- Orange strap, PES webbing with PVC comfort grip
- Quick automatic lock and release trigger

ITEM	CASE
R000750	6/12



2 PC 2 X 20' RATCHET TIE DOWN

- Working load 1700 lb max
- Breaking strength 5000 lb max
- Orange strap, PES webbing with PVC comfort grip
- Quick automatic lock and release trigger

ITEM	CASE	MIN
R000760	2/4	2



BUCKLE TIE DOWN SET 1 X 6'

- 1100 lb break strength nylon webbing Automatic locking buckle Vinyl coated steel hooks Easy thumb release Adjust from 1 to 6 feet 4 Pieces WLL 367 lb

ITEM	CASE	MIN
T004405	6/12	2



2 PC BUCKLE TIE DOWN SET 1 X 6'

- Working load 333 lb max
- Breaking strength 1000 lb max
- Orange strap, PES webbing
- Steel buckle with die cast cam lock

ITEM	CASE	MIN
T004395	6/12	2



2 X 20' RATCHET TIE DOWN

- Working load 1000 lb max
- Breaking strength 3000 lb max
- Orange strap, PES webbing
- Quick automatic lock and release trigger
- Non marring vinyl S hooks

ITEM	CASE	MIN
L003162	5/10	5



2 X 6' WEBBING SLING

- 32000 lb. break strength double reinforced polyester with straight flat loops 3 - 2-ply tensile strength type III Swl 6400 Lbs.

ITEM	CASE	MIN
L003155	1/10	5



2 X 27' RATCHET TIE DOWN

- Working load: 3333 lb Maximum break strength: 10000 lb Quick automatic release trigger Safe, secure & tight Heated treated hooks

ITEM	CASE	MIN
R000780	0/8	4